

DIAMOND VANTAGE®

5

OUR PRIMARY WAREHOUSE AND US MANUFACTURING FACILITY IS HEADQUARTERED IN IRVINE, CA.

To better serve our customers, we have selected strategic warehouse locations throughout the U.S. that will reduce transportation time and cost



WEST REGION 2025 Alton Pkwy Irvine, CA 92606

EAST REGION 31 Town Forest Road, Oxford, MA 01540

MIDWEST REGION 655 Wheat Lane, Wood Dale, IL 60191

SOUTHEAST REGION

1902 Forge St, Tucker, GA 30084



EXPECT THE BEST

Since 2003, Diamond Vantage[®] has been serving the construction and stone industries with diamond tools that yield the highest level of performance. From its inception, Diamond Vantage[®] has been working to become the BEST supplier to our customer by continuing to upgrade in all areas of our product line and customer services.

We have our most exciting product lineup to date, and have included all our new products in this beautiful catalog. We have made great strides to make the catalog more useful than ever. Grades, bonds, and other specifications are all clearly presented for each product.

Diamond Vantage[®] diamond tools are used in all areas, from highways, to bridges, to buildings, and everywhere in-between. We strive to be the leader in diamond tool manufacturing by providing our customers with the BEST quality and service, exceeding industry expectations. Diamond Vantage[®] manufactures a complete range of construction diamond tools designed for maximum performance. Such products include: flat saw blades, wall saw blades, hand saw blades, small diameter blades, diamond wire, cup wheels, core bits, specialty products and much more!

TRUTH IN ENGINEERING

- What sets Diamond Vantage[®] apart from most of its competition is that we are a true manufacturer. Unlike most of our competition, we manufacture 100% of the diamond tools we sell.
- The result is quality, consistency, innovation, and competitive pricing.
- Experienced product engineers for technical support and problem solving.
- Manufacture a full range of diamond tools.
- Engineered to reduce customer operating costs.

TRUTH IN MARKETING

- Extensive national sales & marketing support.
- Complete sales support and training.

TRUTH IN SOLUTIONS

- Large inventory for quick turnaround.
- Private label & co-branding.
- Incentive programs tailored to meet each customer's request and needs.

TRUTH IN VALUE

- Industry leader in innovation.
- Lowest standard pricing in the industry.

TABLE OF CONTENTS



BRANDS WE OFFER

Diamond Vantage[®], ZENESIS[™], DiamondX[®], Gorilla Concrete Tools, Hakken[™], EIBENSTOCK[™]



HOW DIAMOND BLADES WORK



UNDERSTANDING THE AGGREGATES



CHOOSE FROM THOUSANDS OF SPECS



PART NUMBER CHART & ICON LEGEND



BOND SELECTION CHART



PROFESSIONAL SERIES (35-120HP) & SPECIALTY PRODUCTS

12" - 60" Blades for Concrete, Asphalt & Asphalt Overlay Pavement Grinding, Diamond Wire & Ring Saw Blades

19

CORE DRILLING

Wet & Dry Core Bits for Concrete, Masonry, General Purpose and Asphalt, Extensions & Adapters

24

HIGH SPEED • MASONRY LOW HP FLAT SAW BLADES

12" - 24" Blades for Hard Materials, General Purpose, Concrete, Asphalt, Abrasive Materials & All-Purpose



EARLY ENTRY • GREEN CONCRETE

Green Concrete Blades & Skid Plates



SMALL DIAMETER

4" - 10" Blades for Hard Materials, General Purpose, Abrasive Materials



TUCK POINT • CRACK CHASER Standard, Double, & Triple Tuck Point Blades; V-Shaped & Crack Chasers



GRINDING & SURFACE PREPARATION PRODUCTS

Cup Wheels, Grinding Blocks, Grinding Wheels, Grinding Heads, F.A.S.T. System, **Polishing Pads**

61

TILE PRODUCTS

ZENESIS[™], For Ceramic, Porcelain (Wet & Dry), Glass, General Purpose, Profile Wheel, Dressing Stones, Diamond Hand Pads and Core Bits

(59)

STONE PRODUCTS

ZENESIS[™], Bridge Saw Blades, Turbo Blades, Contour Blades, Multi-Grinder, Electroplated Multi-Cutter, Core Bits, CNC Products, Polishing Pads, Cup Wheels, Shaping Tools

()

METAL CUTTING DiamondX[®]



EQUIPMENT Diamond Vantage[®], Hakken[™], Gorilla Concrete Tools, EIBENSTOCK[™]



TERMS & CONDITIONS • TROUBLESHOOTING Policies & Warranties



Introducing **DC350LM**, our most powerfut singlephase dust extractor. Portable and easy to maneuver on jobsite floors.

The **MDE350** Dry Masonry Saw features a powerful 3HP motor and 14" blade capacity for fast cutting of brick/block and general purpose applications. The saw can also be used wet with our optional wet kit. The powerful dust collector kit (optional) ensures clean cutting, indoors or out.

The new **FS200-14K** is built from the ground up to provide years of reliable cutting. This saw will cut concrete and asphalt with little to no vibration because of its heavy-gauge steel frame, rugged shaft and bearing assembly.



≣ZENESIS™

WORLD'S MOST ADVANCED PATTERNED DIAMOND TECHNOLOGY GETS EVEN BETTER



- Hybrid Layering Technology maximizes exposed diamonds
- Maximizes product consistency
- Significantly improves both cutting speed and blade life
- Enables cost-effective mass production
- Protected by patented technologies

DIAMOND[®]

NEW DIAMOND TOOLS FOR DEMANDING METAL-WORKING APPLICATIONS

DIAMONDX[®] is a new generation of tools for the metal-working industry. DIAMONDX[®] concentrates a large number of diamond grits on a single layer with an incredibly strong bond. This technology allows DIAMONDX[®] to cut and grind materials that traditional diamond tools could not.

Applications:

High & Low Carbon Steel, Hard Facing Alloys, Ductile Iron, Rail Track, Steel Section, Bar & Tube Wood, Plastic, FRP, PVC





∃Hakken**∃**[™]

- Made in Japan
- Professional Use for all Series!
- Multiple Speed Motor Drills ٠
- Four adjustable leveling screws for drilling ٠ uneven surfaces
- Water valve swivels 360 degrees
- Engineered for both vertical and horizontal drilling



SMD10



SMD14



EIBENSTOCK[™]

- 3-speed oil bath gearbox optimal
- 100% Aluminum housing
- Wet drilling in reinforced concrete, natural stone and asphalt
- 3 speed 19.5 AMP hand-held core drill
- Wet and dry diamond core drill
- DRE4-S Stand sold separately

HOW DIAMOND BLADES WORK

Diamond blades contain industrial-grade diamonds embedded in segments or rims on their cutting edge. As the blade is used, the abrasive qualities of the material being cut (such as concrete) wears down the segment. Diamond crystals either get crushed or let loose as the metal matrix gets worn away, exposing new diamonds to continue the cutting.

The abrasive quality of the material being cut is a large factor in choosing the correct blade for a job. Harder materials, such as cured concrete, require a blade with a softer metal mix. This softer mix will ensure adequate erosion of the segment bringing new diamond to the surface at the optimum rate.

Soft materials such as green concrete and asphalt tend to wear down segments faster. Therefore, segments with a harder, more wear-resistant metal mix in the segment, provide longer blade life and overall better performance. Abrasive materials tend to erode the metal core, or center, of diamond blades causing undercutting. Undercutting is usually concentrated on part of the core that attaches to the segment. If undercutting is excessive, it can cause segment loss and damage the blade. Diamond Vantage® offers 3 types of undercut protection which reduce abrasive slurry accumulation beneath the segments to provide extended blade life.

Segments come in different heights. The total segment height is not as important as the diamond depth – the portion of the segment that contains diamonds. The diamond depth combined with diamond concentration and quality determines the overall performance value of the blade.

The accompanying chart shows the effect different variables have on a diamond blade cutting speed and blade life.

WHAT TO CONSIDER WHEN CHOOSING A DIAMOND BLADE

WHAT IS THE MATERIAL?

Ex.) Brick, block, combination, green concrete, cured concrete, asphalt etc.

WHAT IS THE CUTTING METHOD

Wet and dry?

WHAT KIND OF EQUIPMENT IS BEING USED?

Ex.) High speed hand held saw, masonry table type saw, walk behind saw (low or high HP), hand held power tool

HOW DEEP IS THE CUT?

Use proper blade diameter for depth required. Remember, a 5" cut requires a 14" blade

HOW BIG IS THE JOB?


Higher quality blades are more economical to use

| DIAMOND BLADE CUTTING PERFORMANCE VARIABLES | | | |
|---|---------|------------------|---------------|
| | | RES | ULT |
| VARIABLES | CHANGE | CUTTING SPEED | BLADE LIFE |
| Segment Bond Hardness | Harder | Slower | Longer |
| | Softer | Faster | Shorter |
| Segment Width | Thinner | Faster | Shorter |
| | Thicker | Slower | Longer |
| Material Hardness | Harder | Slower | Longer |
| | Softer | Faster | Shorter |
| Material Abrasiveness | More | Faster | Shorter |
| | Less | Slower | Longer |
| Material Steel Reinforcing | More | Faster | Shorter |
| | Less | Slower | Longer |
| Material Aggregate Size | Smaller | Faster | Shorter |
| | Larger | Slower | Longer |
| Horsepower | Lower | Slower | Longer |
| | Higher | Faster | Shorter |
| Blade Speed RPM | Lower | Faster | Shorter |
| | Higher | Slower | Longer |
| Water Volume | Lower | Faster | Shorter |
| | Higher | Slower | Longer |
| Cutting Pressure | Lower | Faster | Shorter |
| | Higher | Slower | Longer |
| Cutting Depth | Shallow | Faster | Longer |
| | Deep | Slower | Shorter |

AGGREGATE HARDNESS TO BOND RELATIONSHIP

| | CRITICALLY HARD | HARD | MEDIUM | SOFT | GREEN |
|-------------------------------|--|--|--|--|--|
| HARDNESS | 8,000 PSI ex. power plants | 6,000 - 8,000 PSI ex. bridges & airport runways | 4,000 - 6,000 PSI ex. bridges & airport runways | 2,000 - 4,000 PSI ex. patios & walks | > 2,000 PSI ex. concrete less than 48 hours old |
| AGGREGATE TYPE | flint, chert, basalt, trap rock, quartz | river rock, quartz, some granite, schist | some limestone, some granite, some marble, dolomite | sandstone, some limestone, some marble | can be any combination of rocks determined by end-product usage |
| AGGREGATE SIZES | Sieved Gravel + 1.5" | | RANGE | | Pea Gravel approx 0.25" diameter |
| SAND | round (low abrasion) | | RANGE | | Sharp (high abrasion) |
| STEEL REINFORCING | HEAVY - #4 rebar (1/2") - #5 rebar (5/8") - Multi mat wire mesh | - | MEDIUM #4 rebar (1/2") Multi mat wire mesh | - Sir | LIGHT Igle mat wire mesh |
| BOND HARDNESS SELECTION | SOFT BOND | | | | HARD BOND |

AGGREGATE MAP



DIAMOND BLADE CUTTING DEPTH AND SPEED

The actual cutting depth may vary depending on a number of factors, including the exact blade diameter, the exact flange diameter, saw components, etc.

Warning: Operating at greater than the max RPM can cause blade damage, which may cause injury.

| Blade Size (in.) | | Cuttin | g Depth By Applicati | on (in.) | | Sp | eed |
|------------------|----------|----------|----------------------|------------|-------|----------|---------|
| | Flat Saw | Wall Saw | Masonry | High Speed | Tile | Rec. RPM | Max RPM |
| 4 | - | - | - | 1 | 3/4 | 9,075 | 15,000 |
| 4 1/2 | - | - | - | 1 1/4 | 1 | 8,065 | 13,300 |
| 5 | - | - | - | 1 1/2 | 1 1/4 | 7,255 | 12,000 |
| 6 | - | - | - | - | 1 3/4 | 6,045 | 10,185 |
| 7 | 1 1/2 | - | - | 2 1/2 | 2 1/4 | 5,185 | 8,730 |
| 8 | 2 | - | - | 3 | 2 3/4 | 4,535 | 7,640 |
| 9 | - | - | - | - | 3 1/4 | 4,030 | 6,790 |
| 10 | 3 | - | - | 3 3/4 | 3 3/4 | 3,630 | 6,115 |
| 12 | 3 5/8 | - | - | - | - | 3,025 | 5,095 |
| 12HS | - | - | - | 4 | - | - | 6,300 |
| 14 | 4 5/8 | 4 5/8 | 5 | - | - | 2,595 | 4,365 |
| 14HS | - | - | - | 4 5/8 | - | - | 5,460 |
| 16 | 5 5/8 | - | 6 | - | - | 2,270 | 3,820 |
| 16HS | - | - | - | 6 | - | - | 4,725 |
| 18 | 6 5/8 | 6 1/2 | 7 | - | - | 2,015 | 3,395 |
| 20 | 7 5/8 | - | 8- | - | - | 1,815 | 3,055 |
| 20 5/8 | - | - | 8+ | - | - | 1,760 | 2,965 |
| 24 | 9 5/8 | 9 1/2 | - | - | - | 1,510 | 2,550 |
| 26 | 10 5/8 | - | - | - | - | 1,395 | 2,350 |
| 30 | 11 3/4 | 11 1/2 | - | - | - | 1,120 | 2,040 |
| 36 | 14 3/4 | 14 1/2 | - | - | - | 1,010 | 1,700 |
| 42 | 17 3/4 | 17 3/4 | - | - | - | 865 | 1,455 |
| 48 | 19 3/4 | 20 3/4 | - | - | - | 755 | 1,275 |

* Rec. - Recommended **HS - High Speed Diamond Blades


| | | RPM | |
|---------|----------|---------------------|-------------------------|
| OD (mm) | OD (in.) | Concrete/Masonry | Reinforced Concrete |
| | | Feed Rate: 2-3 mm/s | Feed Rate: 1/2-1.8 mm/s |
| 20 | 3/4 | 1900-2000 | 1150-1700 |
| 30 | 1 1/8 | 1300-1700 | 750-1150 |
| 40 | 1 1/2 | 950-1350 | 570-860 |
| 52 | 2 | 750-1100 | 440-660 |
| 62 | 2 1/2 | 620-950 | 370-550 |
| 72 | 2 7/8 | 550-800 | 320-480 |
| 82 | 3 1/4 | 475-700 | 280-420 |
| 107 | 4 1/4 | 360-550 | 220-340 |
| 122 | 4 7/8 | 320-480 | 190-280 |
| 142 | 5 1/2 | 270-400 | 160-240 |
| 162 | 6 1/4 | 240-350 | 140-210 |
| 182 | 7 1/8 | 210-320 | 120-190 |
| 212 | 8 1/4 | 180-270 | 110-160 |
| 250 | 11 7/8 | 150-230 | 100-140 |
| 300 | 11 7/8 | 130-190 | 80-120 |
| 400 | 15 3/4 | 100-140 | 60-90 |
| 500 | 19 3/4 | 70-120 | 45-70 |

CORE BIT RPM CHART


OD - Outer Diameter

DIAMOND BLADE SEGMENT/RIM SAMPLE CHART

Diamond blades come in many different segment and rim configurations. This chart may help to show the various types of products available and to simplify, for the user, the selection of what will best serve the desired application. The actual application will determine the final product specification, shape, and size.



PART NUMBER CHART



*Custom arbor sizes available by request

| Arbor | Segment/Rim | Application |
|--------------------------|------------------------|--------------------|
| A - 5/8" | W - Wet Cutting Only | C - Concrete |
| B - 20mm | D - Dry or Wet Cutting | 0 - Overlay |
| C - 7/8"-5/8" | Z - Turbo | G - Green Concrete |
| D - Diamond w/ 5/8" hole | ZG - ZZ Turbo Core Bit | A - Asphalt |
| E - 1" | K - Crown Bit | B - Brick/Block |
| H - 5/8"-11 | V - Vortex | R - Refactories |
| J - 11/4"-7 | | DI - Ductile Iron |
| L - 60/50mm | | T - Tile |
| U - Universal | | S - Stone/Granite |
| BE - 20mm-1" Bushing | | M - Marble |
| | | U - Universal |
| | | P - Tuck Pointing |
| | | H - Hole Drilling |
| | | L - Loop Sawing |

DESCRIPTION OF ICONS





angle grinder (small)



(large)



high speed

saw

masonry saw



dry use



made in USA



bridge

saw

GE

ring

saw

CNC

tile

saw

machine





wall

saw

circular

saw





walk-behind

wet use





low hp walk-behind

core


drill







BOND/SEGMENT HARDNESS




PROFESSIONAL SERIES & SPECIALTY PRODUCTS


PROSERIES PART NUMBER GUIDE

EXAMPLE: 1412EWCX32



PROSERIES PERFORMANCE CHART









HARD BOND SOFTEST MATERIAL

FLAT SAW ARBOR CONFIGURATIONS



BASIC ARBOR CONFIGURATION

1.001ø Arbor Hole +.002 -.000



1.00:

1.125

X


 $(\times$

"GEORGE" ARBOR CONFIGURATION

Ø.438 x5


ø 3.000

ĺΧÌ



"ROGER" FLUSH CUT ARBOR CONFIGURATION

"LOUIE" ARBOR CONFIGURATION



WALL SAW ARBOR CONFIGURATIONS

ZENESIS™ V2 SERIES CONCRETE



| Size | Part # | List Price |
|----------------|-------------|------------|
| 12" x .125 x 1 | 1212EVRWZX4 | \$842.43 |
| 12" x .155 x 1 | 1215EVRWZX4 | \$1,053.39 |
| 12" x .187 x 1 | 1218EVRWZX4 | \$1,172.82 |
| 12" x .250 x 1 | 1225EVRWZX4 | \$1,462.23 |
| 14" x .125 x 1 | 1412EVRWZX4 | \$986.42 |
| 14" x .140 x 1 | 1414EVRWZX4 | \$1,039.05 |
| 14" x .155 x 1 | 1415EVRWZX4 | \$1,176.55 |
| 14" x .165 x 1 | 1416EVRWZX4 | \$1,237.62 |
| 14" x .187 x 1 | 1418EVRWZX4 | \$1,303.34 |
| 14" x .250 x 1 | 1425EVRWZX4 | \$1,640.10 |
| 16" x .125 x 1 | 1612EVRWZX4 | \$1,185.18 |

ZENESIS™ VS SERIES CONCRETE



| Size | Part # | List Price |
|----------------|-------------|------------|
| 12" x .125 x 1 | 1212EVSWZX4 | \$647.29 |
| 12" x .155 x 1 | 1215EVSWZX4 | \$795.20 |
| 12" x .187 x 1 | 1218EVSWZX4 | \$995.05 |
| 12" x .250 x 1 | 1225EVSWZX4 | \$1,189.50 |
| 14" x .125 x 1 | 1412EVSWZX4 | \$740.30 |
| 14" x .140 x 1 | 1414EVSWZX4 | \$804.92 |
| 14" x .155 x 1 | 1415EVSWZX4 | \$915.02 |
| 14" x .165 x 1 | 1416EVSWZX4 | \$1,020.20 |
| 14" x .187 x 1 | 1418EVSWZX4 | \$1,124.98 |
| 14" x .250 x 1 | 1425EVSWZX4 | \$1,265.53 |

ZENESIS™ GRADE

 The new ZENESISTM V2 series features a triangular structure and multi-diamond layers to control the exact time of diamond exposure, as well as the number of diamonds on the cut for uniform wear and optimum sawing performance. Field-test results have confirmed high cutting speed and long tool life on heavily reinforced concrete as well as overlay and other materials. A large selection of bond hardness and diamond concentrations are available to cover the majority of applications.

APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|-------------|------------|
| 16" x .140 x 1 | 1614EVRWZX4 | \$1,247.15 |
| 16" x .155 x 1 | 1615EVRWZX4 | \$1,404.30 |
| 16" x .187 x 1 | 1618EVRWZX4 | \$1,598.84 |
| 16" x .250 x 1 | 1625EVRWZX4 | \$1,932.07 |
| 18" x .125 x 1 | 1812EVRWZX4 | \$1,353.61 |
| 18" x .140 x 1 | 1814EVRWZX4 | \$1,449.36 |
| 18" x .155 x 1 | 1815EVRWZX4 | \$1,666.71 |
| 18" x .165 x 1 | 1816EVRWZX4 | \$1,640.68 |
| 18" x .187 x 1 | 1818EVRWZX4 | \$1,783.08 |
| 18" x .210 x 1 | 1821EVRWZX4 | \$2,036.16 |
| 20" x .125 x 1 | 2012EVRWZX4 | \$1,637.25 |
| 20" x .140 x 1 | 2014EVRWZX4 | \$1,731.43 |
| 20" x .155 x 1 | 2015EVRWZX4 | \$1,950.32 |
| 20" x .165 x 1 | 2016EVRWZX4 | \$2,091.96 |
| 20" x .187 x 1 | 2018EVRWZX4 | \$2,181.22 |
| 24" x .125 x 1 | 2412EVRWZX4 | \$1,957.60 |
| 24" x .140 x 1 | 2414EVRWZX4 | \$2,073.10 |
| 24" x .155 x 1 | 2415EVRWZX4 | \$2,323.62 |
| 24" x .165 x 1 | 2416EVRWZX4 | \$2,415.26 |
| 24" x .187 x 1 | 2418EVRWZX4 | \$2,552.75 |
| 24" x .210 x 1 | 2421EVRWZX4 | \$2,919.45 |
| 24" x .250 x 1 | 2425EVRWZX4 | \$3,245.90 |
| 26" x .155 x 1 | 2615EVRWZX4 | \$2,689.86 |
| 26" x .165 x 1 | 2616EVRWZX4 | \$2,888.53 |

| Size | Part # | List Price |
|----------------|-------------|-------------|
| 26" x .187 x 1 | 2618EVRWZX4 | \$3,168.71 |
| 28" x .175 x 1 | 2817EVRWZX4 | \$3,240.91 |
| 30" x .155 x 1 | 3015EVRWZX4 | \$3,211.13 |
| 30" x .165 x 1 | 3016EVRWZX4 | \$3,457.95 |
| 30" x .175 x 1 | 3017EVRWZX4 | \$3,435.94 |
| 30" x .187 x 1 | 3018EVRWZX4 | \$3,695.90 |
| 30" x .210 x 1 | 3021EVRWZX4 | \$3,953.01 |
| 30" x .250 x 1 | 3025EVRWZX4 | \$4,541.18 |
| 36" x .155 x 1 | 3615EVRWZX4 | \$4,039.63 |
| 36" x .165 x 1 | 3616EVRWZX4 | \$4,177.12 |
| 36" x .175 x 1 | 3617EVRWZX4 | \$4,342.91 |
| 36" x .187 x 1 | 3618EVRWZX4 | \$4,732.89 |
| 36" x .210 x 1 | 3621EVRWZX4 | \$5,145.37 |
| 36" x .250 x 1 | 3625EVRWZX4 | \$5,673.63 |
| 42" x .187 x 1 | 4218EVRWZX4 | \$6,092.21 |
| 42" x .210 x 1 | 4221EVRWZX4 | \$6,154.37 |
| 42" x .250 x 1 | 4225EVRWZX4 | \$6,606.12 |
| 48" x .187 x 1 | 4818EVRWZX4 | \$6,882.09 |
| 48" x .210 x 1 | 4821EVRWZX4 | \$7,412.43 |
| 48" x .250 x 1 | 4825EVRWZX4 | \$8,378.11 |
| 54" x .187 x 1 | 5418EVRWZX4 | \$8,788.63 |
| 54" x .210 x 1 | 5421EVRWZX4 | \$9,772.88 |
| 60" x .210 x 1 | 6021EVRWZX4 | \$11,427.21 |

ZENESIS™ GRADE

- Features ZENESIS™, the most advanced diamond pattern for fast cutting through hard, reinforced concrete and long blade life
- All-new 12mm segments are tuned for the fastest, most aggressive cutting in hard aggregates
- Ideal for medium horsepower flat saws and electric/hydraulic saws

APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|-------------|------------|
| 16" x .125 x 1 | 1612EVSWZX4 | \$865.42 |
| 16" x .140 x 1 | 1614EVSWZX4 | \$912.56 |
| 16" x .155 x 1 | 1615EVSWZX4 | \$1,061.84 |
| 16" x .187 x 1 | 1618EVSWZX4 | \$1,326.22 |
| 16" x .250 x 1 | 1625EVSWZX4 | \$1,580.28 |
| 18" x .125 x 1 | 1812EVSWZX4 | \$1,015.09 |
| 18" x .140 x 1 | 1814EVSWZX4 | \$1,110.45 |
| 18" x .155 x 1 | 1815EVSWZX4 | \$1,243.03 |
| 18" x .165 x 1 | 1816EVSWZX4 | \$1,395.06 |
| 18" x .187 x 1 | 1818EVSWZX4 | \$1,541.68 |
| 18" x .210 x 1 | 1821EVSWZX4 | \$1,692.64 |
| 20" x .125 x 1 | 2012EVSWZX4 | \$1,272.70 |
| 20" x .140 x 1 | 2014EVSWZX4 | \$1,372.07 |
| 20" x .155 x 1 | 2015EVSWZX4 | \$1,599.33 |
| 20" x .165 x 1 | 2016EVSWZX4 | \$1,681.43 |
| 20" x .187 x 1 | 2018EVSWZX4 | \$1,784.07 |
| 24" x .125 x 1 | 2412EVSWZX4 | \$1,537.27 |
| 24" x .140 x 1 | 2414EVSWZX4 | \$1,663.07 |
| 24" x .155 x 1 | 2415EVSWZX4 | \$1,919.21 |
| 24" x .165 x 1 | 2416EVSWZX4 | \$2,001.71 |
| 24" x .187 x 1 | 2418EVSWZX4 | \$2,149.80 |
| 24" x .210 x 1 | 2421EVSWZX4 | \$2,342.29 |
| 24" x .250 x 1 | 2425EVSWZX4 | \$2,656.65 |
| 26" x .155 x 1 | 2615EVSWZX4 | \$2,264.21 |


| Size | Part # | List Price |
|----------------|-------------|------------|
| 26" x .165 x 1 | 2616EVSWZX4 | \$2,352.60 |
| 26" x .187 x 1 | 2617EVSWZX4 | \$2,504.91 |
| 28" x .175 x 1 | 2817EVSWZX4 | \$2,797.09 |
| 30" x .155 x 1 | 3015EVSWZX4 | \$2,738.86 |
| 30" x .165 x 1 | 3016EVSWZX4 | \$2,839.04 |
| 30" x .175 x 1 | 3017EVSWZX4 | \$2,970.82 |
| 30" x .187 x 1 | 3018EVSWZX4 | \$3,010.89 |
| 30" x .210 x 1 | 3021EVSWZX4 | \$3,274.00 |
| 30" x .250 x 1 | 3025EVSWZX4 | \$3,748.15 |
| 36" x .155 x 1 | 3615EVSWZX4 | \$3,467.36 |
| 36" x .165 x 1 | 3616EVSWZX4 | \$3,591.11 |
| 36" x .175 x 1 | 3617EVSWZX4 | \$3,783.21 |
| 36" x .187 x 1 | 3618EVSWZX4 | \$3,832.71 |
| 36" x .210 x 1 | 3621EVSWZX4 | \$4,055.45 |
| 36" x .250 x 1 | 3625EVSWZX4 | \$4,752.83 |
| 42" x .187 x 1 | 4218EVSWZX4 | \$5,015.44 |
| 42" x .210 x 1 | 4221EVSWZX4 | \$5,259.38 |
| 42" x .250 x 1 | 4225EVSWZX4 | \$5,885.96 |
| 48" x .187 x 1 | 4818EVSWZX4 | \$5,644.95 |
| 48" x .210 x 1 | 4821EVSWZX4 | \$5,931.33 |
| 48" x .250 x 1 | 4825EVSWZX4 | \$6,943.67 |
| 54" x .187 x 1 | 5418EVSWZX4 | \$7,320.20 |
| 54" x .210 x 1 | 5421EVSWZX4 | \$8,001.00 |
| 60" x .210 x 1 | 6021EVSWZX4 | \$9,380.24 |

ZENESIS™ V SERIES CONCRETE



| Size | Part # | List Price |
|----------------|------------|------------|
| 12" x .125 x 1 | 1212EVWZX4 | \$731.06 |
| 12" x .155 x 1 | 1215EVWZX4 | \$846.27 |
| 12" x .187 x 1 | 1218EVWZX4 | \$1,024.03 |
| 12" x .250 x 1 | 1225EVWZX4 | \$1,186.22 |
| 14" x .125 x 1 | 1412EVWZX4 | \$838.02 |
| 14" x .140 x 1 | 1414EVWZX4 | \$905.97 |
| 14" x .155 x 1 | 1415EVWZX4 | \$974.53 |
| 14" x .165 x 1 | 1416EVWZX4 | \$1,048.88 |
| 14" x .187 x 1 | 1418EVWZX4 | \$1,158.77 |
| 14" x .250 x 1 | 1425EVWZX4 | \$1,440.92 |
| 16" x .125 x 1 | 1612EVWZX4 | \$977.07 |

X4000 CONCRETE



| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWCX4 | \$806.30 |
| 12" x .155 x 1 | 1215EWCX4 | \$931.41 |
| 12" x .187 x 1 | 1218EWCX4 | \$1,072.44 |
| 12" x .250 x 1 | 1225EWCX4 | \$1,339.47 |
| 12" x .375 x 1 | 1237EWCX4 | \$1,856.16 |
| 12" x .500 x 1 | 1250EWCX4 | \$2,641.83 |
| 14" x .125 x 1 | 1412EWCX4 | \$925.71 |
| 14" x .140 x 1 | 1414EWCX4 | \$1,019.70 |
| 14" x .155 x 1 | 1415EWCX4 | \$1,090.32 |
| 14" x .165 x 1 | 1416EWCX4 | \$1,143.44 |
| 14" x .187 x 1 | 1418EWCX4 | \$1,251.00 |

- Features ZENESIS™, the most advance diamond pattern for fast cutting through hard, reinforced concrete and long blade life
- All-new 12mm segments are tuned for aggressive performance in hard aggregates
- Ideal for medium to high horsepower flat saws

APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|------------|------------|
| 16" x .140 x 1 | 1614EVWZX4 | \$1,028.06 |
| 16" x .155 x 1 | 1615EVWZX4 | \$1,129.90 |
| 16" x .187 x 1 | 1618EVWZX4 | \$1,364.81 |
| 16" x .250 x 1 | 1625EVWZX4 | \$1,629.08 |
| 18" x .125 x 1 | 1812EVWZX4 | \$1,140.69 |
| 18" x .140 x 1 | 1814EVWZX4 | \$1,240.38 |
| 18" x .155 x 1 | 1815EVWZX4 | \$1,319.54 |
| 18" x .165 x 1 | 1816EVWZX4 | \$1,431.99 |
| 18" x .187 x 1 | 1818EVWZX4 | \$1,585.19 |
| 18" x .210 x 1 | 1821EVWZX4 | \$1,739.77 |
| 20" x .125 x 1 | 2012EVWZX4 | \$1,304.41 |
| 20" x .140 x 1 | 2014EVWZX4 | \$1,406.16 |
| 20" x .155 x 1 | 2015EVWZX4 | \$1,612.29 |
| 20" x .165 x 1 | 2016EVWZX4 | \$1,683.41 |
| 20" x .187 x 1 | 2018EVWZX4 | \$1,828.56 |
| 24" x .125 x 1 | 2412EVWZX4 | \$1,574.19 |
| 24" x .140 x 1 | 2414EVWZX4 | \$1,702.84 |
| 24" x .155 x 1 | 2415EVWZX4 | \$1,941.49 |
| 24" x .165 x 1 | 2416EVWZX4 | \$2,004.25 |
| 24" x .187 x 1 | 2418EVWZX4 | \$2,201.74 |
| 24" x .210 x 1 | 2421EVWZX4 | \$2,332.90 |
| 24" x .250 x 1 | 2425EVWZX4 | \$2,731.19 |
| 26" x .155 x 1 | 2615EVWZX4 | \$2,541.26 |
| 26" x .165 x 1 | 2616EVWZX4 | \$2,617.08 |

| Size | Part # | List Price |
|----------------|------------|-------------|
| 26" x .187 x 1 | 2618EVWZX4 | \$2,762.25 |
| 28" x .175 x 1 | 2817EVWZX4 | \$3,173.81 |
| 30" x .155 x 1 | 3015EVWZX4 | \$3,071.97 |
| 30" x .165 x 1 | 3016EVWZX4 | \$3,158.01 |
| 30" x .175 x 1 | 3017EVWZX4 | \$3,369.66 |
| 30" x .187 x 1 | 3018EVWZX4 | \$3,415.51 |
| 30" x .210 x 1 | 3021EVWZX4 | \$3,719.57 |
| 30" x .250 x 1 | 3025EVWZX4 | \$4,266.19 |
| 36" x .155 x 1 | 3615EVWZX4 | \$3,888.20 |
| 36" x .165 x 1 | 3616EVWZX4 | \$3,994.45 |
| 36" x .175 x 1 | 3617EVWZX4 | \$4,289.47 |
| 36" x .187 x 1 | 3618EVWZX4 | \$4,345.16 |
| 36" x .210 x 1 | 3621EVWZX4 | \$4,607.08 |
| 36" x .250 x 1 | 3625EVWZX4 | \$5,405.13 |
| 42" x .187 x 1 | 4218EVWZX4 | \$5,667.55 |
| 42" x .210 x 1 | 4221EVWZX4 | \$5,954.41 |
| 42" x .250 x 1 | 4225EVWZX4 | \$6,676.05 |
| 48" x .187 x 1 | 4818EVWZX4 | \$6,383.49 |
| 48" x .210 x 1 | 4821EVWZX4 | \$6,720.34 |
| 48" x .250 x 1 | 4825EVWZX4 | \$7,874.88 |
| 54" x .187 x 1 | 5418EVWZX4 | \$8,253.09 |
| 54" x .210 x 1 | 5421EVWZX4 | \$9,029.53 |
| 60" x .210 x 1 | 6021EVWZX4 | \$10,581.34 |

SUPREME GRADE


- 12mm (.472") segment height
- Utilizes our highest quality diamond for maximum performance
- Highly recommended for machines 65HP and larger

APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|-----------|------------|
| 14" x .250 x 1 | 1425EWCX4 | \$1,573.11 |
| 14" x .310 x 1 | 1431EWCX4 | \$2,013.28 |
| 14" x .375 x 1 | 1437EWCX4 | \$2,183.18 |
| 14" x .500 x 1 | 1450EWCX4 | \$2,838.24 |
| 16" x .125 x 1 | 1612EWCX4 | \$1,077.25 |
| 16" x .140 x 1 | 1614EWCX4 | \$1,189.41 |
| 16" x .155 x 1 | 1615EWCX4 | \$1,270.14 |
| 16" x .187 x 1 | 1618EWCX4 | \$1,462.63 |
| 16" x .250 x 1 | 1625EWCX4 | \$1,795.95 |
| 16" x .375 x 1 | 1637EWCX4 | \$2,549.22 |
| 18" x .125 x 1 | 1812EWCX4 | \$1,253.45 |
| 18" x .140 x 1 | 1814EWCX4 | \$1,386.61 |
| 18" x .155 x 1 | 1815EWCX4 | \$1,477.45 |
| 18" x .165 x 1 | 1816EWCX4 | \$1,539.52 |
| 18" x .187 x 1 | 1818EWCX4 | \$1,707.17 |
| 18" x .210 x 1 | 1821EWCX4 | \$1,853.11 |
| 18" x .250 x 1 | 1825EWCX4 | \$2,100.68 |
| 18" x .375 x 1 | 1837EWCX4 | \$2,878.60 |
| 20" x .125 x 1 | 2012EWCX4 | \$1,464.50 |
| 20" x .140 x 1 | 2014EWCX4 | \$1,583.41 |
| 20" x .155 x 1 | 2015EWCX4 | \$1,710.11 |
| 20" x .165 x 1 | 2016EWCX4 | \$1,771.89 |
| 20" x .187 x 1 | 2018EWCX4 | \$1,953.08 |
| 24" x .125 x 1 | 2412EWCX4 | \$1,760.99 |
| 24" x .140 x 1 | 2414EWCX4 | \$1,909.68 |
| 24" x .155 x 1 | 2415EWCX4 | \$2,048.34 |
| 24" x .165 x 1 | 2416EWCX4 | \$2,107.18 |


| Size | Part # | List Price |
|----------------|-----------|-------------|
| 24" x .187 x 1 | 2418EWCX4 | \$2,345.23 |
| 24" x .210 x 1 | 2421EWCX4 | \$2,565.71 |
| 24" x .250 x 1 | 2425EWCX4 | \$2,908.76 |
| 26" x .155 x 1 | 2615EWCX4 | \$2,550.00 |
| 26" x .165 x 1 | 2616EWCX4 | \$2,613.05 |
| 26" x .187 x 1 | 2618EWCX4 | \$2,861.61 |
| 30" x .155 x 1 | 3015EWCX4 | \$3,062.75 |
| 30" x .165 x 1 | 3016EWCX4 | \$3,134.14 |
| 30" x .175 x 1 | 3017EWCX4 | \$3,307.97 |
| 30" x .187 x 1 | 3018EWCX4 | \$3,415.12 |
| 30" x .210 x 1 | 3021EWCX4 | \$3,680.87 |
| 30" x .250 x 1 | 3025EWCX4 | \$4,118.99 |
| 36" x .175 x 1 | 3617EWCX4 | \$4,199.72 |
| 36" x .187 x 1 | 3618EWCX4 | \$4,332.20 |
| 36" x .210 x 1 | 3621EWCX4 | \$4,668.27 |
| 36" x .250 x 1 | 3625EWCX4 | \$5,238.17 |
| 42" x .187 x 1 | 4218EWCX4 | \$5,483.80 |
| 42" x .210 x 1 | 4221EWCX4 | \$5,871.81 |
| 42" x .250 x 1 | 4225EWCX4 | \$6,463.43 |
| 48" x .187 x 1 | 4818EWCX4 | \$6,287.05 |
| 48" x .210 x 1 | 4821EWCX4 | \$6,843.01 |
| 48" x .250 x 1 | 4825EWCX4 | \$7,586.75 |
| 54" x .187 x 1 | 5418EWCX4 | \$8,205.85 |
| 54" x .210 x 1 | 5421EWCX4 | \$8,751.71 |
| 60" x .210 x 1 | 6021EWCX4 | \$10,043.15 |
| 60" x .250 x 1 | 6025EWCX4 | \$10,919.76 |

X2000 CONCRETE



| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWCX1 | \$664.93 |
| 12" x .155 x 1 | 1215EWCX1 | \$810.50 |
| 12" x .187 x 1 | 1218EWCX1 | \$918.89 |
| 12" x .250 x 1 | 1225EWCX1 | \$1,120.53 |
| 12" x .375 x 1 | 1237EWCX1 | \$1,297.38 |
| 12" x .500 x 1 | 1250EWCX1 | \$1,867.03 |
| 14" x .125 x 1 | 1412EWCX1 | \$760.94 |
| 14" x .140 x 1 | 1414EWCX1 | \$887.38 |
| 14" x .155 x 1 | 1415EWCX1 | \$949.33 |
| 14" x .165 x 1 | 1416EWCX1 | \$987.83 |
| 14" x .187 x 1 | 1418EWCX1 | \$1,071.81 |

X1000 CONCRETE



| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWCX0 | \$541.26 |
| 12" x .155 x 1 | 1215EWCX0 | \$642.55 |
| 12" x .187 x 1 | 1218EWCX0 | \$724.49 |
| 12" x .250 x 1 | 1225EWCX0 | \$855.38 |
| 12" x .375 x 1 | 1237EWCX0 | \$961.49 |
| 12" x .500 x 1 | 1250EWCX0 | \$1,318.08 |
| 14" x .125 x 1 | 1412EWCX0 | \$616.57 |
| 14" x .140 x 1 | 1414EWCX0 | \$702.23 |
| 14" x .165 x 1 | 1416EWCX0 | \$787.76 |
| 14" x .187 x 1 | 1418EWCX0 | \$845.03 |

STANDARD PLUS

- 10mm (.394") segment height
- Balance between cost and performance (not for machines over 65HP)

APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|-----------|------------|
| 14" x .250 x 1 | 1425EWCX1 | \$1,317.71 |
| 14" x .310 x 1 | 1431EWCX1 | \$1,741.19 |
| 14" x .375 x 1 | 1437EWCX1 | \$1,775.36 |
| 14" x .500 x 1 | 1450EWCX1 | \$2,187.77 |
| 16" x .125 x 1 | 1612EWCX1 | \$888.94 |
| 16" x .140 x 1 | 1614EWCX1 | \$1,038.24 |
| 16" x .155 x 1 | 1615EWCX1 | \$1,108.98 |
| 16" x .187 x 1 | 1618EWCX1 | \$1,257.92 |
| 16" x .250 x 1 | 1625EWCX1 | \$1,504.07 |
| 16" x .375 x 1 | 1637EWCX1 | \$2,083.11 |
| 18" x .125 x 1 | 1812EWCX1 | \$1,041.61 |
| 18" x .140 x 1 | 1814EWCX1 | \$1,216.54 |
| 18" x .155 x 1 | 1815EWCX1 | \$1,296.06 |
| 18" x .165 x 1 | 1816EWCX1 | \$1,339.37 |
| 18" x .187 x 1 | 1818EWCX1 | \$1,476.88 |
| 18" x .210 x 1 | 1821EWCX1 | \$1,592.74 |
| 18" x .250 x 1 | 1825EWCX1 | \$1,772.47 |
| 18" x .375 x 1 | 1837EWCX1 | \$2,354.39 |
| 20" x .125 x 1 | 2012EWCX1 | \$1,237.35 |
| 20" x .140 x 1 | 2014EWCX1 | \$1,326.13 |
| 20" x .155 x 1 | 2015EWCX1 | \$1,457.86 |
| 20" x .165 x 1 | 2016EWCX1 | \$1,504.67 |
| 20" x .187 x 1 | 2018EWCX1 | \$1,675.98 |
| 24" x .125 x 1 | 2412EWCX1 | \$1,496.01 |
| 24" x .140 x 1 | 2414EWCX1 | \$1,609.45 |
| 24" x .155 x 1 | 2415EWCX1 | \$1,754.18 |
| 24" x .165 x 1 | 2416EWCX1 | \$1,795.45 |

| Size | Part # | List Price |
|----------------|-----------|-------------|
| 24" x .187 x 1 | 2418EWCX1 | \$2,021.98 |
| 24" x .210 x 1 | 2421EWCX1 | \$2,230.95 |
| 24" x .250 x 1 | 2425EWCX1 | \$2,527.27 |
| 26" x .155 x 1 | 2615EWCX1 | \$2,234.81 |
| 26" x .165 x 1 | 2616EWCX1 | \$2,278.96 |
| 26" x .187 x 1 | 2618EWCX1 | \$2,515.24 |
| 30" x .155 x 1 | 3015EWCX1 | \$2,705.44 |
| 30" x .165 x 1 | 3016EWCX1 | \$2,755.49 |
| 30" x .175 x 1 | 3017EWCX1 | \$2,872.31 |
| 30" x .187 x 1 | 3018EWCX1 | \$3,022.57 |
| 30" x .210 x 1 | 3021EWCX1 | \$3,274.25 |
| 30" x .250 x 1 | 3025EWCX1 | \$3,655.62 |
| 36" x .175 x 1 | 3617EWCX1 | \$3,661.52 |
| 36" x .187 x 1 | 3618EWCX1 | \$3,847.14 |
| 36" x .210 x 1 | 3621EWCX1 | \$4,166.08 |
| 36" x .250 x 1 | 3625EWCX1 | \$4,665.71 |
| 42" x .187 x 1 | 4218EWCX1 | \$4,952.64 |
| 42" x .210 x 1 | 4221EWCX1 | \$5,321.74 |
| 42" x .250 x 1 | 4225EWCX1 | \$5,836.53 |
| 48" x .187 x 1 | 4818EWCX1 | \$5,663.53 |
| 48" x .210 x 1 | 4821EWCX1 | \$6,197.21 |
| 48" x .250 x 1 | 4825EWCX1 | \$6,850.83 |
| 54" x .187 x 1 | 5418EWCX1 | \$7,513.00 |
| 54" x .210 x 1 | 5421EWCX1 | \$8,034.04 |
| 60" x .210 x 1 | 6021EWCX1 | \$9,253.83 |
| 60" x .250 x 1 | 6025EWCX1 | \$10,020.29 |

******* STANDARD GRADE

- 10mm (.394") segment height
- Most economical version of our professional series blades (not for machines over 65HP)


APPLICATIONS - Concrete

| Size | Part # | List Price |
|----------------|-----------|------------|
| 14" x .250 x 1 | 1425EWCX0 | \$1,008.41 |
| 14" x .375 x 1 | 1437EWCX0 | \$1,300.99 |
| 14" x .500 x 1 | 1450EWCX0 | \$1,548.46 |
| 16" x .125 x 1 | 1612EWCX0 | \$724.00 |
| 16" x .140 x 1 | 1614EWCX0 | \$825.91 |
| 16" x .155 x 1 | 1615EWCX0 | \$885.09 |
| 16" x .187 x 1 | 1618EWCX0 | \$998.54 |
| 16" x .250 x 1 | 1625EWCX0 | \$1,150.49 |
| 16" x .375 x 1 | 1637EWCX0 | \$1,541.00 |
| 18" x .125 x 1 | 1812EWCX0 | \$855.98 |
| 18" x .140 x 1 | 1814EWCX0 | \$978.21 |
| 18" x .155 x 1 | 1815EWCX0 | \$1,044.14 |
| 18" x .165 x 1 | 1816EWCX0 | \$1,082.16 |
| 18" x .187 x 1 | 1818EWCX0 | \$1,185.13 |
| 18" x .210 x 1 | 1821EWCX0 | \$1,248.05 |
| 18" x .250 x 1 | 1825EWCX0 | \$1,374.74 |
| 18" x .375 x 1 | 1837EWCX0 | \$1,744.44 |
| 20" x .125 x 1 | 2012EWCX0 | \$989.87 |
| 20" x .140 x 1 | 2014EWCX0 | \$1,078.67 |
| 20" x .155 x 1 | 2015EWCX0 | \$1,175.03 |
| 20" x .165 x 1 | 2016EWCX0 | \$1,221.83 |
| 20" x .187 x 1 | 2018EWCX0 | \$1,322.41 |
| 24" x .125 x 1 | 2412EWCX0 | \$1,207.28 |
| 24" x .140 x 1 | 2414EWCX0 | \$1,320.72 |
| 24" x .155 x 1 | 2415EWCX0 | \$1,424.18 |
| 24" x .165 x 1 | 2416EWCX0 | \$1,465.44 |
| 24" x .187 x 1 | 2418EWCX0 | \$1,609.45 |

| 01 | | |
|----------------|-----------|------------|
| Size | Part # | List Price |
| 24" x .210 x 1 | 2421EWCX0 | \$1,777.17 |
| 24" x .250 x 1 | 2425EWCX0 | \$1,949.80 |
| 26" x .155 x 1 | 2615EWCX0 | \$1,733.86 |
| 26" x .165 x 1 | 2616EWCX0 | \$1,778.12 |
| 26" x .187 x 1 | 2618EWCX0 | \$1,925.98 |
| 30" x .155 x 1 | 3015EWCX0 | \$2,137.84 |
| 30" x .165 x 1 | 3016EWCX0 | \$2,187.89 |
| 30" x .175 x 1 | 3017EWCX0 | \$2,354.75 |
| 30" x .187 x 1 | 3018EWCX0 | \$2,384.22 |
| 30" x .210 x 1 | 3021EWCX0 | \$2,556.39 |
| 30" x .250 x 1 | 3025EWCX0 | \$2,787.49 |
| 36" x .175 x 1 | 3617EWCX0 | \$3,022.21 |
| 36" x .187 x 1 | 3618EWCX0 | \$3,120.38 |
| 36" x .210 x 1 | 3621EWCX0 | \$3,279.18 |
| 36" x .250 x 1 | 3625EWCX0 | \$3,593.30 |
| 42" x .187 x 1 | 4218EWCX0 | \$4,127.70 |
| 42" x .210 x 1 | 4221EWCX0 | \$4,429.07 |
| 42" x .250 x 1 | 4225EWCX0 | \$4,740.54 |
| 48" x .187 x 1 | 4818EWCX0 | \$4,602.91 |
| 48" x .210 x 1 | 4821EWCX0 | \$5,056.94 |
| 48" x .250 x 1 | 4825EWCX0 | \$5,472.00 |
| 54" x .187 x 1 | 5418EWCX0 | \$6,334.48 |
| 54" x .210 x 1 | 5421EWCX0 | \$6,767.22 |
| 60" x .210 x 1 | 6021EWCX0 | \$7,860.32 |
| 60" x .250 x 1 | 6025EWCX0 | \$9,575.40 |

X4000 ASPHALT






| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWAX4 | \$843.61 |
| 12" x .155 x 1 | 1215EWAX4 | \$975.90 |
| 12" x .187 x 1 | 1218EWAX4 | \$1,125.77 |
| 12" x .250 x 1 | 1225EWAX4 | \$1,258.16 |
| 12" x .375 x 1 | 1237EWAX4 | \$2,013.28 |
| 12" x .500 x 1 | 1250EWAX4 | \$2,406.12 |
| 14" x .125 x 1 | 1412EWAX4 | \$967.66 |
| 14" x .140 x 1 | 1414EWAX4 | \$1,069.99 |
| 14" x .155 x 1 | 1415EWAX4 | \$1,150.42 |
| 14" x .165 x 1 | 1416EWAX4 | \$1,192.35 |
| 14" x .187 x 1 | 1418EWAX4 | \$1.313.16 |

X2000 ASPHALT





| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWAX2 | \$748.91 |
| 12" x .155 x 1 | 1215EWAX2 | \$868.73 |
| 12" x .187 x 1 | 1218EWAX2 | \$1,001.43 |
| 12" x .250 x 1 | 1225EWAX2 | \$1,096.95 |
| 12" x .375 x 1 | 1237EWAX2 | \$1,238.43 |
| 12" x .500 x 1 | 1250EWAX2 | \$2,160.58 |
| 14" x .125 x 1 | 1412EWAX2 | \$858.87 |
| 14" x .140 x 1 | 1414EWAX2 | \$949.33 |
| 14" x .155 x 1 | 1415EWAX2 | \$1,024.17 |
| 14" x .165 x 1 | 1416EWAX2 | \$1,049.07 |

SUPREME GRADE

- 10mm (.394") segment height
- Utilizes our highest quality diamond for maximum performance in cutting asphalt
- Highly recommended for machines 65HP and larger
- Offers user the lowest cost per cut

APPLICATIONS - Asphalt

| Size | Part # | List Price |
|-----------------|-----------|------------|
| 14" x .250 x 1 | 1425EWAX4 | \$1,484.82 |
| 14" x .310 x 1 | 1431EWAX4 | \$2,111.49 |
| 14" x .375 x 1 | 1437EWAX4 | \$2,357.02 |
| 14" x .500 x 1 | 1450EWAX4 | \$2,838.24 |
| 16" x .125 x 1 | 1612EWAX4 | \$1,127.43 |
| 16" x .140 x 1 | 1614EWAX4 | \$1,249.61 |
| 16" x .155 x 1 | 1615EWAX4 | \$1,332.59 |
| 16" x .187 x 1 | 1618EWAX4 | \$1,537.27 |
| 16" x .250 x 1 | 1625EWAX4 | \$1,645.00 |
| 18" x .125 x 1 | 1812EWAX4 | \$1,314.43 |
| 18" x .140 x 1 | 1814EWAX4 | \$1,459.78 |
| 18"" x .155 x 1 | 1815EWAX4 | \$1,553.08 |
| 18" x .165 x 1 | 1816EWAX4 | \$1,625.66 |
| 18" x .187 x 1 | 1818EWAX4 | \$1,798.11 |
| 18" x .210 x 1 | 1821EWAX4 | \$1,740.16 |
| 18" x .250 x 1 | 1825EWAX4 | \$1,939.92 |
| 20" x .125 x 1 | 2012EWAX4 | \$1,564.67 |
| 20" x .140 x 1 | 2014EWAX4 | \$1,725.43 |
| 20" x .155 x 1 | 2015EWAX4 | \$1,881.77 |
| 20" x .165 x 1 | 2016EWAX4 | \$1,941.88 |
| 20" x .187 x 1 | 2018EWAX4 | \$2,117.48 |
| 24" x .125 x 1 | 2412EWAX4 | \$1,921.90 |
| 24" x .140 x 1 | 2414EWAX4 | \$2,082.38 |
| 24" x .155 x 1 | 2415EWAX4 | \$2,254.54 |
| 24" x .165 x 1 | 2416EWAX4 | \$2,309.99 |
| 24" x .187 x 1 | 2418EWAX4 | \$2,544.36 |

| Size | Part # | List Price |
|----------------|-----------|-------------|
| 24" x .210 x 1 | 2421EWAX4 | \$2,475.90 |
| 24" x .250 x 1 | 2425EWAX4 | \$2,798.80 |
| 26" x .155 x 1 | 2615EWAX4 | \$2,810.47 |
| 26" x .165 x 1 | 2616EWAX4 | \$2,869.78 |
| 26" x .187 x 1 | 2618EWAX4 | \$3,113.88 |
| 30" x .155 x 1 | 3015EWAX4 | \$3,377.11 |
| 30" x .165 x 1 | 3016EWAX4 | \$3,444.36 |
| 30" x .175 x 1 | 3017EWAX4 | \$3,652.85 |
| 30" x .187 x 1 | 3018EWAX4 | \$3,720.11 |
| 30" x .210 x 1 | 3021EWAX4 | \$3,830.18 |
| 30" x .250 x 1 | 3025EWAX4 | \$4,050.59 |
| 36" x .175 x 1 | 3617EWAX4 | \$4,638.41 |
| 36" x .187 x 1 | 3618EWAX4 | \$4,721.53 |
| 36" x .210 x 1 | 3621EWAX4 | \$4,647.54 |
| 36" x .250 x 1 | 3625EWAX4 | \$5,170.39 |
| 42" x .187 x 1 | 4218EWAX4 | \$6,079.79 |
| 42" x .210 x 1 | 4221EWAX4 | \$6,081.47 |
| 42" x .250 x 1 | 4225EWAX4 | \$6,580.26 |
| 48" x .187 x 1 | 4818EWAX4 | \$6,867.32 |
| 48" x .210 x 1 | 4821EWAX4 | \$6,967.29 |
| 48" x .250 x 1 | 4825EWAX4 | \$7,594.33 |
| 54" x .187 x 1 | 5418EWAX4 | \$8,756.96 |
| 54" x .210 x 1 | 5421EWAX4 | \$8,920.58 |
| 60" x .210 x 1 | 6021EWAX4 | \$10,275.34 |
| 60" x .250 x 1 | 6025EWAX4 | \$13,700.21 |

HEAVY DUTY GRADE

- 10mm (.394") segment height
- Balance between cost and performance (not for machines over 65HP)


APPLICATIONS - Asphalt

| Size | Part # | List Price |
|-----------------|-----------|------------|
| | | |
| 14" x .187 x 1 | 1418EWAX2 | \$1,168.06 |
| 14" x .250 x 1 | 1425EWAX2 | \$1,255.88 |
| 14" x .310 x 1 | 1431EWAX2 | \$1,718.69 |
| 14" x .375 x 1 | 1437EWAX2 | \$1,757.92 |
| 14" x .500 x 1 | 1450EWAX2 | \$2,307.95 |
| 16" x .125 x 1 | 1612EWAX2 | \$1,000.95 |
| 16" x .140 x 1 | 1614EWAX2 | \$1,108.98 |
| 16" x .155 x 1 | 1615EWAX2 | \$1,186.58 |
| 16" x .187 x 1 | 1618EWAX2 | \$1,367.88 |
| 16" x .250 x 1 | 1625EWAX2 | \$1,433.32 |
| 18" x .125 x 1 | 1812EWAX2 | \$1,167.45 |
| 18" x .140 x 1 | 1814EWAX2 | \$1,296.06 |
| 18" x .155 x 1 | 1815EWAX2 | \$1,383.40 |
| 18" x .165 x 1 | 1816EWAX2 | \$1,432.12 |
| 18" x .187 x 1 | 1818EWAX2 | \$1,600.55 |
| 18" x .210 x 1 | 1821EWAX2 | \$1,616.32 |
| 18" x .250 x 1 | 1825EWAX2 | \$1,692.95 |
| 20" x .125 x 1 | 2012EWAX2 | \$1,384.61 |
| 20"" x .140 x 1 | 2014EWAX2 | \$1,533.79 |
| 20" x .155 x 1 | 2015EWAX2 | \$1,674.42 |
| 20" x .165 x 1 | 2016EWAX2 | \$1,728.55 |
| 20" x .187 x 1 | 2018EWAX2 | \$1,886.64 |
| 24" x .125 x 1 | 2412EWAX2 | \$1,702.21 |
| 24" x .140 x 1 | 2414EWAX2 | \$1,851.76 |
| 24" x .155 x 1 | 2415EWAX2 | \$2,006.82 |
| 24" x .165 x 1 | 2416EWAX2 | \$2,056.75 |
| 24" x .187 x 1 | 2418EWAX2 | \$2,267.65 |

| Size | Part # | List Price |
|----------------|-----------|-------------|
| 3126 | F al L # | |
| 24" x .210 x 1 | 2421EWAX2 | \$2,194.74 |
| 24" x .250 x 1 | 2425EWAX2 | \$2,411.18 |
| 26" x .155 x 1 | 2615EWAX2 | \$2,505.50 |
| 26" x .165 x 1 | 2616EWAX2 | \$2,558.79 |
| 26" x .187 x 1 | 2618EWAX2 | \$2,778.59 |
| 30" x .155 x 1 | 3015EWAX2 | \$3,012.22 |
| 30" x .165 x 1 | 3016EWAX2 | \$3,072.73 |
| 30" x .175 x 1 | 3017EWAX2 | \$3,233.35 |
| 30" x .187 x 1 | 3018EWAX2 | \$3,320.93 |
| 30" x .210 x 1 | 3021EWAX2 | \$3,230.33 |
| 30" x .250 x 1 | 3025EWAX2 | \$3,514.75 |
| 36" x .175 x 1 | 3617EWAX2 | \$4,107.61 |
| 36" x .187 x 1 | 3618EWAX2 | \$4,215.77 |
| 36" x .210 x 1 | 3621EWAX2 | \$4,184.13 |
| 36" x .250 x 1 | 3625EWAX2 | \$4,491.75 |
| 42" x .187 x 1 | 4218EWAX2 | \$5,434.95 |
| 42" x .210 x 1 | 4221EWAX2 | \$5,418.34 |
| 42" x .250 x 1 | 4225EWAX2 | \$5,745.09 |
| 48" x .187 x 1 | 4818EWAX2 | \$6,137.54 |
| 48" x .210 x 1 | 4821EWAX2 | \$6,205.87 |
| 48" x .250 x 1 | 4825EWAX2 | \$6,627.07 |
| 54" x .187 x 1 | 5418EWAX2 | \$7,833.49 |
| 54" x .210 x 1 | 5421EWAX2 | \$7,956.80 |
| 60" x .210 x 1 | 6021EWAX2 | \$9,168.77 |
| 60" x .250 x 1 | 6025EWAX2 | \$12,030.61 |

X1000 ASPHALT





| Size | Part # | List Price |
|----------------|-----------|------------|
| 12" x .125 x 1 | 1212EWAX1 | \$666.02 |
| 12" x .155 x 1 | 1215EWAX1 | \$754.20 |
| 12" x .187 x 1 | 1218EWAX1 | \$848.27 |
| 12" x .250 x 1 | 1225EWAX1 | \$1,061.58 |
| 12" x .375 x 1 | 1237EWAX1 | \$1,178.52 |
| 12" x .500 x 1 | 1250EWAX1 | \$1,954.38 |
| 14" x .125 x 1 | 1412EWAX1 | \$767.31 |
| 14" x .140 x 1 | 1414EWAX1 | \$825.54 |
| 14" x .155 x 1 | 1415EWAX1 | \$890.51 |
| 14" x .165 x 1 | 1416EWAX1 | \$973.16 |
| 14" x .187 x 1 | 1418EWAX1 | \$989.39 |


STANDARD GRADE

- 10mm (.394") segment height
- Most economical version of our professional series asphalt blades (not for machines over 65HP)

APPLICATIONS - Asphalt

| Size | Part # | List Price |
|----------------|-----------|------------|
| 14" x .250 x 1 | 1425EWAX1 | \$1,214.61 |
| 14" x .310 x 1 | 1431EWAX1 | \$1,394.59 |
| 14" x .375 x 1 | 1437EWAX1 | \$1,465.94 |
| 14" x .500 x 1 | 1450EWAX1 | \$2,111.49 |
| 16" x .125 x 1 | 1612EWAX1 | \$896.40 |
| 16" x .140 x 1 | 1614EWAX1 | \$967.51 |
| 16" x .155 x 1 | 1615EWAX1 | \$1,033.79 |
| 16" x .187 x 1 | 1618EWAX1 | \$1,163.60 |
| 16" x .250 x 1 | 1625EWAX1 | \$1,386.17 |
| 16" x .375 x 1 | 1637EWAX1 | \$1,719.90 |
| 18" x .125 x 1 | 1812EWAX1 | \$1,049.91 |
| 18" x .140 x 1 | 1814EWAX1 | \$1,137.01 |
| 18" x .155 x 1 | 1815EWAX1 | \$1,211.60 |
| 18" x .165 x 1 | 1816EWAX1 | \$1,271.39 |
| 18" x .187 x 1 | 1818EWAX1 | \$1,370.76 |
| 18" x .210 x 1 | 1821EWAX1 | \$1,496.61 |
| 18" x .250 x 1 | 1825EWAX1 | \$1,639.89 |
| 18" x .375 x 1 | 1837EWAX1 | \$1,956.66 |
| 20" x .125 x 1 | 2012EWAX1 | \$1,192.23 |
| 20" x .140 x 1 | 2014EWAX1 | \$1,290.77 |
| 20" x .155 x 1 | 2015EWAX1 | \$1,404.93 |
| 20" x .165 x 1 | 2016EWAX1 | \$1,451.62 |
| 20" x .187 x 1 | 2018EWAX1 | \$1,587.56 |
| 20" x .375 x 1 | 2037EWAX1 | \$2,483.60 |
| 24" x .125 x 1 | 2412EWAX1 | \$1,504.30 |
| 24" x .140 x 1 | 2414EWAX1 | \$1,609.45 |
| 24" x .155 x 1 | 2415EWAX1 | \$1,769.59 |
| 24" x .165 x 1 | 2416EWAX1 | \$1,803.14 |

| Size | Part # | List Price |
|----------------|-----------|-------------|
| 24" x .187 x 1 | 2418EWAX1 | \$1,965.21 |
| 24" x .210 x 1 | 2421EWAX1 | \$2,161.30 |
| 24" x .250 x 1 | 2425EWAX1 | \$2,243.59 |
| 26" x .155 x 1 | 2615EWAX1 | \$2,251.29 |
| 26" x .165 x 1 | 2616EWAX1 | \$2,287.26 |
| 26" x .187 x 1 | 2618EWAX1 | \$2,454.49 |
| 30" x .155 x 1 | 3015EWAX1 | \$2,724.34 |
| 30" x .165 x 1 | 3016EWAX1 | \$2,765.00 |
| 30" x .175 x 1 | 3017EWAX1 | \$2,912.97 |
| 30" x .187 x 1 | 3018EWAX1 | \$2,953.63 |
| 30" x .210 x 1 | 3021EWAX1 | \$3,189.68 |
| 30" x .250 x 1 | 3025EWAX1 | \$3,311.18 |
| 36" x .175 x 1 | 3617EWAX1 | \$3,711.80 |
| 36" x .187 x 1 | 3618EWAX1 | \$3,762.09 |
| 36" x .210 x 1 | 3621EWAX1 | \$4,133.83 |
| 36" x .250 x 1 | 3625EWAX1 | \$4,240.43 |
| 42" x .187 x 1 | 4218EWAX1 | \$4,938.08 |
| 42" x .210 x 1 | 4221EWAX1 | \$5,363.24 |
| 42" x .250 x 1 | 4225EWAX1 | \$5,418.34 |
| 48" x .187 x 1 | 4818EWAX1 | \$5,554.17 |
| 48" x .210 x 1 | 4821EWAX1 | \$6,141.26 |
| 48" x .250 x 1 | 4825EWAX1 | \$6,303.92 |
| 54" x .187 x 1 | 5418EWAX1 | \$7,185.29 |
| 54" x .210 x 1 | 5421EWAX1 | \$7,884.98 |
| 60" x .210 x 1 | 6021EWAX1 | \$9,089.85 |
| 60" x .250 x 1 | 6025EWAX1 | \$11,735.97 |



ZENESIS™ V SERIES WALL SAW



ZENESIS[™] GRADE

- Features ZENESIS™, the most advanced diamond pattern for fast cutting through hard, reinforced concrete and long blade life
- All-New 12mm segments
- Laser welded

APPLICATIONS - Hard Reinforced Concrete

| Size | Part # | List Price |
|----------------|-------------|------------|
| 20" x .125 x 1 | 2012EVWWZX4 | \$1,528.66 |
| 20" x .140 x 1 | 2014EVWWZX4 | \$1,524.96 |
| 20" x .155 x 1 | 2015EVWWZX4 | \$1,598.59 |
| 20" x .165 x 1 | 2016EVWWZX4 | \$1,635.75 |
| 20" x .187 x 1 | 2018EVWWZX4 | \$1,735.86 |
| 24" x .125 x 1 | 2412EVWWZX4 | \$1,836.33 |
| 24" x .140 x 1 | 2414EVWWZX4 | \$1,929.60 |
| 24" x .155 x 1 | 2415EVWWZX4 | \$2,002.18 |
| 24" x .165 x 1 | 2416EVWWZX4 | \$2,026.37 |
| 24" x .187 x 1 | 2418EVWWZX4 | \$2,182.06 |
| 24" x .210 x 1 | 2421EVWWZX4 | \$2,312.32 |
| 24" x .250 x 1 | 2425EVWWZX4 | \$2,497.64 |
| 26" x .155 x 1 | 2615EVWWZX4 | \$2,520.07 |
| 26" x .165 x 1 | 2616EVWWZX4 | \$2,535.33 |
| 26" x .187 x 1 | 2618EVWWZX4 | \$2,692.94 |
| 30" x .155 x 1 | 3015EVWWZX4 | \$3,096.01 |
| 30" x .165 x 1 | 3016EVWWZX4 | \$3,125.12 |
| 30" x .175 x 1 | 3017EVWWZX4 | \$3,258.88 |
| 30" x .187 x 1 | 3018EVWWZX4 | \$3,302.72 |

| Size | Part # | List Price |
|----------------|-------------|-------------|
| 30" x .210 x 1 | 3021EVWWZX4 | \$3,457.70 |
| 30" x .250 x 1 | 3025EVWWZX4 | \$3,714.20 |
| 32" x .235 x 1 | 3223EVWWZX4 | \$3,541.14 |
| 32" x .250 x 1 | 3225EVWWZX4 | \$3,789.23 |
| 36" x .175 x 1 | 3617EVWWZX4 | \$4,244.90 |
| 36" x .187 x 1 | 3618EVWWZX4 | \$4,448.98 |
| 36" x .210 x 1 | 3621EVWWZX4 | \$4,675.67 |
| 36" x .250 x 1 | 3625EVWWZX4 | \$4,812.07 |
| 42" x .187 x 1 | 4218EVWWZX4 | \$6,273.55 |
| 42" x .210 x 1 | 4221EVWWZX4 | \$6,524.62 |
| 42" x .250 x 1 | 4225EVWWZX4 | \$6,892.61 |
| 48" x .187 x 1 | 4818EVWWZX4 | \$6,904.72 |
| 48" x .210 x 1 | 4821EVWWZX4 | \$7,342.31 |
| 48" x .250 x 1 | 4825EVWWZX4 | \$7,805.52 |
| 54" x .187 x 1 | 5418EVWWZX4 | \$9,203.72 |
| 54" x .210 x 1 | 5421EVWWZX4 | \$9,887.64 |
| 60" x .210 x 1 | 6021EVWWZX4 | \$11,533.39 |
| 60" x .250 x 1 | 6025EVWWZX4 | \$11,832.49 |

X1000 WALL SAW



HARD CONCRETE

| Size | Part # | List Price |
|------------------|----------------|------------|
| 12" x .250 x 1" | 1225EWWX1-1V | \$861.44 |
| 14" x .125 x 1" | 1412EWWX1-1VM* | \$723.95 |
| 14" x .165" x 1" | 1416EWWX1-1V | \$855.82 |
| 16" x .125" x 1" | 1612EWWX1-1V | \$830.57 |
| 16" x .125" x 1" | 1612EWWX1-1VM* | \$830.57 |
| 16" x .140" x 1" | 1614EWWX1-1V | \$841.80 |
| 16" x .140" x 1" | 1614EWWX1-1VM* | \$841.80 |
| 16" x .165" x 1" | 1616EWWX1-1V | \$1,012.95 |
| 16" x .165" x 1" | 1616EWWX1-1VM* | \$1,012.95 |

STANDARD PLUS GRADE

- 10mm (.394") segment height
- Our most economical wall saw blade
- For air or hydraulic saws
- Available in 3 bonds

APPLICATIONS - Hard Concrete, Critically Hard Concrete

\$2,971.53

\$2,985.56

\$3,395.23

HARD CONCRETE Size Part # List Price 16" x .187" x 1" | 1618EWWX1-1V \$1,085.91 16" x .187" x 1" | 1618EWWX1-1VM* | \$1,085.91 16" x .220" x 1" 1622EWWX1-1V \$1,172.90 16" x .235" x 1" 1623EWWX1-1VM* \$1,229.02 <u>16" x .250" x 1</u>" 1625EWWX1-1V \$1,217.79 20" x .125" x 1" 2012EWWX1-1V \$1,195.35 20" x .140" x 1" 2014EWWX1-1V \$1,273.91 2014EWWX1-1VM* 20" x .140" x 1' \$1,273.91 20" x .155" x 1" 2015EWWX1-1V \$1,360.89 20" x .235" x 1" 2023EWWX1-1V \$1,725.67 20" x .250" x 1" 2025EWWX1-1V \$1,759.34 24" x .140" x 1" 2414EWWX1-1V \$1,590.98 2414EWWX1-1VM* 24" x .140" x 1" \$1,590.98 24" x .165" x 1" 2416EWWX1-1V \$1,666.74 24" x .187" x 1" 2418EWWX1-1V \$1,804.24 2423EWWX1-1V 2425EWWX1-1V 24" x .235" x 1" \$1,981.02 24" x .250" x 1" \$2,129.73 26" x .187" x 1" 2618EWWX1-1V \$2,118.51 26" x .235" x 1" 2623EWWX1-1V \$2,354.21 30" x .140" x 1" 3014EWWX1-1V \$2,292.48 30" x .155" x 1" 3015EWWX1-1V \$2,143.76 30" x .187" x 1" 3018EWWX1-1V \$2,578.69

30" x .235" x 1" 3023EWWX1-1V

32" x .250" x 1" | 3225EWWX1-1V

3025EWWX1-1V

30" x .250" x 1"

CRITICALLY HARD CONCRETE

| Size | Part # | List Price |
|----------------|------------------|------------|
| 14" x .125 x 1 | 1412EWWX1-05V | \$723.95 |
| 14" x .125 x 1 | 1412EWWX1-05VM* | \$723.95 |
| 14" x .140 x 1 | 1414EWWX1-05V | \$721.13 |
| 14" x .187 x 1 | 1418EWWX1-05V | \$864.24 |
| 16" x .125 x 1 | 1612EWWX1-05V | \$830.57 |
| 16" x .125 x 1 | 1612EWWX1-05VM * | \$830.57 |
| 16" x .187 x 1 | 1618EWWX1-05VM* | \$1,085.91 |
| 20" x .125 x 1 | 2012EWWX1-05V | \$1,195.35 |
| 20" x .140 x 1 | 2014EWWX1-05V | \$1,273.91 |
| 24" x .125 x 1 | 2412EWWX1-05V | \$1,422.63 |
| 24" x .235 x 1 | 2423EWWX1-05V | \$1,981.02 |
| 30" x .235 x 1 | 3023EWWX1-05V | \$2,971.53 |

PART #'S IN BOLD INDICATE ROUTINELY STOCKED PRODUCTS * PART #'S WITH "*" ARE METRIC

ZEN<u>ESIS™</u> CONCRETE



X200 CONCRETE



DRIVE WHEEL FOR RING SAWS

• Free with purchase of any ring saw blade (also sold separately)



| Size | Part # | List Price |
|-------------|--------|------------|
| DRIVE WHEEL | DW | \$49.08 |

ZENESIS™ GRADE

- ZENESIS • 10mm (.394") segment height
- Exclusive "patterned" technology for maximum performance
- Offers 10" depth of cut
- Includes free drive wheel
- Available in various sizes and bonds based on application
- APPLICATIONS Cured Concrete, Masonry, Roofing Tile

| Size | Part # | List Price |
|----------------------------|------------|------------|
| 14 x .165 x DRIVE (1 bond) | 1416RZX4-1 | \$694.53 |
| 14 x .165 x DRIVE (2 bond) | 1416RZX4 | \$694.53 |
| 14 x .235 x DRIVE (2 bond) | 1423RZX4 | \$833.48 |
| 14 x .165 x DRIVE (3 bond) | 1416RZX4-3 | \$694.53 |

HEAVY DUTY GRADE

- 8mm (.315") segment height
- Heavy Duty blade
- Offers 10" depth of cut
- Includes free drive wheel
- Available in various sizes and bonds based on application

APPLICATIONS - Cured Concrete, Masonry, Roofing Tile

| Size | Part # | List Price |
|----------------------------|-------------|------------|
| 14 x .165 x Drive (1 bond) | 1416RDUX2-1 | \$482.91 |
| 14 x .165 x Drive (2 bond) | 1416RDUX2-2 | \$482.91 |
| 14 x .235 x Drive (2 bond) | 1423RDUX2-2 | \$534.28 |
| 14 x .165 x Drive (3 bond) | 1416RDUX2-3 | \$512.87 |

| Size | Part # | List Price |
|-------------|--------|------------|
| DRIVE WHEEL | DW | \$49.08 |



PAVEMENT GRINDING PAVEMENT




PREMIUM DIAMOND WIRE HARD CONCRETE





Part # List Price (Per Meter 40105WSCX2-1 \$690.44 ype 40105WSCX2 \$618.74 40105WSCEW \$481.22 Single Layer (BSL) Type 48105WSCBSLR \$746.39 11mm Concrete, w/heavy steel / Brazed Single Layer (BSL) Type 48110WSCBSL \$608.87 48 36 11mm Granite (class 3-4) / Regular Type 36110WSGX2 \$432.14

ECONOMY DIAMOND WIRE CONCRETE



- Available for wet sawing only
- 10.5mm bead size •
- **APPLICATIONS -** Concrete



| Beads Per Meter | Bead Size | Application | Part # | List Price (Per Meter) |
|--------------------|--------------|-------------------------|------------|---------------------------|
| 40 | 10.5mm | Concrete / Regular Type | 40105WSCSI | \$325.47 |

- Diamond Vantage® offers blades for removing layers of concrete or asphalt. These blades are stacked together with spacers between the blades. This offers incredibly efficient removal of any unwanted pavement
- Grinding can solve many irregularities in the pavement, including: ٠ Faulting at joints or cracks Roughness Wheel ruts in older concrete High noise levels
 - Warping caused by moisture
- Our grinding blades are available with ZENESIS™ Technology 2.0, the world's most advanced pattern technology, which ensures smooth consistent grinds and long blade life

APPLICATIONS - Pavement, Concrete, Asphalt

CALL FOR PRICING



- **PREMIUM GRADE**
- Available for wet and dry sawing
- 10.5 & 11mm bead sizes

APPLICATIONS - Hard Concrete

| 240 | | | |
|-----|--------------------|--------------|---------------------------------------|
| | Beads Per Meter | Bead Size | Application |
| | 40 | 10.5mm | Critically Hard Concrete / Regular Ty |
| | 40 | 10.5mm | Concrete / Regular Type |
| | 40 | 10.5mm | Concrete / Electroplated Type |
| | 48 | 10.5mm | Concrete, w/heavy steel / Brazed Sir |
| | 40 | 11 | Operate with some start / Depart Of |

CORE DRILLING

CORE BIT PERFORMANCE CHART



ZENESIS™ V SERIES HARD CONCRETE





ZENESIS™ GRADE

- 12mm (.472") segment height optimized with high grade diamond and concentration to core through hard applications and heavily reinforced concrete
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from bit to bit
- Fast drilling of cured concrete with heavy rebar
- V-notched segment design helps increase speed and initial hole coring
- Made in the USA to withstand the toughest drilling applications
- Laser welded patterned diamond array for consistent speed and life in rugged applications
- 14" barrel length

L

| APPLICATIONS - Hard Concrete | e, Brick, Reinforced | Concrete, Concrete Block |
|------------------------------|----------------------|--------------------------|
|------------------------------|----------------------|--------------------------|

| Size | Part # | List Price |
|----------------------|----------------|------------|
| 2 x .155 x 1¼-7 | 02015JVWHZX4-1 | \$275.56 |
| 21⁄2 x .155 x 11⁄4-7 | 02515JVWHZX4-1 | \$314.74 |
| 3 x .155 x 1¼-7 | 03015JVWHZX4-1 | \$372.81 |
| 31⁄2 x .155 x 11⁄4-7 | 03515JVWHZX4-1 | \$421.44 |
| 4 x .155 x 1¼-7 | 04015JVWHZX4-1 | \$453.86 |
| 4¼ x .155 x 1¼-7 | 04215JVWHZX4-1 | \$489.04 |
| 41⁄2 x .155 x 11⁄4-7 | 04515JVWHZX4-1 | \$531.66 |
| 5 x .155 x 1¼-7 | 05015JVWHZX4-1 | \$575.43 |

| Size | Part # | List Price |
|----------------------|----------------|------------|
| 6 x .155 x 1¼-7 | 06015JVWHZX4-1 | \$648.37 |
| 61⁄₂ x .155 x 11⁄₄-7 | 06515JVWHZX4-1 | \$699.85 |
| 7 x .165 x 1¼-7 | 07016JVWHZX4-1 | \$786.15 |
| 8 x .165 x 1¼-7 | 08016JVWHZX4-1 | \$1,146.47 |
| 10 x .187 x 1¼-7 | 10018JVWHZX4-1 | \$1,468.36 |
| 12 x .187 x 1¼-7 | 12018JVWHZX4-1 | \$1,935.07 |
| 14 x .187 x 1¼-7 | 14018JVWHZX4-1 | \$2,502.90 |

ZENESIS™ SERIES

HARD CONCRETE



NEW

ZENESIS™ X-WING CONCRETE & MASONRY





NEW GEARED TURBO

HARD CONCRETE





- 10mm (.394") segment height
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from bit to bit
- 14" long barrel

APPLICATIONS - Hard Concrete, Granite, Brick, Reinforced Concrete, Concrete Block

| Size | Part # | List Price | | Size | Part # | List Price |
|----------------------|---------------|------------|---|-------------------|---------------|------------|
| 2 x .155 x 1¼-7 | 02015JWHZX4-1 | \$275.56 |] | 6 x .155 x 11⁄4-7 | 06015JWHZX4-1 | \$648.37 |
| 21⁄₂x.155 x 11⁄₄-7 | 02515JWHZX4-1 | \$324.18 | | 61⁄₂x.155x11⁄₄-7 | 06515JWHZX4-1 | \$699.85 |
| 3 x .155 x 1¼-7 | 03015JWHZX4-1 | \$372.81 | 1 | 7 x .165 x 1¼-7 | 07016JWHZX4-1 | \$786.15 |
| 31⁄₂x.155 x 11⁄₄-7 | 03515JWHZX4-1 | \$421.44 |] | 8 x .165 x 11⁄4-7 | 08016JWHZX4-1 | \$1,146.4 |
| 4 x .155 x 1¼-7 | 04015JWHZX4-1 | \$453.86 | 1 | 10 x .187 x 1¼-7 | 10018JWHZX4-1 | \$1,468.3 |
| 4¼ х .155 х 1¼-7 | 04215JWHZX4-1 | \$489.04 |] | 12 x .187 x 1¼-7 | 12018JWHZX4-1 | \$1,935.0 |
| 41⁄2 х .155 х 11⁄4-7 | 04515JWHZX4-1 | \$531.66 | | 14 x .187 x 1¼-7 | 14018JWHZX4-1 | \$2,502.9 |
| 5 x .155 x 1¼-7 | 05015JWHZX4-1 | \$575.43 | 1 | | | |



ZENESIS™ GRADE

- 10mm (.394") segment height
- ZENESIS[™] X-Wing Core Bit features a new unique segment design, to create fast drilling speed and precise cutting wet or dry to get the job done effectively and efficiently
- Unique X-Wing Turbo segment design
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from bit to bit

APPLICATIONS - Masonry, Brick, Concrete, Concrete Block

| Size | Part # | List Price | Size | Part # | List Price |
|---------------------|----------------|------------|-----------------------|----------------|------------|
| 2 x .134 x 1 ¼ -7 | 02013JXDHZX4-2 | \$220.72 | 4¼x.134x1¼-7 | 04213JXDHZX4-2 | \$424.66 |
| 21⁄2 x .134 x 1 ¼-7 | 02513JXDHZX4-2 | \$305.47 | 41⁄2 x .134 x 1 1⁄4-7 | 04513JXDHZX4-2 | \$515.59 |
| 3 x .134 x 1 ¼-7 | 03013JXDHZX4-2 | \$325.78 | 5 x .134 x 1 ¼-7 | 05013JXDHZX4-2 | \$523.54 |
| 31⁄₂ x .134 x 1 ¼-7 | 03513JXDHZX4-2 | \$406.99 | 6 x .134 x 1 ¼-7 | 06013JXDHZX4-2 | \$623.29 |
| 4 x .134 x 1 ¼-7 | 04013JXDHZX4-2 | \$414.06 | 61⁄2 x .134 1 ¼-7 | 06513JXDHZX4-2 | \$722.17 |

PREMIUM GRADE

- 11mm (.433") segment height
- Unique gear shaped turbo segment
- This premium core bit is designed for speed, making it the fastest core bit in our lineup

APPLICATIONS - Hard Concrete, Granite, Brick, Reinforced Concrete, Concrete Block

| Size | Part # | List Price | | Size | Part # | List Price |
|-----------------|----------------|------------|---|----------------|----------------|------------|
| 2 X 1 1/4-7 | 02014JWZHX2-05 | \$183.31 | | 51/2 X 1 1/4-7 | 05514JWZHX2-05 | \$425.45 |
| 2 1/4 X 1 1/4-7 | 02214JWZHX2-05 | \$191.71 | | 6 X 1 1/4-7 | 06014JWZHX2-05 | \$475.09 |
| 2 1/2 X 1 1/4-7 | 02514JWZHX2-05 | \$216.10 | 1 | 61/4 X 1 1/4-7 | 06214JWZHX2-05 | \$532.22 |
| 2 3⁄4 X 1 1/4-7 | 02714JWZHX2-05 | \$234.59 |] | 61/2 X 1 1/4-7 | 06514JWZHX2-05 | \$560.82 |
| 3 X 1 1/4-7 | 03014JWZHX2-05 | \$258.15 | | 7 X 1 1/4-7 | 07016JWZHX2-05 | \$628.10 |
| 3 1/4 X 1 1/4-7 | 03214JWZHX2-05 | \$259.81 | | 8 X 1 1/4-7 | 08016JWZHX2-05 | \$715.53 |
| 3 1/2 X 1 1/4-7 | 03514JWZHX2-05 | \$287.55 | | 9 X 1 1/4-7 | 09018JWZHX2-05 | \$890.42 |
| 4 X 1 1/4-7 | 04014JWZHX2-05 | \$317.84 | 1 | 10 X 1 1/4-7 | 10018JWZHX2-05 | \$985.43 |
| 41/4 X 1 1/4-7 | 04214JWZHX2-05 | \$336.33 | 1 | 11 X 1 1/4-7 | 11018JWZHX2-05 | \$1,060.27 |
| 41/2 X 1 1/4-7 | 04514JWZHX2-05 | \$365.77 |] | 12 X 1 1/4-7 | 12018JWZHX2-05 | \$1,207.43 |
| 5 X 1 1/4-7 | 05014JWZHX2-05 | \$396.02 |] | 14 X 1 1/4-7 | 14018JWZHX2-05 | \$1,427.71 |



X301 ZZ TURBO HARD CONCRET<u>E</u>



X300 HARD CONCRETE





X301 ZZ TURBO CONCRETE





| Size | Part # | List Price |
|---------------------|------------|------------|
| 1 x .125 x %-11 | 01012HWZGH | \$137.87 |
| 1 x .125 x 1 ¼-7 | 01012JWZGH | \$137.87 |
| 1 1/8 x .125 x %-11 | 01112HWZGH | \$148.72 |
| 1 ¼ x .125 x %-11 | 01212HWZGH | \$158.18 |
| 1 ¼ x .125 x 1 ¼-7 | 01212JWZGH | \$158.18 |

PREMIUM GRADE

- 9.5mm (.374") segment height
- 14" barrel length

APPLICATIONS - Hard Concrete, Granite, Brick, Reinforced Concrete, Concrete Block

| Size | Part # | List Price |
|------------------------|--------------|------------|
| 1 x .125 x %-11 | 01012HWZGH-1 | \$137.87 |
| 1 x .125 x 1 ¼-7 | 01012JWZGH-1 | \$137.87 |
| 1 1/8 x .125 x %-11 | 01112HWZGH-1 | \$148.72 |
| 1 ¼ x .125 x %-11 | 01212HWZGH-1 | \$158.18 |
| 1 ¼ x .125 x 1 ¼-7 | 01212JWZGH-1 | \$158.18 |
| 1 ½ x .125 x %-11 | 01512HWZGH-1 | \$168.91 |
| 1 1⁄2 x .125 x 1 1⁄4-7 | 01512JWZGH-1 | \$168.91 |
| 1 ¾ x .125 x 1 ¼-7 | 01712JWZGH-1 | \$201.33 |
| 2 x .155 x 1 ¼-7 | 02014JWZGH-1 | \$248.64 |
| 2 ¼ x .155 x 1 ¼-7 | 02214JWZGH-1 | \$259.49 |
| 2 1⁄2 x .155 x 1 1⁄4-7 | 02514JWZGH-1 | \$270.33 |
| 2 ¾ x .155 x 1 ¼-7 | 02714JWZGH-1 | \$309.56 |
| 3 x .155 x 1 ¼-7 | 03014JWZGH-1 | \$348.67 |
| 3 ¼ x .155 x 1 ¼-7 | 03214JWZGH-1 | \$377.05 |
| 3 ½ x .155 x 1 ¼-7 | 03514JWZGH-1 | \$405.43 |

| Size | Part # | List Price |
|------------------------|--------------|------------|
| 4 x .155 x 1 ¼-7 | 04014JWZGH-1 | \$432.55 |
| 4 ¼ x .155 x 1 ¼-7 | 04214JWZGH-1 | \$446.06 |
| 4 ½ x .155 x 1 ¼-7 | 04514JWZGH-1 | \$486.55 |
| 5 x .155 x 1 ¼-7 | 05014JWZGH-1 | \$540.66 |
| 5 1/2 x .155 x 1 1/4-7 | 05514JWZGH-1 | \$594.65 |
| 6 x .155 x 1 ¼-7 | 06014JWZGH-1 | \$648.77 |
| 61/4x.155x11/4-7 | 06214JWZGH-1 | \$662.27 |
| 6 ½ x.155 x 1 ¼-7 | 06514JWZGH-1 | \$716.38 |
| 7 x .165 x 1 ¼-7 | 07016JWZGH-1 | \$770.38 |
| 8 x .165 x 1 ¼-7 | 08016JWZGH-1 | \$864.99 |
| 9 x .187 x 1 ¼-7 | 09018JWZGH-1 | \$973.09 |
| 10 x .187 x 1 ¼-7 | 10018JWZGH-1 | \$1,094.82 |
| 11 x .187 x 1 ¼-7 | 11018JWZGH-1 | \$1,270.42 |
| 12 x .87 x 1 ¼-7 | 12018JWZGH-1 | \$1,365.03 |
| 14 x .187 x 1 ¼-7 | 14018JWZGH-1 | \$1,648.86 |

PREMIUM GRADE

- 8mm (.315") segment height
- 14" barrel length

APPLICATIONS - Hard Concrete, Granite, Brick, Reinforced Concrete, Concrete Block

| | | | - / |
|------------------------|--------------|------------|---------|
| Size | Part # | List Price | |
| ¾ x .125 x %-11 | 00712HWHX2-1 | \$129.17 | 3 x .15 |
| ¾ x .125 x 1 ¼-7 | 00712JWHX2-1 | \$129.17 | 3 ¼ x |
| 1 x .125 x %-11 | 01012HWHX2-1 | \$141.03 | 3 ½ x |
| 1 x .125 x 1 ¼-7 | 01012JWHX2-1 | \$141.03 | 4 x .15 |
| 1 1/8 x .125 x %-11 | 01112HWHX2-1 | \$146.33 | 4 ¼ x |
| 1 1/8 x .125 x 1 ¼-7 | 01112JWHX2-1 | \$146.33 | 4 ½ x |
| 1 ¼ x .125 x %-11 | 01212HWHX2-1 | \$164.36 | 5 x .1 |
| 1 ¼ x .125 x 1 ¼-7 | 01212JWHX2-1 | \$164.36 | 5 ½ x |
| 1 ½ x .125 x %-11 | 01512HWHX2-1 | \$176.35 | 6 x .1 |
| 1 ½ x .125 x 1 ¼-7 | 01512JWHX2-1 | \$176.35 | 6 ¼ x |
| 1 ¾ x .125 x ‰-11 | 01712HWHX2-1 | \$194.64 | 6 ½ x |
| 1 ¾ x .125 x 1 ¼-7 | 01712JWHX2-1 | \$194.64 | 7 x .1 |
| 2 x .125 x 1 ¼-7 | 02014JWHX2-1 | \$240.44 | 8 x .16 |
| 2 ¼ x .125 x %-11 | 02214JWHX2-1 | \$250.90 | 9 x .18 |
| 2 1/2 x .155 x 1 1/4-7 | 02514JWHX2-1 | \$261.25 | 10 x . |
| 2 ¾ x .155 x 1 ¼-7 | 02714JWHX2-1 | \$299.22 | 11 x . |
| | | | |

| Size | Part # | List Price |
|------------------------|--|---|
| 3 x .155 x 1 ¼-7 | 03014JWHX2-1 | \$337.07 |
| 3 ¼ x .155 x 1 ¼-7 | 03214JWHX2-1 | \$352.71 |
| 3 1⁄2 x .155 x 1 1⁄4-7 | 03514JWHX2-1 | \$391.94 |
| 4 x .155 x 1 ¼-7 | 04014JWHX2-1 | \$418.05 |
| 4 ¼ x .155 x 1 ¼-7 | 04214JWHX2-1 | \$431.16 |
| 4 ½ x .155 x 1 ¼-7 | 04514JWHX2-1 | \$470.40 |
| 5 x .155 x 1 ¼-7 | 05014JWHX2-1 | \$522.62 |
| 5 ½ x .155 x 1 ¼-7 | 05514JWHX2-1 | \$574.85 |
| 6 x .155 x 1 ¼-7 | 06014JWHX2-1 | \$627.07 |
| 6 ¼ x .155 x 1 ¼-7 | 06214JWHX2-1 | \$640.19 |
| 6 ½ x .155 x 1 ¼-7 | 06514JWHX2-1 | \$705.53 |
| 7 x .155 x 1 ¼-7 | 07016JWHX2-1 | \$744.76 |
| 8 x .165 x 1 ¼-7 | 08016JWHX2-1 | \$836.22 |
| 9 x .187 x 1 ¼-7 | 09018JWHX2-1 | \$940.68 |
| 10 x .187 x 1 ¼-7 | 10018JWHX2-1 | \$1,058.24 |
| 11 x .187 x 1 ¼-7 | 11018JWHX2-1 | \$1,228.16 |
| | $\begin{array}{c} 3 \times .155 \times 1 \ \mbox{4-7$}\\ 3 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 3 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 4 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 4 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 5 \ \mbox{$5$\times.155 \times 1 \ \mbox{4-7$}\\ 5 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 6 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 6 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 6 \ \mbox{$4$\times.155 \times 1 \ \mbox{4-7$}\\ 7 \ \mbox{$5$\times.155 \times 1 \ \mbox{4-7$}\\ 7 \ \mbox{$5$\times.155 \times 1 \ \mbox{4-7$}\\ 7 \ \mbox{$5$\times.155 \times 1 \ \mbox{4-7$}\\ 8 \ \mbox{$5$\times.165 \times 1 \ \mbox{4-7$}\\ 9 \ \mbox{$3$\times.165 \times 1 \ \mbox{4-7$}\\ 10 \ \mbox{$3$\times.187 \times 1 \ \mbox{4-7$}\\ 10 \ \mbox{$5$\times.187 \times 1 \ \mbox{4\times.157 \times 1 \ \mbox{4\times-7$}\\ 10 \ \mbox{$5$\times.187 \times 1 \ \mbox{4\times-7$}\\ 10 \ \mbox{$4$\times-7$}\ 4\times-7$ | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |

PREMIUM GRADE

- 9.5mm (.374") segment height
- Unique slanted turbo segment design, with spiral barrel for fast drilling
- Combination of speed and life
- Select sizes available in 1 ¼"-7 and %"-11 threading
- 14" barrel length

| APPLICATIONS - Hard Concrete, | Cured Concrete, Reinforced Concrete, Concre | te Block, Brick |
|-------------------------------|---|-----------------|
|-------------------------------|---|-----------------|

| Size | Part # | List Price | |
|-------------------------|------------|------------|--|
| 1 1⁄2 x .125 x 1 1⁄4-11 | 01512HWZGH | \$168.91 | |
| 1 ½ x .125 x 1 ¼-7 | 01512JWZGH | \$168.91 | |
| 1 ¾ x .125 x 1 ¼-7 | 01712JWZGH | \$201.33 | |
| 2 x .155 x 1 ¼-7 | 02014JWZGH | \$248.64 | |
| 2 ¼ x .155 x 1 ¼-7 | 02214JWZGH | \$259.49 | |
| 2 ½ x .155 x 1 ¼-7 | 02514JWZGH | \$270.33 | |
| 2 ¾ x .155 x 1 ¼-7 | 02714JWZGH | \$309.56 | |
| 3 x .155 x 1 ¼-7 | 03014JWZGH | \$348.67 | |
| 31/4 x.155 x 11/4-7 | 03214JWZGH | \$377.05 | |
| 3 1⁄2 x .155 x 1 1⁄4-7 | 03514JWZGH | \$405.43 | |
| 4 x .155 x 1 ¼-7 | 04014JWZGH | \$432.55 | |
| 4 ¼ x .155 x 1 ¼-7 | 04214JWZGH | \$446.06 | |
| 4 ½ x .155 x 1 ¼-7 | 04514JWZGH | \$486.55 | |

| crete, Reinforced Concrete, Concrete Block, Brick | | | |
|---|------------------------|------------|------------|
| | Size | Part # | List Price |
| | 5 x .155 x 1 ¼-7 | 05014JWZGH | \$540.66 |
| | 5 1⁄2 x .155 x 1 1⁄4-7 | 05514JWZGH | \$594.65 |
| | 6 x .155 x 1 ¼-7 | 06014JWZGH | \$648.77 |
| | 6 ¼ x .155 x 1 ¼-7 | 06214JWZGH | \$662.27 |
| | 6 1⁄2 x .155 x 1 1⁄4-7 | 06514JWZGH | \$716.38 |
| | 7 x .165 x 1 ¼-7 | 07016JWZGH | \$770.38 |
| | 8 x .165 x 1 ¼-7 | 08016JWZGH | \$864.99 |
| | 9 x .187 x 1 ¼-7 | 09018JWZGH | \$973.09 |
| | 10 x .187 x 1 ¼-7 | 10018JWZGH | \$1,094.82 |
| | 11 x .187 x 1 ¼-7 | 11018JWZGH | \$1,270.42 |
| | 12 x .187 x 1 ¼-7 | 12018JWZGH | \$1,365.03 |
| | 14 x .187 x 1 ¼-7 | 14018JWZGH | \$1,648.86 |
| | | | |

X300

CONCRETE





| ¾ x .125 x ‰-11 | 00712HWHX2 | \$129.17 |
|-----------------|------------|----------|
| ¾ x .125 x 1¼-7 | 00712JWHX2 | \$129.17 |
| 7‰x.125x11¼-7 | 00812JWHX2 | \$133.08 |
| 1 x .125 x %-11 | 01012HWHX2 | \$141.03 |
| 1 x .125 x 1¼-7 | 01012JWHX2 | \$141.03 |

X302 CROWN

GENERAL PURPOSE





X301 ZZ TURBO PRE-STRESSED CONCRETE





PREMIUM GRADE

- 8mm (.315") segment height
- Select sizes available in 1 ¼"-7 and %"-11 threading
- 14" barrel length

APPLICATIONS - Hard Concrete, Cured Concrete, Reinforced Concrete, Concrete Block, Brick

| Size | Part # | List Price |
|----------------------|------------|------------|
| 1% x .125 x %-11 | 01112HWHX2 | \$146.33 |
| 1%/x.125 x 1¼-7 | 01112JWHX2 | \$146.33 |
| 1¼ x .125 x ‰-11 | 01212HWHX2 | \$164.36 |
| 1¼ x .125 x 1¼-7 | 01212JWHX2 | \$164.36 |
| 1½ x .125 x ‰-11 | 01512HWHX2 | \$176.35 |
| 1½ x .125 x 1¼-7 | 01512JWHX2 | \$176.35 |
| 1¾ x .125 x ‰-11 | 01712HWHX2 | \$194.64 |
| 1¾ x .125 x 1¼-7 | 01712JWHX2 | \$194.64 |
| 2 x .155 x 1¼-7 | 02014JWHX2 | \$240.44 |
| 2¼ x .155 x 1¼-7 | 02214JWHX2 | \$250.90 |
| 21⁄₂ x .155 x 11⁄₄-7 | 02514JWHX2 | \$261.25 |
| 2¾ x .155 x 1¼-7 | 02714JWHX2 | \$299.22 |
| 3 x .155 x 1¼-7 | 03014JWHX2 | \$337.07 |
| 3¼ x .155 x 1¼-7 | 03214JWHX2 | \$352.71 |
| 31⁄2 х .155 х 11⁄4-7 | 03514JWHX2 | \$391.94 |



PREMIUM GRADE

- 8mm (.315") segment height
- Crown style eliminates segment loss in heavy rebar and wire mesh
- 14" barrel length

APPLICATIONS - Masonry, Brick, Concrete Block

| Size | Part # | List Price |
|---------------------|-----------|------------|
| ½ x .125 x %-11 | 00512HWKH | \$141.28 |
| ‰x.125x‰-11 | 00612HWKH | \$144.44 |
| ¾ x .125 x %-11 | 00712HWKH | \$145.83 |
| 7⁄8 x .125 x 5⁄8-11 | 00812HWKH | \$147.59 |
| 7∕8 x .125 x 11⁄4-7 | 00812JWKH | \$146.64 |
| 1 x .125 x %-11 | 01012HWKH | \$149.44 |
| 1 1/8 x .125 x %-11 | 01112HWKH | \$160.61 |
| 1¼ x .125 x %-11 | 01212HWKH | \$170.39 |
| 1¼ x .125 x 1¼-7 | 01212JWKH | \$171.65 |

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 13/8 x .125 x %-11 | 01312HWKH | \$181.56 |
| 1½ x .125 x %-11 | 01512HWKH | \$195.53 |
| 1% x .125 x %-11 | 01612HWKH | \$209.50 |
| 1 ¾ x .125 x %-11 | 01712HWKH | \$223.45 |
| 1 ¾ x .125 x 1¼-7 | 01712JWKH | \$223.45 |
| 17⁄a x .125 x %-11 | 01812HWKH | \$244.41 |
| 2 x .125 x %-11 | 02012HWKH | \$270.95 |
| 2¼ x .125 x %-11 | 02212HWKH | \$286.31 |
| 2½ x .125 x %-11 | 02512HWKH | \$300.27 |

PREMIUM GRADE

- 9.5mm (.374") segment height
- For use on pre-stressed concrete
- Close spaced segments for heavy rebar
- 14" barrel length
- Less space between segments eliminates segment loss

APPLICATIONS - Pre-stressed Concrete, Concrete with loose rebar

| Size | Part # | List Price | Size | Part # | List Price |
|-----------------------|-------------|------------|----------------------|-------------|------------|
| 1 x .145 x %-11 | P01014HWZGH | \$197.92 | 41⁄2 x .165 x 11⁄4-7 | P04516JWZGH | \$583.55 |
| 1½ x .165 x %-11 | P01516HWZGH | \$245.10 | 5 x .165 x 11⁄4-7 | P05016JWZGH | \$646.50 |
| 2 x .165 x 1¼-7 | P02016JWZGH | \$289.38 | 5½ x .165 x 1¼-7 | P05516JWZGH | \$698.22 |
| 21/2 x .165 x 1 1/4-7 | P02516JWZGH | \$314.23 | 6 x .165 x 1¼-7 | P06016JWZGH | \$743.89 |
| 3 x .165 x 1¼-7 | P03016JWZGH | \$378.57 | 8 x .165 x 1¼-7 | P08016JWZGH | \$1,090.79 |
| 31⁄₂ x .165 x 11⁄₄-7 | P03516JWZGH | \$414.65 | 9 x .165 x 1¼-7 | P09016JWZGH | \$1,225.38 |
| 4 x .165 x 1¼-7 | P04016JWZGH | \$519.98 | 10 x .187 x 1¼-7 | P10018JWZGH | \$1,544.66 |

X300 ASPHALT



| Size | Part # | List Price | Size | Part # | List Price |
|----------------------|-------------|------------|------------------|-------------|------------|
| 2 x .155 x 1¼-7 | 02014JWHAX2 | \$240.44 | 4¼ x .155 x 1¼-7 | 04214JWHAX2 | \$431.16 |
| 2¼ x .155 x 1¼-7 | 02214JWHAX2 | \$250.90 | 41⁄₂x.155x11⁄₄-7 | 04514JWHAX2 | \$470.40 |
| 21⁄2 x .155 x 11⁄4-7 | 02514JWHAX2 | \$261.25 | 5 x .155 x 1¼-7 | 05014JWHAX2 | \$522.62 |
| 3 x .155 x 1¼-7 | 03014JWHAX2 | \$337.07 | 6 x .155 x 1¼-7 | 06014JWHAX2 | \$627.07 |
| 3¼ x .155 x 1¼-7 | 03214JWHAX2 | \$364.56 | 6¼ x .155 x 1¼-7 | 06214JWHAX2 | \$640.19 |
| 31⁄2 x .155 x 11⁄4-7 | 03514JWHAX2 | \$391.94 | 8 x .165 x 1¼-7 | 08016JWHAX2 | \$836.22 |
| 4 x .155 x 1¼-7 | 04014JWHAX2 | \$418.05 | | | |

X301 ZZ TURBO

MASONRY



X300

MASONRY





Size Part # List Price Size Part # List Price 01011H2DZGH 03012H2DZGH \$131.19 \$281.18 1 x .110 x %-11 3 x .125 x %-11 1¼ x .110 x %-11 01211H2DZGH \$141.28 3½ x .125 x %-11 03512H2DZGH \$374.78 01511H2DZGH \$149.99 04012H2DZGH 1½ x .110 x %-11 4 x .125 x %-11 \$468.50 01711H2DZGH \$187.46 04212H2DZGH \$497.39 1¾ x .110 x %-11 4¼ x .125 x %-11 2 x .125 x %-11 02012H2DZGH \$197.55 4½ x .125 x %-11 04512H2DZGH \$524.77 02212H2DZGH \$206.12 \$599.70 2¼ x .125 x %-11 5 x .125 x %-11 05012H2DZGH 2 1⁄2 x .125 x %-11 02512H2DZGH \$243.59 6 x .125 x %-11 06012H2DZGH \$674.75

PREMIUM GRADE ...

PREMIUM GRADE

PREMIUM GRADE

· New barrel design reduces dust released into the air APPLICATIONS - Masonry, Brick, Concrete Block

• 9mm (.354") segment height • Not for reinforced concrete • 10" barrel length

APPLICATIONS - Asphalt, Abrasive Concrete

• 8mm (.315") segment height

• 14" barrel length

....

- 7.5mm (.295") segment height
- Standard style segments for balance of life and speed
- Not for reinforced concrete
- 10" barrel length
- New barrel design reduces dust released into the air

APPLICATIONS - Masonry, Brick, Concrete Block



| Size | Part # | List Price | Size | Part # | List Price |
|-------------------|-----------|------------|--------------------|-----------|------------|
| 1 x .110 x %-11 | 01011H2DH | \$122.99 | 3 x .125 x %-11 | 03012H2DH | \$263.52 |
| 1 ¼x.110 x‰-11 | 01211H2DH | \$132.45 | 3 ½ x .125 x ‰-11 | 03512H2DH | \$351.45 |
| 1 ½ x .110 x ‰-11 | 01511H2DH | \$140.52 | 4 x .125 x %-11 | 04012H2DH | \$439.25 |
| 1 ¾ x .110 x ‰-11 | 01711H2DH | \$175.72 | 4 ¼ x .125 x %-11 | 04212H2DH | \$466.24 |
| 2 x .125 x %-11 | 02012H2DH | \$185.18 | 4 ½ x .125 x %s-11 | 04512H2DH | \$491.97 |
| 2 ¼ x .125 x ‰-11 | 02212H2DH | \$193.26 | 5 x .125 x %-11 | 05012H2DH | \$562.24 |
| 2 ½ x .125 x ‰-11 | 02512H2DH | \$228.45 | 6 x .125 x %-11 | 06012H2DH | \$632.49 |

CONTINUOUS RIM CORE BIT CONCRETE



PREMIUM GRADE

- 5.5mm (.216") segment height
- Sizes over 1" equipped with pilot drill
- Approximate 35mm drilling depth
- APPLICATIONS Concrete, Block, Concrete Brick



| Size | Part # | List Price | Size | Part # | List Price |
|--------------------|---------------|------------|--------------------|---------------|------------|
| 1/4 x .080 x 10mm | S-00308SDCRCB | \$91.21 | 3 x .080 x 10mm | S-03008SDCRCB | \$284.28 |
| 2¼ x .080 x 10mm | S-02208SDCRCB | \$238.68 | 31⁄2 x .080 x 10mm | S-03508SDCRCB | \$376.53 |
| 21/2 x .080 x 10mm | S-02508SDCRCB | \$274.67 | 4 x .080 x 10mm | S-04008SDCRCB | \$505.95 |
| 2¾ x .080 x 10mm | S-02708SDCRCB | \$280.00 | 4¼ x .080 x 10mm | S-04208SDCRCB | \$519.72 |
| 2% x .080 x 10mm | S-02808SDCRCB | \$282.08 | 41⁄2 x .080 x 10mm | S-04508SDCRCB | \$604.57 |

EXTENSION & ADAPTERS CORE BITS





EXTENSIONS

| Size | Minimum OD size core bit that can be used | Part # | List Price |
|--------------------------------|---|--------|------------|
| 6" extension, %-11 threads | 1" | DVI003 | \$175.09 |
| 6" extension, 1-1/4-7 threads | 1¾" | DVI004 | \$226.56 |
| 2" extension, %-11 threads | 1" | DVI005 | \$195.66 |
| 12" extension, 1-1/4-7 threads | 1¾" | DVI006 | \$298.59 |

THREAD ADAPTERS


| Size | Minimum OD size core bit that can be used | Part # | List Price |
|-----------------------------|---|--------|------------|
| 1-1/4-7 female to %-11 male | 11/6" | DVI008 | \$216.21 |
| %-11 female to 1-1/4-7 male | 11/6" | DVI009 | \$175.09 |
| %-11 male to 1⁄2" shank | 1" | DVI033 | \$69.51 |

HIGH SPEED • MASONRY LOW HP FLAT SAW BLADES

HIGH SPEED PERFORMANCE CHART



HIGH SPEED BOND SELECTION CHART





HARD BOND SOFTEST MATERIAL

X400 VORTEX HARD MATERIALS

X301 TURBO HARD MATERIALS



X300 HARD MATERIALS



SUPREME GRADE

- 9mm (.354") rim height
- Unique turbo rim design
- APPLICATIONS Granite, Marble, Hard Brick, Hard Paver

| Size | Part # | List Price |
|-------------------|---------------|------------|
| 12 x.125 x 20mm | 1212BDVUX4-1 | \$367.54 |
| 12 x.125 x 1/20mm | 1212BEDVUX4-1 | \$367.54 |
| 14 x.125 x 20mm | 1412BDVUX4-1 | \$418.91 |
| 14 x.125 x 1/20mm | 1412BEDVUX4-1 | \$418.91 |



- 12mm (.472") segment height
- Water drop slot
- Turbo Segment

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price | Size | Part # | List Price |
|--------------------|-------------|------------|---------------|-------------|------------|
| 12 x .125 x 20mm | 1212BZX3-1T | \$213.42 | 18 x .125 x 1 | 1812EZX3-1T | \$594.07 |
| 12 x .125 x 1/20mm | 1212EZX3-1T | \$213.42 | 18 x .140 x 1 | 1814EZX3-1T | \$622.94 |
| 14 x .125 x 20mm | 1412BZX3-1T | \$274.30 | 20 x .125 x 1 | 2012EZX3-1T | \$687.06 |
| 14 x .125 x 1/20mm | 1412EZX3-1T | \$274.30 | 20 x .140 x 1 | 2014EZX3-1T | \$719.07 |
| 16 x .125 x 1/20mm | 1612EZX3-1T | \$477.62 | 24 x .140 x 1 | 2414EZX3-1T | \$956.32 |
| 16 x .140 x 1/20mm | 1614EZX3-1T | \$503.24 | 24 x .155 x 1 | 2415EZX3-1T | \$1,046.07 |

PREMIUM GRADE

• 12mm (.472") segment height

• Water drop slot

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price | Size | Part # | List Price |
|--------------------|-----------|------------|---------------|-----------|------------|
| 12 x .110 x 1/20mm | 1211EX3-1 | \$200.32 | 16 x .140 x 1 | 1614EX3-1 | \$503.24 |
| 12 x .125 x 20mm | 1212BX3-1 | \$213.42 | 18 x .125 x 1 | 1812EX3-1 | \$594.07 |
| 12 x .125 x 1/20mm | 1212EX3-1 | \$213.42 | 18 x .140 x 1 | 1814EX3-1 | \$622.94 |
| 14 x .110 x 1/20mm | 1411EX3-1 | \$258.77 | 20 x .125 x 1 | 2012EX3-1 | \$687.06 |
| 14 x .125 x 20mm | 1412BX3-1 | \$274.30 | 20 x .140 x 1 | 2014EX3-1 | \$719.07 |
| 14 x .125 x 1/20mm | 1412EX3-1 | \$274.30 | 24 x .140 x 1 | 2414EX3-1 | \$956.32 |
| 16 x .125 x 1/20mm | 1612EX3-1 | \$477.62 | 24 x .155 x 1 | 2415EX3-1 | \$1,046.07 |

X101 TURBO HARD MATERIALS



Y110 HARD MATERIALS



X400 REFRACTORY



VALUE GRADE

- 12mm (.472") segment height
- Keyhole slot
- Alternating Turbo segments
- Made in USA

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price |
|--------------------|-------------|------------|
| 12 x .125 x 20mm | 1212BLZX1-1 | \$178.35 |
| 12 x .125 x 1/20mm | 1212ELZX1-1 | \$178.35 |
| 14 x .125 x 20mm | 1412BLZX1-1 | \$224.25 |
| 14 x .125 x 1/20mm | 1412ELZX1-1 | \$224.25 |
| 16 x .125 x 20mm | 1612BLZX1-1 | \$315.42 |
| 16 x .125 x 1/20mm | 1612ELZX1-1 | \$315.42 |
| 18 x .125 x 1 | 1812ELZX1-1 | \$565.57 |

↔ QUALITY GRADE

- 12mm (.472") segment height
- Keyhole slot

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 12 x .125 x 20mm | 1212BY1-1 | \$162.17 |
| 12 x .125 x 1/20mm | 1212EY1-1 | \$162.17 |
| 14 x .125 x 20mm | 1412BY1-1 | \$202.72 |
| 14 x .125 x 1/20mm | 1412EY1-1 | \$202.72 |
| 16 x .125 x 1/20mm | 1612EY1-1 | \$334.45 |

SUPREME GRADE

- 10mm (.394") segment height
- Slanted Wide U Slot

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .110 x 1/20mm | 1211EX4-1E | \$332.72 |
| 12 x .125 x 20mm | 1212BX4-1E | \$355.38 |
| 12 x .125 x 1/20mm | 1212EX4-1E | \$355.38 |
| 14 x .110 x 1/20mm | 1411EX4-1E | \$406.66 |
| 14 x .125 x 20mm | 1412BX4-1E | \$429.33 |
| 14 x .125 x 1/20mm | 1412EX4-1E | \$429.33 |
| 16 x .125 x 1/20mm | 1612EX4-1E | \$532.13 |
| 18 x .125 x 1 | 1812EX4-1E | \$651.79 |
| 20 x .125 x 1 | 2012EX4-1E | \$753.30 |
| 24 x .155 x 1 | 2415EX4-1E | \$1,079.19 |

X100 REFRACTORY



ZENESIS™ V-SERIES GENERAL PURPOSE



X400 VORTEX GENERAL PURPOSE



VALUE GRADE

- 10mm (.394") segment height
- Slanted Wide U Slot

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick, Concrete Pipe, Terrazzo

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .110 x 1/20mm | 1211EX1-1E | \$202.74 |
| 12 x .125 x 20mm | 1212BX1-1E | \$212.28 |
| 12 x .125 x 1/20mm | 1212EX1-1E | \$212.28 |
| 14 x .110 x 1/20mm | 1411EX1-1E | \$262.36 |
| 14 x .125 x 20mm | 1412BX1-1E | \$274.30 |
| 14 x .125 x 1/20mm | 1412EX1-1E | \$274.30 |
| 16 x .125 x 1/20mm | 1612EX1-1E | \$381.49 |
| 18 x .125 x 1 | 1812EX1-1E | \$502.63 |
| 20 x .125 x 1 | 2012EX1-1E | \$566.76 |



- 15mm (.590") segment height
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from blade to blade
- Hybrid Layering Technology maximizes exposed diamonds
- Unique V-notch segment design
- Significantly improves both cutting speed and blade life
- APPLICATIONS Cured Concrete, Brick, Block

| Size | Part # | List Price |
|--------------------|----------------|------------|
| 12 x .125 x 1/20mm | 1212BEDUZX5-2V | \$569.61 |
| 14 x .125 x 20mm | 1412BDUZX5-2V | \$693.06 |
| 14 x .125 x 1/20mm | 1412BEDUZX5-2V | \$693.06 |
| 16 x .125 x 1/20mm | 1612BEDUZX5-2V | \$816.50 |
| 18 x .125 x 1 | 1812EDUZX5-2V | \$954.00 |
| 20 x .125 x 1 | 2012EDUZX5-2V | \$1,111.14 |
| 24 x .125 x 1 | 2412EDUZX5-2V | \$1,546.11 |

SUPREME GRADE

- 9mm (.354") rim height
- Unique Vortex Turbo design for fast, smooth cutting

APPLICATIONS - Reinforced Concrete, Brick, Block, Concrete Roofing Tile, Clay Roofing Tile, Landscaping Stone

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 12 x .125 x 20mm | 1212BDVUX4-2 | \$344.08 |
| 12 x .125 x 1/20mm | 1212BEDVUX4-2 | \$344.08 |
| 14 x .125 x 20mm | 1412BDVUX4-2 | \$392.20 |
| 14 x .125 x 1/20mm | 1412BEDVUX4-2 | \$392.20 |

X350 GENERAL PURPOSE



Y121 TURBO GENERAL PURPOSE



Y111 TURBO GENERAL PURPOSE



PREMIUM GRADE

- 12mm (.472") segment height
- Slanted Keyhole slot
- APPLICATIONS Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price | Size | Part # | List Price |
|--------------------|-------------|------------|--------------------|-------------|------------|
| 12 x .125 x 20mm | 1212BX3.5-2 | \$271.89 | 14 x .375 x 1 | 1437EX3.5-2 | \$1,166.72 |
| 12 x .125 x 1/20mm | 1212EX3.5-2 | \$271.89 | 14 x .500 x 1 | 1450EX3.5-2 | \$1,378.82 |
| 12 x 187 x 1 | 1218EX3.5-2 | \$530.30 | 16 x .125 x 20mm | 1612BX3.5-2 | \$441.28 |
| 12 x .250 x 1 | 1225EX3.5-2 | \$560.51 | 16 x .125 x 1/20mm | 1612EX3.5-2 | \$441.28 |
| 12 x .375 x 1 | 1237EX3.5-2 | \$942.84 | 16 x .140 x 1/20mm | 1614EX3.5-2 | \$462.70 |
| 12 x .500 x 1 | 1250EX3.5-2 | \$1,072.41 | 16 x .250 x 1 | 1625EX3.5-2 | \$886.06 |
| 14 x .110 x 1/20mm | 1411EX3.5-2 | \$278.86 | 18 x .125 x 1 | 1812EX3.5-2 | \$550.28 |
| 14 x .125 x 20mm | 1412BX3.5-2 | \$339.87 | 18 x .140 x 1 | 1814EX3.5-2 | \$574.82 |
| 14 x .125 x 1/20mm | 1412EX3.5-2 | \$339.87 | 18 x .250 x 1 | 1825EX3.5-2 | \$1,431.05 |
| 14 x .187 x 1 | 1418EX3.5-2 | \$559.31 | 20 x .125 x 1 | 2012EX3.5-2 | \$638.94 |
| 14 x .250 x 1 | 1425EX3.5-2 | \$747.71 | 20 x .140 x 1 | 2014EX3.5-2 | \$666.74 |

↔ QUALITY GRADE

- 15mm (.591") segment height
- Slanted U slot
- Alternating Turbo segment

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .125 x 1/20mm | 1212EYZ-15 | \$238.51 |
| 14 x .125 x 20mm | 1412BYZ-15 | \$298.14 |
| 14 x .125 x 1/20mm | 1412EYZ-15 | \$298.14 |
| 16 x .125 x 1/20mm | 1612EYZ-15 | \$384.66 |
| 20 x .140 x 1 | 2014EYZ-15 | \$641.11 |

↔ QUALITY GRADE

- 12mm (.472") segment height
- Keyhole slot
- Segmented turbo for balance between life and speed of cut

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|-----------------|------------|
| 12 x .125 x 20mm | 1212BDZUY2-2KV | \$162.17 |
| 12 x .125 x 1/20mm | 1212BEDZUY2-2KV | \$162.17 |
| 14 x .125 x 20mm | 1412BDZUY2-2KV | \$202.72 |
| 14 x .125 x 1/20mm | 1412BEDZUY2-2KV | \$202.72 |
| 16 x .125 x 1/20mm | 1612BEDZUY2-2KV | \$381.62 |
| 18 x .125 x 1 | 1812EDZUY2-2KV | \$484.24 |
| 20 x .140 x 1 | 2014EDZUY2-2KV | \$536.68 |

Y110 GENERAL PURPOSE



Y100 GENERAL PURPOSE



ES101 TURBO GENERAL PURPOSE



↔ QUALITY GRADE

- 12mm (.472") segment height
- Keyhole slot
- One step up from our Y100 model with longer life and faster cutting
- Made in USA

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 12 x .125 x 20mm | 1212BY1-2 | \$162.17 |
| 12 x .125 x 1/20mm | 1212EY1-2 | \$162.17 |
| 14 x .110 x 1/20mm | 1411EY1-2 | \$184.79 |
| 14 x .125 x 20mm | 1412BY1-2 | \$202.72 |
| 14 x .125 x 1/20mm | 1412EY1-2 | \$202.72 |
| 16 x .125 x 20mm | 1612BY1-2 | \$334.45 |
| 16 x .125 x 1/20mm | 1612EY1-2 | \$334.45 |
| 18 x .125 x 1 | 1812EY1-2 | \$433.83 |
| 20 x .140 x 1 | 2014EY1-2 | \$512.87 |

\bigcirc QUALITY GRADE

- 12mm (.472") segment height
- Keyhole slot
- Made in USA

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .125 x 20mm | 1212BLY1-2 | \$142.92 |
| 12 x .125 x 1/20mm | 1212ELY1-2 | \$142.92 |
| 14 x .125 x 20mm | 1412BLY1-2 | \$155.80 |
| 14 x .125 x 1/20mm | 1412ELY1-2 | \$155.80 |
| 16 x .125 x 20mm | 1612BLY1-2 | \$232.89 |
| 16 x .125 x 1/20mm | 1612ELY1-2 | \$232.89 |
| 18 x .125 x 1 | 1812ELY1-2 | \$493.85 |

ECONOMY GRADE

- 12mm (.472") segment height
- Keyhole slot
- Turbo segments
- Sintered

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|----------|------------|
| 12 x .125 x 20mm | 1212BSIZ | \$125.21 |
| 12 x .125 x 1/20mm | 1212ESIZ | \$125.21 |
| 14 x .125 x 20mm | 1412BSIZ | \$137.15 |
| 14 x .125 x 1/20mm | 1412ESIZ | \$137.15 |

ES101



X300 ABRASIVE MATERIALS



Y100 ABRASIVE MATERIALS



ECONOMY GRADE ٠

- 12mm (.472") segment height
- Keyhole slot
- Sintered
- APPLICATIONS Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|---------|------------|
| 12 x .125 x 20mm | 1212BSI | \$121.56 |
| 12 x .125 x 1/20mm | 1212ESI | \$121.56 |
| 14 x .125 x 20mm | 1412BSI | \$133.15 |
| 14 x .125 x 1/20mm | 1412ESI | \$133.15 |



PREMIUM GRADE

- 12mm (.472") segment height
- Water drop slot

APPLICATIONS - Concrete Block, Lightweight Concrete Block, Sand Stone, Lime Stone

| Size | Part # | List Price |
|---------------|-----------|------------|
| 12 x .125 x 1 | 1212EX3-3 | \$273.09 |
| 14 x .125 x 1 | 1412EX3-3 | \$339.87 |
| 16 x .125 x 1 | 1612EX3-3 | \$457.77 |
| 18 x .125 x 1 | 1812EX3-3 | \$550.76 |
| 20 x .125 x 1 | 2012EX3-3 | \$641.59 |
| 20 x .140 x 1 | 2014EX3-3 | \$663.00 |
| 24 x .140 x 1 | 2414EX3-3 | \$923.95 |
| 24 x .155 x 1 | 2415EX3-3 | \$1,042.69 |

\sim QUALITY GRADE

- 10mm (.394") segment height
- Keyhole slot
- Recommended for 5-13HP saws

APPLICATIONS - Abrasive Concrete, Soft/Abrasive Aggregates, Green Concrete

| Size | Part # | List Price |
|---------------|-----------|------------|
| 12 x .125 x 1 | 1212EY2-3 | \$186.23 |
| 14 x .125 x 1 | 1412EY2-3 | \$233.51 |

X400 ASPHALT



X100 ASPHALT



Y110 ASPHALT



SUPREME GRADE

- 10mm (.394") segment height
- Keyhole slot
- Equipped with wedge segment undercut protection

APPLICATIONS - Asphalt, Green Concrete

| Size | Part # | List Price | Size | Part # | List Pr |
|--------------------|-----------|------------|--------------------|-----------|----------|
| 12 x .110 x 1/20mm | 1211EX4-4 | \$432.86 | 14 x .250 x 1 | 1425EX4-4 | \$1,058. |
| 12 x .125 x 20mm | 1212BX4-4 | \$479.43 | 14 x .375 x 1 | 1437EX4-4 | \$1,586. |
| 12 x .125 x 1/20mm | 1212EX4-4 | \$479.43 | 16 x .125 x 1/20mm | 1612EX4-4 | \$679.61 |
| 14 x .110 x 1/20mm | 1411EX4-4 | \$537.88 | 16 x .140 x 1 | 1614EX4-4 | \$716.81 |
| 14 x .125 x 20mm | 1412BX4-4 | \$596.24 | 18 x .125 x 1 | 1812EX4-4 | \$808.87 |
| 14 x .125 x 1/20mm | 1412EX4-4 | \$596.24 | 20 x .125 x 1 | 2012EX4-4 | \$925.33 |
| 14 x .187 x 1 | 1418EX4-4 | \$1,089.86 | | | |

VALUE GRADE

- 8mm (.315") segment height
- U slot
- Equipped with insert undercut protection

APPLICATIONS - Asphalt, Green Concrete

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 12 x .110 x 1/20mm | 1211EX1-4 | \$323.14 |
| 12 x .125 x 20mm | 1212BX1-4 | \$351.77 |
| 12 x .125 x 1/20mm | 1212EX1-4 | \$351.77 |
| 14 x .110 x 20mm | 1411BX1-4 | \$343.48 |
| 14 x .110 x 1/20mm | 1411EX1-4 | \$343.48 |
| 14 x .125 x 20mm | 1412BX1-4 | \$409.04 |
| 14 x .125 x 1/20mm | 1412EX1-4 | \$409.04 |
| 16 x .125 x 1/20mm | 1612EX1-4 | \$428.53 |

$\Longleftrightarrow \quad \text{QUALITY GRADE}$

• 12mm (.472") segment height

• U slot deep segment


APPLICATIONS - Asphalt, Green Concrete

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .125 x 1/20mm | 1212EY2-4T | \$213.90 |
| 14 x .125 x 1/20mm | 1412EY2-4T | \$262.38 |
| 16 x .125 x 1/20mm | 1612EY2-4T | \$352.98 |
| 18 x .125 x 1 | 1812EY2-4T | \$470.64 |

ES100 ASPHALT



NEW ZENESIS™ AP3 ALL PURPOSE



ZENESIS™ V-SERIES ALL PURPOSE



ECONOMY GRADE

- 10mm (.394") or 12mm (.472") segment height
- U slot, equipped with wedge segment undercut protection
- APPLICATIONS Asphalt, Green Concrete

| Size | Part # | List Price |
|---------------------------|------------|------------|
| 14" x .125 x 1/20mm, 10mm | 1412ESIT-4 | \$174.39 |
| 14" x .125 x 1/20mm, 12mm | 1412ESI-4 | \$182.81 |



ZENESIS™ GRADE

- 14mm (.551") segment height
- Unique segment design on drop segment
- ZENESIS[™] Pattern Diamond Technology for maximum performance and consistency from blade to blade

APPLICATIONS - Asphalt, Cured Concrete, Abrasive Concrete, Green Concrete, Brick/Block

| Size | Part # | List Price |
|--------------------|-----------------|------------|
| 12 x .125 x 20mm | 1212BDUZX4-AP3 | \$419.64 |
| 14 x .125 x 20mm | 1412BDUZX4-AP3 | \$515.59 |
| 14 x .125 x 1/20mm | 1412BEDUZX4-AP3 | \$515.59 |
| 16 x .125 x 1/20mm | 1612BEDUZX4-AP3 | \$635.22 |
| 18 x .140 x 1/20mm | 1814EDUZX4-AP3 | \$883.37 |
| 20 x .140 x 1/20 | 2014EDUZX4-AP3 | \$895.62 |
| 24 x .140 x 1/20mm | 2414EDUZX4-AP3 | \$1,277.05 |

ZENESIS™ GRADE

- 15mm (.591") segment height
- Slanted keyhole slot, equipped with deep segment undercut protection
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from blade to blade

APPLICATIONS - Asphalt, Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|-----------------|------------|
| 12 x .125 x 20mm | 1212BDUZX4-AP2 | \$471.41 |
| 12 x .125 x 1/20mm | 1212BEDUZX4-AP2 | \$471.41 |
| 14 x .125 x 20mm | 1412BDUZX4-AP2 | \$491.04 |
| 14 x .125 x 1/20mm | 1412BEDUZX4-AP2 | \$491.04 |
| 16 x .125 x 20mm | 1612BDUZX4-AP2 | \$604.98 |
| 16 x .125 x 1/20mm | 1612BEDUZX4-AP2 | \$604.98 |
| 18 x .125 x 1 | 1812EDUZX4-AP2 | \$704.16 |

AP300 ALL PURPOSE





AP201 TURBO ALL PURPOSE



AP200 ALL PURPOSE



PREMIUM GRADE

- 10mm (.394") segment height
- Slanted T slot, equipped with wedge segment undercut protection
- APPLICATIONS Asphalt, Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 12 x .110 x 1/20mm | 1211BEDUX3-AP | \$373.31 |
| 12 x .125 x 20mm | 1212BDUX3-AP | \$393.52 |
| 12 x .125 x 1/20mm | 1212BEDUX3-AP | \$393.52 |
| 14 x .125 x 20mm | 1412BDUX3-AP | \$477.02 |
| 14 x .125 x 1/20mm | 1412BEDUX3-AP | \$477.02 |
| 16 x .125 x 20mm | 1612BDUX3-AP | \$512.87 |
| 16 x .125 x 1/20mm | 1612BEDUX3-AP | \$512.87 |
| 18 x .125 x 1 | 1812EDUX3-AP | \$781.15 |

HEAVY DUTY GRADE

- 15mm (.591") segment height
- Slanted U slot, alternating turbo & equipped with wedge segment undercut protection
- Alternating turbo segments for faster cutting

APPLICATIONS - Asphalt, Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|------------|------------|
| 12 x .125 x 1/20mm | 1212EYZ-AP | \$267.08 |
| 14 x .125 x 20mm | 1412BYZ-AP | \$333.97 |
| 14 x .125 x 1/20mm | 1412EYZ-AP | \$333.97 |
| 16 x .125 x 1/20mm | 1612EYZ-AP | \$568.80 |
| 18 x .125 x 1 | 1812EYZ-AP | \$722.32 |

HEAVY DUTY GRADE

- 10mm (.394") segment height
- Slanted T slot, equipped with deep segment undercut protection
- APPLICATIONS Asphalt, Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|------------|------------|
| 14 x .125 x 20mm | 1412BX1-AP | \$357.79 |
| 14 x .125 x 1/20mm | 1412EX1-AP | \$357.79 |
| 16 x .125 x 1/20mm | 1612EX1-AP | \$454.57 |
| 18 x .125 x 1/20mm | 1812EX1-AP | \$502.26 |
| 20 x .125 x 1/20mm | 2012EX1-AP | \$600.48 |

AP100 COMBO CUT ALL PURPOSE



X200-AC METAL CUTTING



X400 DUCTILE IRON



| Size | Part # | List Price |
|--------------------|---------------|------------|
| 12 x .110 x 1/20mm | 1211BEDDIX4-4 | \$333.36 |
| 12 x .125 x 1/20mm | 1212BEDDIX4-4 | \$378.24 |
| 14 x .110 x 1/20mm | 1411BEDDIX4-4 | \$387.86 |
| 14 x .125 x 1/20mm | 1412BEDDIX4-4 | \$477.62 |
| 16 x .125 x 1/20mm | 1612BEDDIX4-4 | \$524.65 |

- 12mm (.472") segment height
- Slanted U slot, equipped with deep segment undercut protection
- Alternating turbo segments for faster cutting
- Made in USA

APPLICATIONS - Asphalt, Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|-------------|------------|
| 12 x .125 x 20mm | 1212BLY2-AP | \$199.36 |
| 12 x .125 x 1/20mm | 1212ELY2-AP | \$199.36 |
| 14 x .125 x 20mm | 1412BLY2-AP | \$239.92 |
| 14 x .125 x 1/20mm | 1412ELY2-AP | \$239.92 |
| 16 x .125 x 1/20mm | 1612ELY2-AP | \$362.59 |
| 18 x .125 x 1 | 1812ELY2-AP | \$530.33 |
| 20 x .125 x 1 | 2012ELY2-AP | \$766.03 |



- 5mm (.196") segment height
- Brazed segment, cooling hole

APPLICATIONS - PVC Pipe, Steel, Cast Iron, Ductile Iron Pipe, Reinforced Concrete

| Size | Part # | List Price |
|--------------------|----------------|------------|
| 12 x .142 x 20mm | 1214BDUX2-AC2 | \$290.05 |
| 12 x .142 x 1/20mm | 1214BEDUX2-AC2 | \$290.05 |
| 14 x .142 x 20mm | 1414BDUX2-AC2 | \$333.00 |
| 14 x .142 x 1/20mm | 1414BEDUX2-AC2 | \$333.00 |
| 16 x .145 x 1/20mm | 1614BEDUX2-AC2 | \$429.61 |
| 18 x .145 x 1 | 1814EDUX2-AC2 | \$644.48 |
| 20 x .155 x 1 | 2015EDUX2-AC2 | \$765.99 |

SUPREME GRADE

- 4mm (.157") segment height
- Turbo segment
- APPLICATIONS Ductile Iron, Concrete Water Mains

EARLY ENTRY GREEN CONCRETE

THE ZENESIS™ EARLY ENTRY GREEN CONCRETE CUTTING SYSTEM

The ZENESIS™ GREEN early entry green concrete cutting system features a ninja arbor that easily fits Soff-Cut saws without adapters. Color-coded blades maximize life and cutting speed for different aggregate conditions.

EARLY ENTRY BOND SELECTION CHART

CONCRETE TYPE HARDER SOFTER / MORE ABRASIVE AGGREGATE FLINT CHERT TRAPROCK QUARTZ GRANITE LIMESTONE Z350 Z200 Z200 Z200 Z200 LONGER LIFE

Choose the ZENESIS™ GREEN early entry bond that matches your aggregate and cutting conditions.

REFERENCE CHARTS





SAW REFERENCE CHART

| MODEL** | BLADE SIZE |
|--------------------------|-------------|
| X-50 | 5" |
| X-390 | 5.5" |
| X-150 | 6" |
| X-450, X-750, GX-1000 | 8" |
| X-2000, X-2500 | 10" |
| X-4000, X-4200 | 12" & 13.5" |
| X-5000 | 12" & 14" |

*SOFF-CUT® IS A REGISTERED TRADEMARK OF HUSQVARNA AB. DIAMOND VANTAGE® IS NOT AFFILIATED WITH HUSQVARNA AB. **SAW MODEL NUMBERS ARE IN REFERENCE TO HUSQVARNA SAWS

Z100 PURPLE GREEN CONCRETE



Z200 GREEN GREEN CONCRETE



Z350 ORANGE GREEN CONCRETE



ZENESIS™ GRADE

- 10mm (.394") segment height
- Comparable to Soff-Cut[®] 1000
- ZENESIS™ Pattern Diamond Technology

APPLICATIONS - Very Hard Aggregate, Flint, Chert

| Size | Part # | List Price | Size | Part # | List Price |
|------------------------|------------|------------|---------------------|------------|------------|
| 5 x .080 x EZ-% | 0508EZ100Z | \$188.00 | 10 x .250 x EZ-‰-‰ | 1025EZ100Z | \$978.11 |
| 51⁄₂ x .080 x EZ-5⁄8 | 5508EZ100Z | \$212.58 | 12 x .125 x EZ-1 | 1212EZ100Z | \$709.01 |
| 6 x .095 x EZ-1 | 0609EZ100Z | \$272.79 | 12 x .250 x EZ-1 | 1225EZ100Z | \$1,228.79 |
| 6 x .225 x EZ-1 | 0622EZ100Z | \$544.34 | 131⁄2 x .125 x EZ-1 | 1312EZ100Z | \$809.76 |
| 8 x .095 x EZ-%-% | 0809EZ100Z | \$361.27 | 131⁄2 x .250 x EZ-1 | 1325EZ100Z | \$1,351.68 |
| 8 x .225 x EZ-%-% | 0822EZ100Z | \$742.19 | 14 x .125 x EZ-1 | 1412EZ100Z | \$809.76 |
| 10 x .095 x EZ-1/8-5/8 | 1009EZ100Z | \$489.75 | 14 x .250 x EZ-1 | 1425EZ100Z | \$1,351.68 |



ZENESIS™ GRADE

- 10mm (.394") segment height
- Comparable to Soff-Cut[®] 2000
- ZENESIS[™] Pattern Diamond Technology

APPLICATIONS - Medium to Hard Chert, Traprock

| Size | Part # | List Price | Size | Part # | List Price |
|-----------------------|------------|------------|---------------------|------------|------------|
| 5 x .080 x EZ-% | 0508EZ200Z | \$188.00 | 10 x .250 x EZ-%-% | 1025EZ200Z | \$978.11 |
| 51⁄₂ x .080 x EZ-5⁄8 | 5508EZ200Z | \$212.58 | 12 x .125 x EZ-1 | 1212EZ200Z | \$709.01 |
| 6 x .095 x EZ-1 | 0609EZ200Z | \$272.79 | 12 x .250 x EZ-1 | 1225EZ200Z | \$1,228.79 |
| 6 x .225 x EZ-1 | 0622EZ200Z | \$544.34 | 131⁄2 x .125 x EZ-1 | 1312EZ200Z | \$809.76 |
| 8 x .095 x EZ-%-% | 0809EZ200Z | \$361.27 | 131⁄2 x .250 x EZ-1 | 1325EZ200Z | \$1,351.68 |
| 8 x .225 x EZ-1/8-5/8 | 0822EZ200Z | \$742.19 | 14 x .125 x EZ-1 | 1412EZ200Z | \$809.76 |
| 10 x .095 x EZ-%-% | 1009EZ200Z | \$490.78 | 14 x .250 x EZ-1 | 1425EZ200Z | \$1,351.68 |

ZENESIS™ GRADE

- 10mm (.394") segment height
- Comparable to Soff-Cut® 3000 & 4000
- ZENESIS™ Pattern Diamond Technology

APPLICATIONS - Medium Traprock, Quartz

| Size | Part # | List Price |
|---------------------------|------------|------------|
| 5 x .080 x EZ-% | 0508EZ350Z | \$188.00 |
| 51⁄₂x.080 xEZ-5⁄8 | 5508EZ350Z | \$212.58 |
| 6 x .095 x EZ-1 | 0609EZ350Z | \$272.79 |
| 6 x .225 x EZ-1 | 0622EZ350Z | \$544.34 |
| 3 x .095 x EZ- %-% | 0809EZ350Z | \$361.27 |
| 3 х .225 х EZ- %-% | 0822EZ350Z | \$742.19 |
| 0 x .095 x EZ-‰-‰ | 1009EZ350Z | \$490.78 |



GREEN CONCRETE



ZENESIS™ GRADE

- 10mm (.394") segment height
- Comparable to Soff-Cut[®] 5000 & 6000
- ZENESIS[™] Pattern Diamond Technology

APPLICATIONS - Soft Granite, Limestone

| Size | Part # | List Price | Size | Part # | List Price |
|----------------------------|------------|------------|---------------------|------------|------------|
| 5 x .080 x EZ-% | 0508EZ550Z | \$188.00 | 10 x .250 x EZ-%-% | 1025EZ550Z | \$978.11 |
| 51⁄₂ x .080 x EZ-‰ | 5508EZ550Z | \$212.58 | 12 x .125 x EZ-1 | 1212EZ550Z | \$709.01 |
| 6 x .095 x EZ-1 | 0609EZ550Z | \$272.79 | 12 x .250 x EZ-1 | 1225EZ550Z | \$1,228.79 |
| 6 x .225 x EZ-1 | 0622EZ550Z | \$544.34 | 131⁄2 x .125 x EZ-1 | 1312EZ550Z | \$809.76 |
| 8 x .095 x EZ- %- % | 0809EZ550Z | \$361.27 | 131⁄2 x .250 x EZ-1 | 1325EZ550Z | \$1,351.68 |
| 8 x .225 x EZ- % -% | 0822EZ550Z | \$742.19 | 14 x .125 x EZ-1 | 1412EZ550Z | \$809.76 |
| 10 x .095 x EZ-‰-‰ | 1009EZ550Z | \$490.78 | 14 x .250 x EZ-1 | 1425EZ550Z | \$1,351.68 |



ZENESIS™ EXTREME GREEN GREEN CONCRETE



ZENESISTM V-SERIES CURED CONCRETE



ZENESIS™ GRADE

- 12mm (.472") Segment Height
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from blade to blade
- Also available with Soff-Cut® arbor

APPLICATIONS - Green Concrete

| Size | Part # | List Price |
|-----------------|------------|------------|
| 6 x .095 x 1 | 0609KDGZX4 | \$278.45 |
| 8 x .095 x 7/8 | 0809CDGZX4 | \$470.89 |
| 10 x .095 x 7/8 | 1009CDGZX4 | \$682.76 |
| 12 x .125 x 1 | 1212KDGZX4 | \$942.75 |
| 13½ x .125 x 1 | 1312KDGZX4 | \$1,113.19 |
| 14 x .125 x 1 | 1412KDGZX4 | \$1,132.55 |

ZENESIS™ GRADE

- 12mm (.472") segment height, available in 4"-8" blades sizes
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from blade to blade
- Hybrid Layering Technology maximizes exposed diamonds
- Unique V-notch segment design
- Significantly improves both cutting speed and blade life
- 9" blade: specifically designed for battery powered saw

APPLICATIONS - Cured Concrete, Brick, Block

| Size | Part # | List Price |
|-----------------|---------------|------------|
| 8 x .094 x U/A | 0809UDUZX5-2V | \$223.40 |
| 10 x .094 x U/A | 1009UDUZX5-2V | \$343.25 |





SKID PLATES WITH CLIP EARLY ENTRY SAW

PREMIUM GRADE

- 12mm (.472") segment height
- Also available with Soff-Cut® arbor

APPLICATIONS - Very Hard Aggregate, Flint, Chert

| Size | Part # | List Price | Size | Part # | List Price |
|-----------------------|-----------|------------|-----------------------|-----------|------------|
| 5 x .080 x EZ | 0508EZGX3 | \$226.95 | 9 x .095 x % | 0909ADGX3 | \$531.87 |
| 5 x .080 x % | 0508ADGX3 | \$226.95 | 9 x .095 x %-% | 0909CDGX3 | \$531.87 |
| 6 x .095 x EZ | 0609EZGX3 | \$262.38 | 10 x .095 x EZ | 1009EZGX3 | \$603.46 |
| 6 x .095 x % | 0609ADGX3 | \$262.38 | 10 x .095 x % | 1009ADGX3 | \$603.46 |
| 6 х .095 х %-% | 0609CDGX3 | \$262.38 | 10 x .095 x 1/20mm | 1009EDGX3 | \$603.46 |
| 61⁄₂ x .095 x EZ | 6509EZGX3 | \$342.32 | 10 x .250 x EZ | 1025EZGX3 | \$1,124.83 |
| 7 x .095 x % | 0709ADGX3 | \$400.74 | 12 x .125 x EZ | 1212EZGX3 | \$721.35 |
| 7 x .095 x U/A | 0709UDGX3 | \$400.74 | 12 x .250 x EZ | 1225EZGX3 | \$1,413.11 |
| 8 x .095 x EZ | 0809EZGX3 | \$442.48 | 131⁄2 x .125 x EZ | 1312EZGX3 | \$900.09 |
| 8 x .095 x % | 0809ADGX3 | \$442.48 | 131⁄2 x .250 x EZ | 1325EZGX3 | \$1,516.90 |
| 8 x .095 x 1⁄8 | 0809CDGX3 | \$442.48 | 14 x .125 x EZ | 1412EZGX3 | \$920.26 |
| 8 x .250 x EZ | 0825EZGX3 | \$549.97 | 14 x .250 x EZ | 1425EZGX3 | \$1,557.36 |

- Compatible with all Soff-Cut[®] saws
- Additional sizes available



| Size | Part # | List Price |
|------------------------|-----------|------------|
| For 6" & 8"' blades | EZPL68C | \$179.06 |
| For 10" blades | EZPL10C | \$195.32 |
| For 12" & 131/2 blades | EZPL1213C | \$203.47 |
| For 14" blades | EZPL14C | \$211.60 |



- 8" Skid plate for Gorilla Concrete Tools saws 8EE and GS100
- 10" Skid Plate for Gorilla Concrete Tools saws GS300
- 0.090 thickness
- Pinless






| Size | Part # | List Price |
|----------------|--------------------|------------|
| For 8" blades | DV-GCT-8-54-R2 | \$179.06 |
| For 10" blades | DV-GCT-GS300-81-SP | \$179.06 |

SMALL DIAMETER

SMALL DIAMETER PERFORMANCE CHART



SMALL DIAMETER BOND SELECTION CHART





HARD BOND SOFTEST MATERIAL

X401 TURBO HARD MATERIALS



X400 HARD MATERIALS



X400 VORTEX HARD MATERIALS

SUPREME GRADE

- 10mm (.394") segment height
- Keyhole slot, turbo segment
- APPLICATIONS Hard Concrete, Reinforced Concrete, Hard Paver Brick

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 4 x .080 x ⅓-%s | 0408CZ4-1 | \$46.20 |
| 4½ x .080 x ⅔-5% | 4508CZ4-1 | \$48.73 |
| 5 x .080 x 1%-5% | 0508CZ4-1 | \$56.43 |
| 6 x .095 x 1⁄8-5⁄8 | 0609CZ4-1 | \$71.10 |
| 7 x .095 x U/A | 0709UZ4-1 | \$100.22 |
| 8 x .095 x U/A | 0809UZ4-1 | \$110.68 |
| 10 x .095 x U/A | 1009UZ4-1 | \$150.99 |

SUPREME GRADE

- 10mm (.394") segment height
- Keyhole slot

APPLICATIONS - Hard Concrete, Reinforced Concrete, Hard Paver Brick

| Size | Part # | List Price |
|--------------------------|-------------|------------|
| 4 x .080 x ⅓-5⁄8 | 0408CDUX4-1 | \$46.20 |
| 4½ x .080 x ¾-% | 4508CDUX4-1 | \$48.73 |
| 5 x .080 x 1/8-5/8 | 0508CDUX4-1 | \$56.43 |
| 6 x .095 x %- 5∕8 | 0609CDUX4-1 | \$71.10 |
| 6 x .095 x U/A | 0609UDUX4-1 | \$71.10 |
| 7 x .095 x U/A | 0709UDUX4-1 | \$100.22 |
| 8 x .095 x U/A | 0809UDUX4-1 | \$110.68 |
| 9 x .095 x DM-% | 0909DDUX4-1 | \$131.13 |
| 10 x .095 x DM-% | 1009DDUX4-1 | \$150.99 |

SUPREME GRADE

- 9mm (.354") rim height
- Unique turbo rim design
- APPLICATIONS Granite, Marble, Hard Brick, Hard Paver

| Size | Part # | List Price |
|--------------------------|--------------|------------|
| 4 x .080 x ⅓-5% | 0408CDZBX4-1 | \$82.29 |
| 4½ x .080 x №-5% | 4508CDZBX4-1 | \$86.74 |
| 5 x .080 x ⅓- 5⁄8 | 0508CDZBX4-1 | \$92.16 |
| 6 x .090 x %r-5%s | 0609CDZBX4-1 | \$119.94 |
| 6 x .090 x U/A | 0609UDZBX4-1 | \$119.94 |
| 7 x .090 x U/A | 0709UDZBX4-1 | \$154.95 |
| 8 x .090 x U/A | 0809UDZBX4-1 | \$169.88 |
| 9 x .090 x 1/8-5/8 | 0909CDZBX4-1 | \$235.08 |
| 10 x .090 x U/A | 1009UDZBX4-1 | \$237.25 |

X400 PEGASUS HARD MATERIALS



X200 HARD MATERIALS



X100 HARD MATERIALS



SUPREME GRADE

- 10mm (.394") segment height
- 4 hole flush cut for 4" through 7", adapter sold separately
- APPLICATIONS Granite, Marble, Hard Brick, Hard Pavers

| Size | Part # | List Price |
|-----------------------|--------------|------------|
| 4 x .080 x %-5% | 0408CPEGX4-1 | \$58.70 |
| 4½ x .080 x ⅔-5% | 4508CPEGX4-1 | \$61.96 |
| 5 x .080 x %-% | 0508CPEGX4-1 | \$71.59 |
| 6 х .095 х %-% | 0609CPEGX4-1 | \$100.46 |
| 7 x .095 x U/A | 0709UPEGX4-1 | \$113.20 |
| 10 x .095 x U/A | 1009UPEGX4-1 | \$189.13 |



- 10mm (.394") segment height
- Turbo rim, with cooling holes

APPLICATIONS - Granite, Marble, Hard Brick, Hard Pavers

| Size | Part # | List Price |
|--------------------|--------------|------------|
| 4 x .080 x ⅓-%s | 0408CDZBX2-1 | \$27.67 |
| 4½ x .080 x ⅓-‰ | 4508CDZBX2-1 | \$29.60 |
| 5 x .080 x 1⁄8-5⁄8 | 0508CDZBX2-1 | \$33.69 |
| 6 X .095 X U/A | 0609UDZBX2-1 | \$48.73 |
| 7 x .095 x U/A | 0709UDZBX2-1 | \$60.04 |
| 8 x .095 x U/A | 0809UDZBX2-1 | \$72.43 |
| 9 x .095 x U/A | 0909UDZBX2-1 | \$91.09 |
| 10 x .095 x U/A | 1009UDZBX2-1 | \$104.42 |

VALUE GRADE

- 7mm (.276") segment height
- Turbo rim, with cooling holes
- APPLICATIONS Granite, Marble, Hard Brick, Hard Pavers

| Size | Part # | List Price |
|--------------------|--------------|------------|
| 4 x .080 x ⅓-5⁄8 | 0408CDZBX1-1 | \$21.77 |
| 4½ x .080 x ⅓-‰ | 4508CDZBX1-1 | \$23.10 |
| 5 x .080 x %/₂-5⁄8 | 0508CDZBX1-1 | \$24.18 |
| 6 x .095 x U/A | 0609UDZBX1-1 | \$33.57 |
| 7 x .095 x U/A | 0709UDZBX1-1 | \$41.27 |

ZENESIS™ V-SERIES GENERAL PURPOSE



X400 VORTEX GENERAL PURPOSE



X400 GENERAL PURPOSE



ZENESIS™ GRADE

- 12mm (.472") segment height, available in 4"-8" blades sizes
- ZENESIS™ Pattern Diamond Technology for maximum performance and consistency from blade to blade
- Hybrid Layering Technology maximizes exposed diamonds
- Unique V-notch segment design
- Significantly improves both cutting speed and blade life
- 9" blade: specifically designed for battery powered saw

APPLICATIONS - Cured Concrete, Brick, Block

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 4 x .086 x ⅓-5% | 0408CDUZX5-2V | \$89.76 |
| 4½ x .086 x ‰-‰ | 4508CDUZX5-2V | \$101.06 |
| 5 x .086 x 1⁄8-5⁄8 | 0508CDUZX5-2V | \$112.26 |
| 6 x .086 x U/A | 0608UDUZX5-2V | \$154.28 |
| 7 x .094 x U/A | 0709UDUZX5-2V | \$190.82 |
| 8 x .094 x U/A | 0809UDUZX5-2V | \$230.10 |
| 9 x .094 x 1/8-5/8 | 0909CDUZX5-2V | \$300.23 |
| 10 x .094 x U/A | 1009UDUZX5-2V | \$353.55 |

SUPREME GRADE

- 9mm (.354") turbo rim height
- Unique vortex turbo design for fast, smooth cutting

APPLICATIONS - Reinforced Concrete, Brick, Block, Concrete Roofing Tile, Clay Roofing Tile, Landscaping Stone

| Size | Part # | List Price |
|---------------------------|--------------|------------|
| 4 x .080 x 1/8-5/8 | 0408CDZBX4-2 | \$77.95 |
| 4½ x .080 x ⅔-5⁄8 | 4508CDZBX4-2 | \$87.58 |
| 5 x .080 x %-% | 0508CDZBX4-2 | \$93.00 |
| 6 x .095 x 1⁄8-5⁄8 | 0609CDZBX4-2 | \$118.62 |
| 6 x .095 x U/A | 0609UDZBX4-2 | \$118.62 |
| 7 x .095 x U/A | 0709UDZBX4-2 | \$143.16 |
| 8 x .095 x U/A | 0809UDZBX4-2 | \$157.12 |
| 9 x .095 x %/-5% | 0909CDZBX4-2 | \$192.37 |
| 10 x .095 x U/A | 1009UDZBX4-2 | \$224.38 |

SUPREME GRADE

- 10mm (.394") segment height
- Keyhole slot
- APPLICATIONS Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|------------------------|-------------|------------|
| 4 x .080 x 20mm | 0408BDUX4-2 | \$47.16 |
| 4 x .080 x ‰-‰ | 0408CDUX4-2 | \$47.16 |
| 41⁄2 x .080 x 20mm | 4508BDUX4-2 | \$49.69 |
| 41⁄2 x .080 x %a-5⁄8 | 4508CDUX4-2 | \$49.69 |
| 5 x .080 x %-% | 0508CDUX4-2 | \$57.63 |
| 6 x .095 x №- % | 0609CDUX4-2 | \$72.30 |
| 6 x .095 x U/A | 0609UDUX4-2 | \$72.30 |
| 7 x .095 x ‰-‰ | 0709CDUX4-2 | \$102.62 |
| 7 x .095 x U/A | 0709UDUX4-2 | \$102.62 |
| 7 x .125 x ‰-‰ | 0712CDUX4-2 | \$134.02 |

| Size | Part # | List Price |
|--------------------|-------------|------------|
| 8 x .095 x U/A | 0809UDUX4-2 | \$112.73 |
| 9 x .095 x 1⁄8-5⁄8 | 0909CDUX4-2 | \$134.38 |
| 9 x .095 x U/A | 0909UDUX4-2 | \$134.38 |
| 10 x .095 x %-% | 1009CDUX4-2 | \$154.95 |
| 10 x .095 x U/A | 1009UDUX4-2 | \$154.95 |
| 10 x .125 x 1/20mm | 1012EDUX4-2 | \$192.85 |
| 10 x .187 x 1 | 1018EDUX4-2 | \$247.95 |
| 10 x .250 x 1 | 1025EDUX4-2 | \$313.04 |

X200 GENERAL PURPOSE



X100 GENERAL PURPOSE



Y101 TURBO GENERAL PURPOSE



HEAVY DUTY GRADE

- 10mm (.394") turbo rim height
- Narrow with cooling holes
- APPLICATIONS Concrete, Roofing Tile, Stone

| Size | Part # | List Price |
|-----------------------|--------------|------------|
| 4 x .080 x %-5% | 0408CDZBX2-2 | \$54.86 |
| 4½ x .080 x ⅔-5% | 4508CDZBX2-2 | \$58.44 |
| 5 x .080 x %-% | 0508CDZBX2-2 | \$65.57 |
| 6 х .095 х %-% | 0609CDZBX2-2 | \$85.90 |
| 7 x .095 x DM-% | 0709DDZBX2-2 | \$89.39 |
| 7 x .095 x U/A | 0709UDZBX2-2 | \$89.39 |
| 8 x .095 x U/A | 0809UDZBX2-2 | \$113.33 |
| 9 x .095 x DM-% | 0909DDZBX2-2 | \$153.87 |
| 10 x .095 x U/A | 1009UDZBX2-2 | \$181.30 |

VALUE GRADE

- 10mm (.394") turbo rim height
- Turbo Rim with cooling holes

APPLICATIONS - Reinforced Concrete, Brick, Block, Concrete Roofing Tile, Clay Roofing Tile, Landscaping Stone

| Size | Part # | List Price |
|-------------------------|--------------|------------|
| 4 x .080 x №- 5% | 0408CDZBX0-2 | \$17.45 |
| 4½ x .080 x ⅓-% | 4508CDZBX0-2 | \$21.90 |
| 5 x .080 x №-% | 0508CDZBX0-2 | \$23.47 |
| 6 x .095 x U/A | 0609UDZBX0-2 | \$35.98 |
| 7 x .095 x DM-% | 0709DDZBX0-2 | \$43.79 |
| 7 x .095 x U/A | 0709UDZBX0-2 | \$43.79 |
| 8 x .095 x DM-% | 0809DDZBX0-2 | \$63.40 |
| 8 x .095 x U/A | 0809UDZBX0-2 | \$63.40 |
| 9 x .095 x U/A | 0909UDZBX0-2 | \$82.17 |
| 10 x .095 x %-% | 1009CDZBX0-2 | \$84.77 |
| 10 x .095 x DM-% | 1009DDZBX0-2 | \$84.77 |

↔ QUALITY GRADE

- 10mm (.394") segment height
- Keyhole slot, turbo segment
- APPLICATIONS Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|-----------------------|------------|------------|
| 4 x .080 x %-5% | 0408CZY1-2 | \$25.02 |
| 4½ x .080 x ⅔-5% | 4508CZY1-2 | \$31.28 |
| 5 x .080 x 1/8-5/8 | 0508CZY1-2 | \$37.54 |
| 6 х .095 х %-% | 0609CZY1-2 | \$50.05 |
| 7 x .095 x U/A | 0709UZY1-2 | \$56.30 |
| 10 x .095 x U/A | 1009UZY1-2 | \$109.00 |

Y100 GENERAL PURPOSE







ES101 TURBO GENERAL PURPOSE



↔ QUALITY GRADE

- 7mm (.276") turbo rim height
- Turbo rim with cooling holes

APPLICATIONS - Reinforced Concrete, Brick, Block, Concrete Roofing Tile, Clay Roofing Tile, Landscaping Stone

| Size | Part # | List Price |
|--------------------|--------------|------------|
| 4 x .080 x ⅓-%s | 0408CDZBY1-2 | \$16.00 |
| 4½ x .080 x ⅓-‰ | 4508CDZBY1-2 | \$20.09 |
| 5 x .080 x 1⁄8-5⁄8 | 0508CDZBY1-2 | \$21.41 |
| 7 x .095 x U/A | 0709UDZBY1-2 | \$40.06 |
| 10 x .095 x U/A | 1009UDZBY1-2 | \$77.47 |

↔ QUALITY GRADE

- 10mm (.394") segment height
- Keyhole slot

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price | | Size | Part # | List Price |
|--------------------------|-------------|------------|---|------------------------|-------------|------------|
| 4 x .080 x 20mm | 0408BDUY1-2 | \$23.82 | | 7 x .095 x U/A | 0709UDUY1-2 | \$53.66 |
| 4 x .080 x %- 5∕8 | 0408CDUY1-2 | \$23.82 | | 8 x .095 x DM-%/ | 0809DDUY1-2 | \$73.99 |
| 4½ x .080 x ⅔-% | 4508CDUY1-2 | \$29.83 | | 8 x .095 x U/A | 0809UDUY1-2 | \$73.99 |
| 5 x .080 x %-% | 0508CDUY1-2 | \$35.73 | | 9 x .095 x ‰-‰ | 0909CDUY1-2 | \$89.39 |
| 6 x .095 x %-% | 0609CDUY1-2 | \$45.35 | | 9 x .095 x U/A | 0909UDUY1-2 | \$89.39 |
| 6 x .095 x U/A | 0609UDUY1-2 | \$45.35 | | 10 x .095 x %-% | 1009CDUY1-2 | \$103.71 |
| 7 x .095 x 1/8-5/8 | 0709CDUY1-2 | \$53.66 | [| 10 x .095 x U/A | 1009UDUY1-2 | \$103.71 |
| 7 x .095 x DM-% | 0709DDUY1-2 | \$52.10 | | | | |

ECONOMY GRADE

- 10mm (.394") segment height
- Keyhole slot, turbo segment
- Sintered
- 9" specifically designed for battery powered gas saws

APPLICATIONS - Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------------|------------|------------|
| 4 x .080 x %- ۶ | 0408CSZ1-2 | \$19.65 |
| 4½ x .080 x ⅛-‰ | 4508CSZ1-2 | \$21.06 |
| 5 x .080 x %-% | 0508CSZ1-2 | \$22.45 |
| 6х.090х% -% | 0609CSZ1-2 | \$30.87 |
| 7 x .095 x U/A- % | 0709USZ1-2 | \$39.28 |
| 9 x .095 x %-% | 0909CSZ1-2 | \$64.53 |

ES101 GENERAL PURPOSE



X400 SEGMENTED ABRASIVES



X200-AC METAL CUTTING



ECONOMY GRADE

- 10mm (.394") segment height
- Keyhole slot
- Sintered
- APPLICATIONS Reinforced Concrete, Brick, Block, Cured Concrete

| Size | Part # | List Price |
|--------------------|----------|------------|
| 4 x .060 x 1/8-5/8 | 0406CSIT | \$15.64 |
| 4½ x .060 x ¾-% | 4506CSIT | \$20.34 |
| 5 x .060 x 1/8-5/8 | 0506CSIT | \$25.74 |
| 7 x .080 x U/A | 0708USIT | \$42.11 |
| 8 x .095 x U/A | 0809USIT | \$50.53 |
| 9 x .095 x U/A | 0909USIT | \$77.75 |
| 10 x .095 x U/A | 1009USIT | \$88.19 |



- 10mm (.394") segment height
- Keyhole slot
- APPLICATIONS Asphalt, Green Concrete

| Size | Part # | List Price | Size | Part # | List Price |
|-----------------------|-------------|------------|--------------------|-------------|------------|
| 4 x .080 x %-% | 0408CDUX4-4 | \$46.32 | 8 x .125 x 1/20mm | 0812EDUX4-4 | \$156.51 |
| 5 x .095 x %-% | 0508CDUX4-4 | \$56.06 | 9 x .095 x 1⁄8-5⁄8 | 0909CDUX4-4 | \$131.74 |
| 6 x .095 x U/A | 0609UDUX4-4 | \$70.86 | 10 x .095 x %-% | 1009CDUX4-4 | \$151.47 |
| 7 x .095 x U/A | 0709UDUX4-4 | \$102.01 | 10 x .095 x DM-% | 1009DDUX4-4 | \$151.47 |
| 8 x .095 x %-% | 0809CDUX4-4 | \$115.49 | 10 x .095 x U/A | 1009UDUX4-4 | \$151.47 |
| 8 x .095 x U/A | 0809UDUX4-4 | \$115.49 | 10 x .125 x 1/20mm | 1012EDUX4-4 | \$212.82 |

HEAVY DUTY GRADE

- 5mm (.196") segment height
- Brazed segment, with cooling hole

APPLICATIONS - PVC Pipe, Steel, Cast Iron, Ductile Iron Pipe, Reinforced Concrete

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 3 x .090 x 3⁄8 | 0309TDUX2-AC2 | \$54.02 |
| 4 x .110 x 1/8-5/8 | 0411CDUX2-AC2 | \$65.81 |
| 4.5 x .110 X %-% | 4511CDUX2-AC2 | \$69.78 |
| 5 x .110 x %-% | 0511CDUX2-AC2 | \$78.56 |
| 6 x .125 x U/A | 0612UDUX2-AC2 | \$108.03 |
| 7 x .125 x U/A | 0712UDUX2-AC2 | \$124.03 |
| 8 x .125 x U/A | 0812UDUX2-AC2 | \$166.98 |
| 9 x .125 x U/A | 0912UDUX2-AC2 | \$191.53 |
| 10 x .125 x U/A | 1012UDUX2-AC2 | \$225.93 |

TUCK POINT & CRACK CHASER


TUCK POINT PERFORMANCE CHART





HEAVY DUTY GRADE

- 13.5mm (.531") segment height
- Punch hole core
- APPLICATIONS Mortar, Concrete



| Size | Part # | List Price |
|-------------------|--------------|------------|
| 4 x .250 x ‰-‰ | 0425CDPX2-1T | \$72.74 |
| 41⁄₂ x .250 x ‰-‰ | 4525CDPX2-1T | \$85.86 |
| 5 x .250 x %-% | 0525CDPX2-1T | \$98.99 |

X200 TUCK POINT



X100 TUCK POINT



• 10mm (.394") segment height APPLICATIONS - Mortar, Concrete

| Size | Part # | List Price |
|--------------------------------|-------------|------------|
| Зх.250х%-% | 0325CDPX2-1 | \$59.67 |
| 4 x .250 x %-5% | 0425CDPX2-1 | \$76.27 |
| 4 x .500 x % - % | 0450CDPX2-1 | \$166.98 |
| 4½ x .250 x ⅓-‰ | 4525CDPX2-1 | \$82.29 |
| 5 x .250 x 1/8-5/8 | 0525CDPX2-1 | \$95.40 |
| 6 x .250 x %-5% | 0625CDPX2-1 | \$119.22 |
| 7 x .250 x %-% | 0725CDPX2-1 | \$162.17 |

VALUE GRADE

• 10mm (.394") segment height APPLICATIONS - Mortar, Concrete



ES110 TUCK POINT



| Size | Part # | List Price |
|-----------------|--------------|------------|
| 4 x .250 x %-% | 0425CDPX1-1T | \$50.05 |
| 4½ x .250 x ‰-‰ | 4525CDPX1-1T | \$59.67 |
| 5 x .250 x %-% | 0525CDPX1-1T | \$75.20 |

ECONOMY GRADE

- 10mm (.394") segment height
- Punch hole core
- Laser welded

APPLICATIONS - Mortar, Concrete

| Size | Part # | List Price |
|--------------------------|--------------|------------|
| 4 x .250 x ⅓-‰ | 0425CDPX0-1T | \$59.63 |
| 4½ x .250 x ⅔-5% | 4525CDPX0-1T | \$71.55 |
| 5 x .250 x %-% | 0525CDPX0-1T | \$83.48 |
| 7 x .250 x %- 5∕8 | 0725CDPX0-1T | \$131.18 |

ES100 TUCK POINT



X200 DOUBLE TUCK POINT



ES100 DOUBLE TUCK POINT



ECONOMY GRADE

- 10mm (.394") segment height
- Sintered
- APPLICATIONS Mortar, Concrete

| Size | Part # | List Price |
|--------------------------|-------------|------------|
| 4 x .250 x ⅓-‰ | 0425CDPX0-1 | \$44.15 |
| 4½ x .250 x ⅓-5⁄8 | 4525CDPX0-1 | \$48.85 |
| 5 x .250 x %- 5∕s | 0525CDPX0-1 | \$60.88 |
| 7 x .250 x %- 5∕8 | 0725CDPX0-1 | \$112.13 |

HEAVY DUTY GRADE

- 10mm (.394") segment height
- Laser welded blade
- Sandwich double blade

APPLICATIONS - Mortar, Concrete

| Size | Part # | List Price |
|--------------------|-----------|------------|
| 4 x .250 x ⅓-% | 0408CDBX2 | \$94.08 |
| 4½ x .250 x ⅓-‰ | 4508CDBX2 | \$98.29 |
| 5 x .250 x %/₃-5⁄8 | 0508CDBX2 | \$119.71 |
| 7 x .250 x %/-5% | 0709CDBX2 | \$213.67 |

ECONOMY GRADE

- 10mm (.394") segment height
- Sintered
- Sandwich double blade

APPLICATIONS - Mortar, Concrete

| Size | Part # | List Price |
|------------------|-----------|------------|
| 4 x .250 x ‰-‰ | 0408CDBX1 | \$63.17 |
| 4½ x .250 x ‰-‰ | 4508CDBX1 | \$66.78 |
| 5 x .250 x 1%-5% | 0508CDBX1 | \$75.07 |

X100 TRIPLE TUCK POINT



X300 CRACK CHASER



VALUE GRADE

- 10mm (.394") segment height
- Sintered
- Sandwich triple blade

APPLICATIONS - Mortar, Concrete

| Size | Part # | List Price |
|-----------------------|-----------|------------|
| 4 x .375 x 1/8-5/8 | 0437CTBX1 | \$119.22 |
| 4½ x .375 x %-5% | 4537CTBX1 | \$143.16 |
| 5 x .375 x 1⁄8-5⁄8 | 0537CTBX1 | \$166.98 |
| 7 x .375 x №-‰ | 0737CTBX1 | \$286.21 |



PREMIUM GRADE

- 12.7mm (.500") segment height
- V-shape segments

APPLICATIONS - Concrete, Asphalt

| Size | Part # | List Price | Size | Part # | List Price |
|--------------------------|---------|------------|--------------------------|----------|------------|
| 4 x .375 x %- % | 0401CCV | \$163.50 | 5 x .500 x 1/8-5/8 | 0550CCV | \$291.75 |
| 4 x .375 x %-11 | 0402CCV | \$163.50 | 7 x .375 x %- 5∕8 | 0701CCV | \$322.67 |
| 4 x .375 x %-11, w/nut | 0404CCV | \$163.50 | 7 x .375 x %-11, w/nut | 0704CCV | \$322.67 |
| 4 x .500 x %- 5⁄8 | 0450CCV | \$196.58 | 7 x .500 x %- % | 0750CCV | \$387.86 |
| 4 x .500 x %-11 w/nut | 0454CCV | \$196.58 | 8 x .375 x %⊪-% | 0801CCV | \$368.62 |
| 41⁄2 x .375 x 1⁄8-5⁄8 | 4501CCV | \$192.37 | 8 x .375 x 1 | 0802CCV | \$368.62 |
| 4½ x .375 x %-11 | 4504CCV | \$192.37 | 8 x .500 x %-5⁄8 | 0850CCV | \$439.12 |
| 5 x .375 x ⅓- 5⁄8 | 0501CCV | \$203.07 | 8 x .500 x 1 | 0850ECCV | \$439.12 |

GRINDING & SURFACE PREPARATION

S-CUP WHEEL CONCRETE



T-SEG CUP WHEEL CONCRETE



SUPREME GRADE

- 10mm (.394") segment height
- 16/18 grit, 30/40 grit, 60/80 grit, 120/150 grit available
- Achieve very aggressive grinding, and fast stock removal
- Leaves a uniform finish without swirl marks
- Great for the first steps in polishing
- Holes help with dust extraction
- %" threaded or %" non-threaded
- L=13.5mm HUB, LL=17mm HUB, hub height

APPLICATIONS - Concrete

| Size | Grit | Part # | List Price | Size | Grit | Part # | List Price |
|-----------|---------|-----------------|------------|-----------|---------|------------------|------------|
| 5 x 1/8 | 120/140 | 05CSZX3-120140 | \$151.59 | 7 x 1/8 | 120/140 | 07CSZX3-120140 | \$244.83 |
| 5 x %-11 | 120/140 | 05HSZX3-120140L | \$179.48 | 7 x %s-11 | 120/140 | 07HSZX3-120140LL | \$279.51 |
| 5 x 1/8 | 16/18 | 05CSZX3-1618 | \$151.59 | 7 x 1/8 | 16/18 | 07CSZX3-1618 | \$244.83 |
| 5 x %s-11 | 16/18 | 05HSZX3-1618L | \$179.48 | 7 x %s-11 | 16/18 | 07HSZX3-1618LL | \$279.51 |
| 5 x 1/8 | 30/40 | 05CSZX3-3040 | \$151.59 | 7 x 1/8 | 30/40 | 07CSZX3-3040 | \$244.83 |
| 5 x %-11 | 30/40 | 05HSZX3-3040L | \$179.48 | 7 x %s-11 | 30/40 | 07HSZX3-3040LL | \$279.51 |
| 5 x 1/8 | 60/80 | 05CSZX3-6080 | \$151.59 | 7 x 1/8 | 60/80 | 07CSZX3-6080 | \$244.83 |
| 5 x %-11 | 60/80 | 05HSZX3-6080L | \$179.48 | 7 x %-11 | 60/80 | 07HSZX3-6080LL | \$279.51 |

PREMIUM GRADE

- 5mm (.196") segment height
- T-seg design for fast/aggressive grinding
- APPLICATIONS Concrete, Masonry, Stone

| Size | Part # | List Price |
|----------------|--------|------------|
| 4 x 1⁄8-5⁄8 | 04CDTC | \$154.40 |
| 4 x %-11 | 04HDTC | \$154.40 |
| 41⁄2 x 7⁄8-5⁄8 | 45CDTC | \$175.09 |
| 4½ x %-11 | 45HDTC | \$175.09 |
| 5 x 1%-5% | 05CDTC | \$195.66 |
| 5x%-11 | 05HDTC | \$195.66 |
| 7 x 1/8-5/8 | 07CDTC | \$236.90 |
| 7 x %-11 | 07HDTC | \$236.90 |

ARROW SEG CUP WHEEL CONCRETE



X100 SINGLE ROW CONCRETE & MASONRY



X100 DOUBLE ROW CONCRETE & MASONRY





PREMIUM GRADE

- 7mm (.275") segment height
- Arrow segment
- APPLICATIONS Concrete, Masonry, Stone

| Size | Part # | List Price |
|----------------|---------|------------|
| 41/2 x 7/8-5/8 | 45CARX3 | \$147.10 |
| 4½ x %-11 | 45HARX3 | \$147.10 |
| 5 x 1/8-5/8 | 05CARX3 | \$208.89 |
| 5 x %-11 | 05HARX3 | \$208.89 |
| 7 x 1/8-5/8 | 07CARX3 | \$257.47 |
| 7 x %-11 | 07HARX3 | \$257.47 |

VALUE GRADE

- 5mm (.196") segment height
- Single row for faster/more aggressive grinding of concrete & masonry applications
- Cup wheel in photo is 4" (04CDDSX1)

APPLICATIONS - Concrete, Masonry

| Size | Segs | Part # | List Price |
|----------------|------|----------|------------|
| 4 x 1/8-5/8 | 8 | 04CDDSX1 | \$71.02 |
| 4 x %-11 | 8 | 04HDDSX1 | \$71.02 |
| 41⁄2 x 1⁄8-5⁄8 | 8 | 45CDDSX1 | \$67.75 |
| 4½ x %-11 | 8 | 45HDDSX1 | \$67.75 |
| 5 x 1%-5%s | 10 | 05CDDSX1 | \$77.71 |
| 5x%-11 | 10 | 05HDDSX1 | \$77.71 |
| 7 x 1%-5% | 12 | 07CDDSX1 | \$121.60 |
| 7 x %-11 | 12 | 07HDDSX1 | \$121.60 |

VALUE GRADE

- 5mm (.196") segment height
- Double row for smoothest grinding of concrete & masonry applications
- Cup wheel in photo is 4" (04CDDDX1)

APPLICATIONS - Concrete, Masonry

| Size | Segs | Part # | List Price |
|-------------|------|----------|------------|
| 4 x 1⁄8-5⁄8 | 16 | 04CDDDX1 | \$110.38 |
| 4 x %-11 | 16 | 04HDDDX1 | \$110.38 |
| 4½ x %-5% | 16 | 45CDDDX1 | \$127.28 |
| 4½ x %-11 | 16 | 45HDDDX1 | \$127.28 |
| 5 x %-% | 20 | 05CDDDX1 | \$131.82 |
| 5 x %⊪-11 | 20 | 05HDDDX1 | \$131.82 |
| 7 x 1/8-5/8 | 24 | 07CDDDX1 | \$186.95 |
| 7 x %-11 | 24 | 07HDDDX1 | \$186.95 |

X100 SINGLE TURBO

CONCRETE & MASONRY



X100 DOUBLE TURBO CONCRETE & MASONRY



X100 TURBO FAN CONCRETE & MASONRY





VALUE GRADE

- 5mm (.196") segment height
- Single turbo style for faster/more aggressive grinding of concrete & masonry applications
- Cup wheel in photo is 4" (04CDDGSX1)

APPLICATIONS - Concrete, Masonry

| Size | Segs | Part # | List Price |
|-------------|------|-----------|------------|
| 4 x 1⁄8-5⁄8 | 8 | 04CDDGSX1 | \$52.72 |
| 4 x %-11 | 8 | 04HDDGSX1 | \$52.72 |
| 4½ x ¾-% | 9 | 45CDDGSX1 | \$57.40 |
| 4½ x %-11 | 9 | 45HDDGSX1 | \$57.40 |
| 5 x %»-%» | 9 | 05CDDGSX1 | \$64.36 |
| 5 x %⊪-11 | 9 | 05HDDGSX1 | \$64.36 |
| 7 x 1%-5% | 12 | 07CDDGSX1 | \$98.02 |
| 7 x %-11 | 12 | 07HDDGSX1 | \$98.02 |

VALUE GRADE

- 5mm (.196") segment height
- Double turbo style for smoothest grinding of concrete & masonry applications
- Cup wheel in photo is 4" (04CDDGDX1)

APPLICATIONS - Concrete, Masonry, Stone

| Size | Segs | Part # | List Price |
|------------------|------|------------|------------|
| 4 x 1/8-5/8 | 14 | 04CDDGDX1 | \$75.56 |
| 4 x %-11 | 14 | 04HDDGDX1 | \$75.56 |
| 41/2 x 7/8-5/8 | 18 | 45CDDGDX1 | \$94.74 |
| 4½ x %-11 | 18 | 45HDDGDX1 | \$94.74 |
| 5 x 1/8-5/8 | 18 | 05CDDGDX1 | \$101.92 |
| 7 x 1/8-5/8 | 24 | 07CDDGDX1 | \$138.63 |
| 7 x %-11 | 24 | 07HDDGDX1 | \$138.63 |
| 7 x %-11, ½" HUB | 24 | 07HDDGDX1L | \$155.69 |

VALUE GRADE

- 5mm (.196") segment height
- Wing tipped segments
- L shape turbo fan design to help disperse materials being ground

APPLICATIONS - Concrete, Masonry, Stone

| Size | Part # | List Price |
|-------------|------------|------------|
| 4 x 1⁄8-5⁄8 | 04CDFCX1-1 | \$159.57 |
| 4 x %-11 | 04HDFCX1-1 | \$159.57 |
| 4½ x %-11 | 45HDFCX1-1 | \$180.26 |
| 5 x %-11 | 05HDFCX1-1 | \$195.66 |
| 7 x 1/8-5/8 | 07CDFCX1-1 | \$278.02 |
| 7 x %-11 | 07HDFCX1-1 | \$278.02 |

PART #'S IN BOLD INDICATE ROUTINELY STOCKED PRODUCTS

X0 SINGLE ROW

CONCRETE & MASONRY





XO DOUBLE ROW CONCRETE & MAS<u>ONRY</u>



GRINDING BLOCKS CONCRETE





↔ QUALITY GRADE

• 5mm (.196") segment height

• Single row for faster/more aggressive grinding of concrete & masonry applications

APPLICATIONS - Concrete, Masonry

| Size | Part # | List Price |
|----------------|----------|------------|
| 4 x 1/8-5/8 | 04CDDSX0 | \$46.66 |
| 4 x %-11 | 04HDDSX0 | \$46.66 |
| 41⁄2 x 1⁄8-5⁄8 | 45CDDSX0 | \$53.40 |
| 4½ x %-11 | 45HDDSX0 | \$53.40 |
| 5х%-% | 05CDDSX0 | \$59.04 |
| 5x%s-11 | 05HDDSX0 | \$59.04 |
| 7 x 1/8-5/8 | 07CDDSX0 | \$87.44 |
| 7 x %⊪-11 | 07HDDSX0 | \$87.44 |

- 5mm (.196") segment height
- Double row for smoothest grinding of concrete & masonry applications
- APPLICATIONS Concrete, Masonry

| Size | Part # | List Price |
|----------------|----------|------------|
| 4 x 1/8-5/8 | 04CDDDX0 | \$80.58 |
| 4 x %-11 | 04HDDDX0 | \$80.58 |
| 41⁄2 x 1⁄8-5⁄8 | 45CDDDX0 | \$88.67 |
| 41⁄2 x 5⁄8-11 | 45HDDDX0 | \$88.67 |
| 7 x 1/8-5/8 | 07CDDDX0 | \$134.59 |
| 7 x %-11 | 07HDDDX0 | \$134.59 |

PREMIUM GRADE

- For grinding of concrete floors
- Designed to fit the industry's most popular machines

APPLICATIONS - Concrete

| Size | Part # | List Price |
|-----------------------|---------|------------|
| 2 x 2 x 4 (Med Bond) | GB224-2 | \$376.53 |
| 2 x 2 x 4 (Hard Bond) | GB224-3 | \$397.72 |

X100 PCD CUP WHEEL

EPOXY REMOVAL



X200 PCD CUP WHEEL EPOXY REMOVAL



X300 PCD CUP WHEEL EPOXY REMOVAL



VALUE GRADE

- 2 plain dummy segment
- Small PCDs
- APPLICATIONS Epoxy, Paint Removal

| Size | Part # | List Price |
|----------------|---------|------------|
| 4 x 1/8-5/8 | 04CPCD2 | \$303.05 |
| 4 x %-11 | 04HPCD2 | \$303.05 |
| 41⁄2 x 1⁄8-5⁄8 | 45CPCD2 | \$344.97 |
| 4½ x %-11 | 45HPCD2 | \$344.97 |
| 5 x 1⁄8-5⁄8 | 05CPCD2 | \$388.33 |
| 5 x %-11 | 05HPCD2 | \$388.33 |
| 6 x 1/8-5/8 | 06CPCD2 | \$438.37 |
| 6 x %-11 | 06HPCD2 | \$438.37 |
| 7 x 1/8-5/8 | 07CPCD2 | \$474.73 |
| 7 x %-11 | 07HPCD2 | \$474.73 |



HEAVY DUTY GRADE

• Small PCDs

APPLICATIONS - Epoxy, Paint Removal

| Size | Part # | List Price |
|-----------|---------|------------|
| 4 x %-11 | 04HPCD3 | \$400.47 |
| 4½ x %-11 | 45HPCD3 | \$449.50 |
| 5 x %-11 | 05HPCD3 | \$476.74 |
| 7 x %-11 | 07HPCD3 | \$591.16 |



• Large PCDs

APPLICATIONS - Epoxy, Paint Removal

| Size | Part # | List Price |
|---------------------|----------|------------|
| 4 x 1/8-5/8 | 04CPCD2P | \$395.43 |
| 4 x %-11 | 04HPCD2P | \$395.43 |
| 41⁄2 x 1⁄8-5⁄8 | 45CPCD2P | \$418.08 |
| 4½ x %-11 | 45HPCD2P | \$418.08 |
| 5 x 1%-5% | 05CPCD2P | \$509.74 |
| 5 x %-11 | 05HPCD2P | \$509.74 |
| 6 х 1⁄8- 5⁄8 | 06CPCD2P | \$617.86 |
| 6 x %-11 | 06HPCD2P | \$617.86 |
| 7 x 1/8-5/8 | 07CPCD2P | \$757.92 |
| 7 x %-11 | 07HPCD2P | \$757.92 |

GRINDING HEAD • TURBO CONCRETE



GRINDING HEAD • 10 SEG CONCRETE



GRINDING HEAD • 20 SEG CONCRETE





PREMIUM GRADE

- 20 seg
- For grinding of concrete floors
- Equipped with special bolt hole pattern to fit industry's most popular machines

APPLICATIONS - Concrete, Masonry, Asphalt

| Size | Segs | Bond | Part # | List Price |
|--------|---------------|--------|-----------|------------|
| 10 x % | 20 turbo segs | Medium | DVCCM2009 | \$589.38 |



- 5mm (.196") segment height
- For grinding of concrete floors
- Equipped with special bolt hole pattern to fit industry's most popular machines

APPLICATIONS - Concrete, Masonry, Asphalt

| Size | Segs | Bond | Part # | List Price |
|--------|------|--------|-----------|------------|
| 10 x % | 10 | Medium | DVCCM1001 | \$343.51 |
| 10 x % | 10 | Hard | DVCCM1002 | \$343.51 |

PREMIUM GRADE

- 5mm (.196") segment height
- For grinding of concrete floors
- Equipped with special bolt hole pattern to fit industry's most popular machines

APPLICATIONS - Concrete, Masonry, Asphalt

| Size | Segs | Bond | Part # | List Price |
|---------|------|--------|-----------|------------|
| 10 x %s | 20 | Medium | DVCCM2001 | \$491.09 |
| 10 x % | 20 | Hard | DVCCM2002 | \$491.09 |

HYBRID METALLIC PADS CONCRETE



RESIN PADS CONCRETE



DRY WHITE RESIN PADS CONCRETE



- Utilizes a hybrid bond of metal and resin to remove any remaining scratches and prepare the floor for final polishing
- Available in 30-400 grit sizes
- APPLICATIONS Concrete

| Grit Size | Part # | Diameter | List Price |
|-----------|-----------|----------|------------|
| Grit 30 | 3MPPD-30 | 3" | \$39.70 |
| Grit 50 | 3MPPD-50 | 3" | \$39.70 |
| Grit 100 | 3MPPD-100 | 3" | \$48.54 |
| Grit 200 | 3MPPD-200 | 3" | \$48.54 |
| Grit 400 | 3MPPD-400 | 3" | \$48.54 |

- Used as a final polish, the resin bonded pads are specially designed for a slow wear rate, ensuring long pad life
- Available in 50-3000 grit sizes.

APPLICATIONS - Concrete

| Grit Size | Part # | Diameter | List Price |
|-----------|------------|----------|------------|
| Grit 50 | 3PPPD-50 | 3" | \$34.47 |
| Grit 100 | 3PPPD-100 | 3" | \$39.70 |
| Grit 200 | 3PPPD-200 | 3" | \$39.70 |
| Grit 400 | 3PPPD-400 | 3" | \$39.70 |
| Grit 800 | 3PPPD-800 | 3" | \$40.12 |
| Grit 1500 | 3PPPD-1500 | 3" | \$40.12 |
| Grit 3000 | 3PPPD-3000 | 3" | \$40.12 |

- Used as a final polish, the resin bonded pads are specially designed for a slow wear rate, ensuring long pad life
- Available in 50-3000 grit sizes.
- **APPLICATIONS -** Concrete

| Grit Size | Part # | Diameter | List Price |
|-----------|------------|----------|------------|
| Grit 50 | 3WPPD-50 | 3" | \$56.96 |
| Grit 100 | 3WPPD-100 | 3" | \$56.96 |
| Grit 200 | 3WPPD-200 | 3" | \$56.96 |
| Grit 400 | 3WPPD-400 | 3" | \$56.96 |
| Grit 800 | 3WPPD-800 | 3" | \$56.96 |
| Grit 1500 | 3WPPD-1500 | 3" | \$56.96 |
| Grit 3000 | 3WPPD-3000 | 3" | \$56.96 |

DUAL-PURPOSE RESIN PADS

CONCRETE





Velcro® pad sold separately

BURNISHING PADS CONCRETE





FAST EDGE CERAMIC CUP WHEELS CONCRETE



• Velcro® with interchangeable pads with varying diamond grit for grinding and polishing of concrete, cement overlays, and stone floors. We offer seven different grit sizes, from 50 to 3000. Once you finish with one grit size, simply pull off and put on the next pad. This eliminates the need to change the entire pad every time.

APPLICATIONS - Concrete

| Grit Size | Part # | Diameter | List Price | | Grit Size | Part # | Diameter | List Price |
|-----------|---------------|----------|------------|-----|-----------|---------------|----------|------------|
| 50 | 07DPPPWD-50 | 7" | \$113.09 |] [| 800 | 09DPPPWD-800 | 9" | \$135.95 |
| 100 | 07DPPPWD-100 | 7" | \$113.09 | 1 [| 1500 | 09DPPPWD-1500 | 9" | \$135.95 |
| 200 | 07DPPPWD-200 | 7" | \$113.09 |] [| 3000 | 09DPPPWD-3000 | 9" | \$135.95 |
| 400 | 07DPPPWD-400 | 7" | \$113.09 |] [| | VELCROPAD09 | 9" | \$9.60 |
| 800 | 07DPPPWD-800 | 7" | \$113.09 |] [| 50 | 11DPPPWD-50 | 11" | \$155.19 |
| 1500 | 07DPPPWD-1500 | 7" | \$113.09 |] [| 100 | 11DPPPWD-100 | 11" | \$155.19 |
| 3000 | 07DPPPWD-3000 | 7" | \$113.09 | 1 [| 200 | 11DPPPWD-200 | 11" | \$155.19 |
| | VELCROPAD07 | 7" | \$6.42 | 1 [| 400 | 11DPPPWD-400 | 11" | \$155.19 |
| 50 | 09DPPPWD-50 | 9" | \$135.95 |] [| 800 | 11DPPPWD-800 | 11" | \$155.19 |
| 100 | 09DPPPWD-100 | 9" | \$135.95 |] [| 1500 | 11DPPPWD-1500 | 11" | \$155.19 |
| 200 | 09DPPPWD-200 | 9" | \$135.95 |] [| 3000 | 11DPPPWD-3000 | 11" | \$155.19 |
| 400 | 09DPPPWD-400 | 9" | \$135.95 |] [| | VELCROPAD11 | 11" | \$12.85 |

• Diamond coated pads for cleaning and polishing a wide range materials such as Natural stone, Engineered stone, Terrazzo, Polished concrete. These pads will help keep your floor clean and shiny, reducing long-term maintenance costs.

APPLICATIONS - Natural Stone, Engineered Stone, Terrazzo, Concrete

| Grit Size | Part # | Diameter | List Price | Grit Size | Part # | Diameter | List Price |
|-----------|--------------|----------|------------|-----------|--------------|----------|------------|
| 400 | 17BPPWD-400 | 17" | \$88.65 | 1500 | 21BPPWD-1500 | 21" | \$119.52 |
| 800 | 17BPPWD-800 | 17" | \$88.65 | 3000 | 21BPPWD-3000 | 21" | \$119.52 |
| 1500 | 17BPPWD-1500 | 17" | \$88.65 | 400 | 24BPPWD-400 | 24" | \$144.37 |
| 3000 | 17BPPWD-3000 | 17" | \$88.65 | 800 | 24BPPWD-800 | 24" | \$144.37 |
| 400 | 20BPPWD-400 | 20" | \$107.48 | 1500 | 24BPPWD-1500 | 24" | \$144.37 |
| 800 | 20BPPWD-800 | 20" | \$107.48 | 3000 | 24BPPWD-3000 | 24" | \$144.37 |
| 1500 | 20BPPWD-1500 | 20" | \$107.48 | 400 | 27BPPWD-400 | 27" | \$164.46 |
| 3000 | 20BPPWD-3000 | 20" | \$107.48 | 800 | 27BPPWD-800 | 27" | \$164.46 |
| 400 | 21BPPWD-400 | 21" | \$119.52 | 1500 | 27BPPWD-1500 | 27" | \$164.46 |
| 800 | 21BPPWD-800 | 21" | \$119.52 | 3000 | 27BPPWD-3000 | 27" | \$164.46 |

- Fast Edge is a revolutionary design that improves the guality of edge work while reducing the scratches and gouging that metal bond cup wheels can cause. The Fast Edge system will eliminate metal bond cup wheels on most concrete polishing projects. Fast Edge is fast, light weight and easy to use resulting in a superior edge.
- Fast Edge Ceramic Cup wheels can run on most hand grinders and walk behind edge machines that use a 5" or 7" wheel with %"-11 threaded connection. Please review maximum operating speed marked on our wheel and compare it to your grinder's rpm. Do not exceed the maximum operating speed of the wheel.

APPLICATIONS - Concrete

| Size | Grit | Part # | List Price |
|----------|------|--------------|------------|
| 5x%-11 | 30 | FG-05HCW-30 | \$139.27 |
| 5 x %-11 | 50 | FG-05HCW-50 | \$139.27 |
| 5 x %-11 | 100 | FG-05HCW-100 | \$139.27 |
| 5 x %-11 | 200 | FG-05HCW-200 | \$139.27 |
| 5 x %-11 | 400 | FG-05HCW-400 | \$139.27 |
| 7 x %-11 | 30 | FG-07HCW-30 | \$186.89 |
| 7 x %-11 | 50 | FG-07HCW-50 | \$186.89 |
| 7 x %-11 | 100 | FG-07HCW-100 | \$186.89 |
| 7 x %-11 | 200 | FG-07HCW-200 | \$186.89 |
| 7 x %-11 | 400 | FG-07HCW-400 | \$186.89 |

RESIN WING PADS

CONCRETE POLISHING



METAL WING PADS CONCRETE POLISHING



DUST SHROUD DUST COLLECTION

- Velcro® for easy attachment /detachment, no tools required.
- 30 grit to 3000 grit
- Simple to use and light weight
- Great for smaller jobs or tight places where larger machines are not practical
- Basements, second stories or anywhere you can't get a large machine
- Get professional results with a lighter machine
- Great for beginners or rental companies
- Large heavy concrete polishing machines can achieve an 80° reading on a gloss meter. Wing pads can achieve this same level of shine.
- Designed for use with 17" floor sanders. 18" backer pads available.

APPLICATIONS - Concrete, Masonry, Stone

| Grit | Part # | Buffer Size | List Price |
|------|----------|-------------|------------|
| 50 | WPR-50 | 17" | \$21.43 |
| 100 | WPR-100 | 17" | \$21.43 |
| 200 | WPR-200 | 17" | \$21.43 |
| 400 | WPR-400 | 17" | \$21.43 |
| 800 | WPR-800 | 17" | \$21.43 |
| 1500 | WPR-1500 | 17" | \$21.43 |
| 3000 | WPR-3000 | 17" | \$21.43 |

| Size | Part # | List Price |
|--|-----------|----------------------|
| 18" Pad Driver for Wing Pad (for 17" machine) | WP-DPLATE | *call for pricing |

- Velcro[®] for easy attachment /detachment, no tools required
- 30 grit to 3000 grit
- Simple to use and light weight
- Great for smaller jobs or tight places where larger machines are not practical
- Basements, second stories or anywhere you can't get a large machine
- Get professional results with a lighter machine
- Great for beginners or rental companies
- Large heavy concrete polishing machines can achieve an 80° reading on a gloss meter. Wing pads can achieve this same level of shine.
- Designed for use with 17" floor sanders. 18" backer pads available.

APPLICATIONS - Concrete, Masonry, Stone

| Grit | Part # | Buffer Size | List Price | | | |
|------|---------|-------------|------------|-------------------------|-----------|-----------|
| 25 | WPM-25 | 17" | \$62.68 | | | |
| 30 | WPM-30 | 17" | \$42.87 | Size | Part # | List Pric |
| 60 | WPM-60 | 17" | \$42.87 | 18" Pad Driver for Wing | WP-DPLATE | *call for |
| 100 | WPM-100 | 17" | \$42.87 | Pad (for 17" machine) | | pricing |

- Suitable for major brands
- Made by high quality PVC and Nylon to ensure long operation and light weight
- Designed for easy install and use
- Brush rings to keep dust away
- This shroud does not fit grinding cup wheels with a height greater than 34.8mm (1.37")

APPLICATIONS - Dust Collection

| Size | Part # | List Price |
|----------------------------|-----------|------------|
| 5" Sliding Type with Brush | 05DSHROUD | \$137.67 |
| 7" Sliding Type with Brush | 07DSHROUD | \$156.82 |

F.A.S.T. SYSTEM

Not just another concrete polishing system, our proprietary F.A.S.T. (Flexible Angle Segment Technology) system makes changing segments fast and easy. It's the only system with user selectable segment angle with each segment angle producing different grinding speed and surface finish. The user can select the best segment angle for the job at hand.



AGGRESSIVENESS SCALE

Most aggressive grinding •••• Aggressive grinding Best transitional grinding • COO Least aggressive grinding speed



Aggressiveness:

Scratch Pattern: shallowest & smoothest scratch pattern Ideal for showroom and other high-end applications

| SEGMENT | METAL SEGMENT | | | | PCD SEGMENT | |
|-------------|---------------------|-------------------|-------------------|------------------|----------------------|---------------------------|
| APPLICATION | CONCRETE | | | List Price | Adhesive, Epoxy, | |
| AFFLIGATION | VERY HARD | HARD | MEDIUM HARD | SOFT | Urethane, Paint Remo | |
| 16/18 | FGPDV-1618-05-CHC | FGPDV-1618-1-HC | FGPDV-1618-2-MC | FGPDV-1618-4-SC | \$59.57 | FGPDV-PCD1 \$121.88 |
| 30/40 | FGPDV-3040-05-CHC | FGPDV-3040-1-HC | FGPDV-3040-2-MC | FGPDV-3040-4-SC | \$59.57 | |
| 60/80 | FGPDV-6080-05-CHC | FGPDV-6080-1-HC | FGPDV-6080-2-MC | FGPDV-6080-4-SC | \$59.57 | FGPDV-PCD2 \$138.24 |
| 120/150 | FGPDV-120150-05-CHC | FGPDV-120150-1-HC | FGPDV-120150-2-MC | HS40aP120150ARQC | \$59.57 | ΓυΓυν-ΓυυΖ ֆ130.24 |

SEGMENT CONFIGURATIONS

Horizontal

Aggressiveness: Scratch Pattern: rough scratch pattern Ideal for grinding down or surface re-coating



Scratch Pattern: shallow, smooth scratch pattern Ideal for preparing floor for polishing/finishing

Slant

Aggressiveness:



TILE PRODUCTS

TILE PRODUCTS PERFORMANCE CHART



ZENESIS[™] NANO DRY PORCELAIN TILE



ZENESIS™ GRADE

- 10mm (.394") segment height
- Mesh-style turbo rim blades are quickly becoming the most popular blade in the stone and tile industry
- Our team of engineers was tasked to create a fast and clean cutting blade to cover the entire spectrum of porcelain tiles
- Our new ZENESIS™ Nano Dry Porcelain Blade was 40% faster than the leading competitor with significantly cleaner cuts*. When other tile blades stop cutting and glaze over this blade keeps cutting effortlessly from start to finish.
- Ultra Thin Mesh rim
- Do not use for radius cutting
- APPLICATIONS Porcelain Tile, Ceramic Tile, Porcelain Pavers

| Size | Part # |
|----------------------------|-------------|
| 4 x .050 x 1/8-5/8, Hub | 0406C4PDX4Z |
| 41⁄2 x .050 x 7⁄8-5⁄8, Hub | 4506C4PDX4Z |
| 5 x .050 x 1⁄8-5⁄8, Hub | 0506C4PDX4Z |
| 6 x .063 x 1/8-5/8, Hub | 0606C4PDX4Z |
| 7 x .063 x U/A-%s-%s, Hub | 0706U4PDX4Z |
| 10 x .063 x %, Hub | 1006A4PDX4Z |
| 14 x .110 x 1, No Hub | 1411E4PDX4Z |

CALL FOR PRICING

Part #

S-0806UTZ S-1008ETZ S-1208ETZ

S-1208TTZ S-1408ETZ

S-1408TTZ

ZENESIS™ NANO

GLASS COATED PORCELAIN TILE



ZENESIS™ HARD MATERIALS



ZENESIS™ PORCELAIN PORCELAIN



ZENESIS™ GRADE

- 10mm(.394") segment height
- The ZENESIS[™] Nano is the first hybrid tile blade designed to cut chip-free on next-generation coated porcelains. A high concentration of the highest quality diamonds combined with our special metal bond matrix gives the speed of a high-quality porcelain blade and the finish of a premium glass blade. We have also added extra reinforcement to the core to keep the blade running true and straight when cutting large format tiles.

APPLICATIONS - Glass Coated Porcelain, Porcelain Tile, Porcelain Pavers

CALL FOR PRICING

| Size | Part # |
|---------------|------------|
| 7 x .060 x % | S-0706AWNZ |
| 10 x .060 x % | S-1006AWNZ |

ZENESIS[™] GRADE

- 4"-6": 6.5mm (.255") segment height
- 7"-14":10mm(.394") segment height
- Unique slot and rim design give the ZENESIS[™] Continuous Rim Blade unparalleled cutting precision and performance, all without breaking a sweat. And since the blade incorporates ZENESIS[™] pattern technology, fabricators can count on exceptionally smooth, chip-free cutting of porcelain tile, granite and other hard materials.
- Use 4", 4.5", 5" and 6" wet and dry, All other sizes must be used wet
- Do not use for radius cutting

APPLICATIONS - Pool Tile, Large Format Porcelain, Porcelain Pavers, Stone

CALL FOR PRICING

| Size | Part # | Size |
|------------------------|-----------|----------------------|
| 4 x .063 x %-20mm-% | S-0406CTZ | 8 x .063 x U/A(DM-%) |
| 4½ x .063 x ‰-20mm-‰ | S-4506CTZ | 10 x .080 x 1-% |
| 5 x .063 x %-20mm-% | S-0506CTZ | 12 x .080 x 1-% |
| 6 x .063 x %-20mm-% | S-0606CTZ | 12 x .080 x 60-50mm |
| 7 x .063 x U/A(DM-5/8) | S-0706UTZ | 14 x .080 x 1-% |
| 8 x .063 x 1-% | S-0806ETZ | 14 x .080 x 60-50mm |

ZENESIS™ GRADE

- 10mm (.394") segment height
- ZENESIS[™] Porcelain Tile Blade is designed for professionals looking for fast, smooth and chip free cuts on ceramic and all types of porcelain, including large porcelain sheets and porcelain pavers. The continuous rim minimizes chipping and reduces the risk of blade flexing and segment loss.
- Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Porcelain Pavers

CALL FOR PRICING

| Size | Part # |
|-------------------------|------------|
| 4 x .063 x 1/8-20mm-5/8 | S-0406CWPZ |
| 4½ x .063 x ⅔-20mm-% | S-4506CWPZ |
| 7 x .063 x % | S-0706AWPZ |
| 10 x .063 x % | S-1006AWPZ |

ZENESIS™ GLASS GLASS



X401 THIN TURBO PORCELAIN



X400 MUSIC SLOT PORCELAIN



ZENESIS™ GRADE

- 7.5mm (.295") segment height
- The new ZENESIS[™] Glass Tile Blade provides chip-free performance significantly beyond anything currently available on the market. Independent testing has shown this blade to provide superior performance on all types and thicknesses of glass
- Provides smooth clean cuts on hard porcelain.
- Do not use for radius cutting

APPLICATIONS - Glass Tile, Glass Block, Soft Brittle Marble

CALL FOR PRICING

| Size | Part # |
|----------------------|------------|
| 4 x .063 x %-20mm-% | S-0406CWGZ |
| 4½ x .063 x %-20mm-% | S-4506CWGZ |
| 7 x .063 x % | S-0706AWGZ |
| 10 x .063 x 5% | S-1006AWGZ |

SUPREME GRADE

- 10mm (.394") segment height
- This blade is the go-to for just about everything. Cuts the hardest tiles and stone. Our testing on %" porcelain pavers proved this blade to be the best against all our competitors' porcelain blades. The clean cuts from the unique thin turbo rim design will surprise you.
- Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Ceramic Tile, Porcelain Pavers

| Size | Part # | List Price |
|-----------------------------|------------|------------|
| 4 x .050 x %-%, Hub | 0406C4PDX4 | \$61.73 |
| 41⁄2 x .050 x 1⁄8-5⁄8, Hub | 4506C4PDX4 | \$75.20 |
| 5 x .050 x %⊱-%, Hub | 0506C4PDX4 | \$81.45 |
| 6 x .063 x 1⁄8-5∕8, Hub | 0606C4PDX4 | \$95.40 |
| 7 x .063 x U/A-1/8-5/8, Hub | 0706U4PDX4 | \$143.11 |
| 10 x .063 x %, Hub | 1006A4PDX4 | \$224.48 |
| 12 X .087 X 1 | 1211E4PDX4 | \$303.05 |
| 14 x .110 x 1, No Hub | 1411E4PDX4 | \$336.72 |

SUPREME GRADE

- 10mm (.394") slotted rim height
- Incredible long life for the hardest porcelain
- Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Ceramic Tile

| Size | Part # | List Price |
|---------------------|-----------|------------|
| 4 x .063 x % | 0406APWX4 | \$63.17 |
| 7 x .063 x % | 0706APWX4 | \$97.20 |
| 8 x .063 x % | 0806APWX4 | \$117.43 |
| 10 x .063 x % | 1006APWX4 | \$137.87 |
| 12 x .080 x 50/60mm | 1208LPWX4 | \$256.50 |
| 14 x .080 x 50/60mm | 1408LPWX4 | \$272.50 |

NEW

X400 J-SLOT PORCELAIN



X400 PORCELAIN



X300 THIN T-SLOT PORCELAIN



SUPREME GRADE

- 6.5mm (.256") segment height
- Do not use for radius cutting
- APPLICATIONS Porcelain Tile, Ceramic Tile

| Size | Part # | List Price |
|-------------------------|------------|------------|
| 4.5 x .050 x %-% | 4505CPWX4J | \$52.34 |
| 6 x .050 x ‰-‰ | 0605CPWX4J | \$71.59 |
| 7 x .050 x % | 0705APWX4J | \$85.06 |
| 10 x .050 x % | 1005APWX4J | \$122.83 |
| 12 x .080 x 1 | 1208EPWX4J | \$257.45 |
| 14 x .080 x 1 | 1408EPWX4J | \$270.33 |

SUPREME GRADE

- 10mm (.394") continuous rim height, incredible long life for the hardest porcelain
- Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Ceramic Tile

| Size | Part # | List Price |
|----------------------|---------------|------------|
| 4 x .063 x % | 0406APWX4-NMS | \$63.17 |
| 4½/x.063 x %s | 4506APWX4-NMS | \$67.57 |
| 5 x .063 x % | 0506APWX4-NMS | \$71.52 |
| 7 x .063 x % | 0706APWX4-NMS | \$97.20 |
| 8 x .063 x % | 0806APWX4-NMS | \$117.43 |
| 10 x .060 x % | 1006APWX4-NMS | \$137.87 |
| 12 x .080 x 50/60mm | 1208LPWX4-NMS | \$256.50 |
| 14 x .080 x 50/60mm | 1408LPWX4-NMS | \$272.50 |

PREMIUM GRADE

- 7.5mm (.295") continuous rim height
- Great for chip free cuts on all tiles and natural stone
- Designed for small hand held machines to run dry at high RPMs
- Large circular laser cut outs help to keep blade from overheating

• Do not use for radius cutting

APPLICATIONS - Porcelain Tile

| Size | Part # | List Price |
|----------------------|-----------|------------|
| 4 x .063 x %-20mm-% | 0406APDX3 | \$51.01 |
| 4½ x .063 x ‰-20mm-‰ | 4506APDX3 | \$54.25 |
| 5 x .063 x %-20mm-% | 0506APDX3 | \$60.04 |
| 6 x .063 x %-20mm-% | 0606APDX3 | \$66.89 |

X300 PORCELAIN



X300 GLASS TILE



X400 CERAMIC



PREMIUM GRADE

- 10mm (.394") continuous rim height
- E Slot
- Designed for the harder and thicker porcelains now on the market
- Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Ceramic Tile

| Size | Part # | List Price |
|-----------------|-----------|------------|
| 4 x .060 x % | 0406APWX3 | \$59.79 |
| 6 x .060 x % | 0606APWX3 | \$85.53 |
| 7 x .060 x % | 0706APWX3 | \$93.00 |
| 8 x .060 x % | 0806APWX3 | \$105.75 |
| 8 x .080 x % | 0808APWX3 | \$134.63 |
| 9 x .060 x % | 0906APWX3 | \$126.08 |
| 10 x .060 x % | 1006APWX3 | \$131.38 |
| 10 x .080 x % | 1008APWX3 | \$175.28 |
| 10 x .080 x %-% | 1008CPWX3 | \$175.28 |
| 12 x .080 x 1 | 1208EPWX3 | \$246.87 |
| 14 x .080 x 1 | 1408EPWX3 | \$246.87 |



- 7.5mm (.295") continuous rim height
- High concentration of fine, top quality diamonds give the smoothest cut of any blade we offer
- Badly chipped glass tiles are never acceptable, the solution is here
- Do not use for radius cutting

APPLICATIONS - Glass Tile

| Size | Part # | List Price |
|----------------|-----------|------------|
| 4 x .060 x % | 0405AGWX3 | \$90.84 |
| 5 x .060 x % | 0505AGWX3 | \$117.54 |
| 5 x .060 x %-% | 0505CGWX3 | \$117.54 |
| 7 x .060 x % | 0705AGWX3 | \$149.54 |
| 8 x .060 x % | 0805AGWX3 | \$159.17 |
| 10 x .060 x % | 1005AGWX3 | \$198.75 |
| 12 x .080 x 1 | 1208EGWX3 | \$336.61 |
| 14 x .080 x 1 | 1408EGWX3 | \$466.90 |

SUPREME GRADE

- 10mm (.394") continuous rim height, for unbelievable long life
- Premium grade diamonds and technology make this the best ceramic blade on the market

List Price

\$75.91 \$82.29 \$82.29 \$106.83 \$106.83 \$184.91 \$208.37

• Do not use for radius cutting

APPLICATIONS - Porcelain Tile, Ceramic Tile

| Size | Part # | List Price | Size | Part # |
|-----------------|-----------|------------|-----------------|-----------|
| 4 x .060 x % | 0406ATWX4 | \$47.04 | 7 x .060 x DM-% | 0706DTWX4 |
| 4 x .060 x %-% | 0406CTWX4 | \$47.04 | 8 x .060 x % | 0806ATWX4 |
| 4½ x .060 x % | 4506ATWX4 | \$64.12 | 8 x .060 x DM-% | 0806DTWX4 |
| 4½ x .060 x ⅓-% | 4506CTWX4 | \$64.12 | 10 x .060 x % | 1006ATWX4 |
| 5 x .060 x %-% | 0506CTWX4 | \$66.23 | 10 x .060 x 1 | 1006ETWX4 |
| 6 x .060 x % | 0606ATWX4 | \$68.33 | 12 x .080 x 1 | 1208ETWX4 |
| 6 x .060 x %-% | 0606CTWX4 | \$68.33 | 14 x .080 x 1 | 1408ETWX4 |
| 7 x .060 x % | 0706ATWX4 | \$75.91 | | |



X300 CERAMIC



X100 CERAMIC



X300 GENERAL PURPOSE



PREMIUM GRADE

- 7.5mm (.295") continuous rim height
- Designed for the professional tile setter
- Super clean chip free cuts on ceramic tile, Saltillo tile and natural stone
- Not for extremely hard tile applications
- Do not use for radius cutting

APPLICATIONS - Ceramic Tile, Porcelain Tile

| Size | Part # | List Price | Size | Part # | List Pri |
|----------------|-----------|------------|-----------------|-----------|----------|
| 4 x .060 x % | 0406ATWX3 | \$40.66 | 8 x .060 x % | 0806ATWX3 | \$68.3 |
| 4 x .060 x ‰-% | 0406CTWX3 | \$40.66 | 8 x .060 x ‰-‰ | 0806CTWX3 | \$68.33 |
| 4½ x .060 x % | 4506ATWX3 | \$44.88 | 10 x .060 x % | 1006ATWX3 | \$93.00 |
| 5 x .060 x %-% | 0506CTWX3 | \$51.31 | 10 x .060 x %-% | 1006CTWX3 | \$93.00 |
| 6 x .060 x % | 0606ATWX3 | \$57.75 | 10 x .060 x 1 | 1006ETWX3 | \$93.00 |
| 6 x .060 x ‰-% | 0606CTWX3 | \$57.75 | 12 x .080 x 1 | 1208ETWX3 | \$169.8 |
| 7 x .060 x % | 0706ATWX3 | \$61.96 | 14 x .080 x 1 | 1408ETWX3 | \$194.4 |
| 7 x .060 x ‰-‰ | 0706CTWX3 | \$61.96 | | | ÷ |

VALUE GRADE

- 10mm (.394") continuous rim height
- Clean, chip free cuts on natural stone
- Great value and performance
- Not for extremely hard tile applications
- Do not use for radius cutting

APPLICATIONS - Ceramic Tile

| Size | Part # | List Price | Size | Part # | List Price |
|-------------------|-----------|------------|-----------------|-----------|------------|
| 4 x .060 x % | 0406ATWX1 | \$32.00 | 7 x .060 x % | 0706ATWX1 | \$58.70 |
| 4 x .060 x ‰-% | 0406CTWX1 | \$32.00 | 7 x .060 x ‰-% | 0706CTWX1 | \$58.70 |
| 41⁄₂ x .060 x % | 4506ATWX1 | \$38.50 | 8 x .060 x % | 0806ATWX1 | \$60.88 |
| 41⁄2 x .060 x %-% | 4506CTWX1 | \$38.50 | 10 x .060 x % | 1006ATWX1 | \$84.46 |
| 5 x .060 x % | 0506ATWX1 | \$44.88 | 10 x .060 x %-% | 1006CTWX1 | \$84.46 |
| 5 x .060 x %-% | 0506CTWX1 | \$44.88 | 12 x .080 x 1 | 1208ETWX1 | \$147.50 |
| 6 x .060 x % | 0606ATWX1 | \$53.41 | 14 x .080 x 1 | 1408ETWX1 | \$165.66 |
| 6 х .060 х %-% | 0606CTWX1 | \$53.41 | | | |

PREMIUM GRADE

- 7.5mm (.284") continuous rim height
- This professional grade continuous rim blade uses the most current technology to cut the hardest materials chip free without water
- Do not use for radius cutting

APPLICATIONS - Ceramic Tile, Porcelain Tile

| Size | Part # | List Price | Size | Part # | List Price |
|-----------------|-----------|------------|-----------------|-----------|------------|
| 4 x .060 x % | 0406ATDX3 | \$52.60 | 7 x .060 x DM-% | 0706DTDX3 | \$94.20 |
| 4 x .060 x %-% | 0406CTDX3 | \$52.60 | 8 x .060 x % | 0806ATDX3 | \$95.04 |
| 41⁄₂x.060 x %s | 4506ATDX3 | \$55.59 | 8 x .060 x DM-% | 0806DTDX3 | \$95.04 |
| 4½ x .060 x ‰-% | 4506CTDX3 | \$61.96 | 10 x .060 x % | 1006ATDX3 | \$121.87 |
| 5 x .060 x %-% | 0506CTDX3 | \$67.98 | 10 x .060 x %-% | 1006CTDX3 | \$121.87 |
| 6 x .060 x % | 0606ATDX3 | \$76.88 | 12 x .080 x 1 | 1208ETDX3 | \$214.75 |
| 7 x .060 x ‰-‰ | 0706CTDX3 | \$94.20 | 14 x .080 x 1 | 1408ETDX3 | \$245.79 |

Y100

GENERAL PURPOSE



PROFILE WHEEL GENERAL PURPOSE



DRESSING STONES FOR BLADES





↔ QUALITY GRADE

- 7mm (.284") continuous rim height
- 2x times taller rim than most dry tile blades
- Good for a variety of materials like ceramic tile, Saltillo tile and Cantera stone
- Do not use for radius cutting

APPLICATIONS - Ceramic Tile

| Size | Part # | List Price |
|-----------------|-----------|------------|
| 4 x .080 x ⅓-5% | 0406CTDY2 | \$15.76 |
| 4½ x .080 x ‰-‰ | 4506CTDY2 | \$16.60 |
| 7 x .090 x % | 0706ATDY2 | \$33.69 |
| 10 x .090 x % | 1006ATDY2 | \$54.25 |

• The best and fastest way to bevel or bullnose tile is with our 6" and 8" tile saw wheels. This is a professional grade, production tool that can shape marble, ceramic, granite and even the hardest porcelain tiles. Not to be confused with other brands that use electroplated or brazed diamonds, our blades have a metal bond with multiple layers of diamond to outlast all others.

APPLICATIONS - Marble, Ceramic, Granite, Hard Porcelain Tile

AVAILABLE SHAPES

| B E F |
|-------|
|-------|

| Size | Туре | Part # | List Price |
|--------------|------------------------|--------------|------------|
| 6 x.375 x % | Demi Bullnose, Shape B | S-0637AWPC-B | \$502.26 |
| 6 x .500 x % | Demi Bullnose, Shape B | S-0650AWPC-B | \$561.19 |
| 8 x .375 x % | Demi Bullnose, Shape B | S-0837AWPC-B | \$698.69 |
| 8 x .500 x % | Demi Bullnose, Shape B | S-0850AWPC-B | \$746.39 |
| 6 x .375 x % | Bevel, Shape E | S-0637AWPC-E | \$655.78 |
| 6 x .500 x % | Bevel, Shape E | S-0650AWPC-E | \$709.91 |
| 6 x .500 x % | Ogee, Shape F | S-0650AWPC-F | \$962.45 |

- Keep your tile and stone blades at their premium performance level with abrasive dressing stones from Diamond Vantage[®]
- Today's natural and man-made materials can quickly glaze even the best diamond blade
- If you wait for a blade to become dull, it can cause serious damage to your material and even damage the blade
- Coarse sharp abrasives in the dressing stone quickly expose new diamonds to keep your cuts clean and eliminate blow out at the beginning or end of a cut
- For those materials that are hard, dense, and difficult to cut, we recommend dressing the blade frequently

APPLICATIONS - Used for dressing tile and bridge saw blades to prevent chipping

| Size | Grit | Part # | List Price |
|-----------|------|----------|------------|
| 8 x 2 x 1 | 60 | S-0821DS | \$19.63 |

CORE BITS - 43MM

GENERAL PURPOSE





CORE BITS - 35MM **GENERAL PURPOSE**





DIAMOND HAND PADS STONE



- Our hand polishing pads have so many uses it is almost limitless. Originally designed for doing repairs on stone without power tools
- We have also found them to be great for taking off sharp edges on porcelain tile, removing calcium from swimming pool tiles and prepping concrete overlays
- Available individually or in sets from 50 3000 grit

APPLICATIONS - Repairing Natural and Engineered Stone, Edge Polishing Ceramic and Porcelain Tile

| Size | Part # | List Price |
|--------------------|-------------|------------|
| Electroplated #50 | S-HPEL-50 | \$81.38 |
| Electroplated #100 | S-HPEL-100 | \$81.38 |
| Electroplated #200 | S-HPEL-200 | \$81.38 |
| Electroplated #400 | S-HPEL-400 | \$81.38 |
| Resin #800 | S-HPRE-800 | \$81.38 |
| Resin #1500 | S-HPRE-1500 | \$81.38 |
| Resin #3000 | S-HPRE-3000 | \$81.38 |





PREMIUM GRADE **

- 5.5mm (.216") segment height, will yield maximum number of holes
- Sizes over 1" equipped with pilot drill
- These premium grade core bits have a male stem to run on any hand drill
- The turbo rim is designed for fast, clean drilling
- 43mm drilling depth

APPLICATIONS - Porcelain Tile, Ceramic Tile, Granite, Marble

| Size | Part # | List Price | Size | Part # | List Price |
|-------------------|----------------|------------|--------------------|----------------|------------|
| | | | | | |
| ½ x .080 x 10mm | ST-00508SDTRCB | \$102.94 | 13% x .080 x 10mm | ST-01308SDTRCB | \$112.27 |
| ‰x.080 x 10mm | ST-00608SDTRCB | \$107.10 | 11⁄2 x .080 x 10mm | ST-01508SDTRCB | \$125.64 |
| 3/4 x .080 x 10mm | ST-00708SDTRCB | \$107.10 | 1% x .080 x 10mm | ST-01608SDTRCB | \$129.80 |
| ‰x.080 x 10mm | ST-00808SDTRCB | \$108.11 | 1¾ x .080 x 10mm | ST-01708SDTRCB | \$142.17 |
| 1 x .080 x 10mm | ST-01008SDTRCB | \$108.11 | 11% x .080 x 10mm | ST-01808SDTRCB | \$142.17 |
| 11% x .080 x 10mm | ST-01108SDTRCB | \$112.27 | 2 x .080 x 10mm | ST-02008SDTRCB | \$142.17 |
| 1¼ x .080 x 10mm | ST-01208SDTRCB | \$112.27 | | | |



- 5.5mm (.216") segment height
- Sizes over 1" equipped with pilot drill
- Same great quality as our turbo tile bits. Designed to run on any grinder or polisher with %-11 male thread
- Approximate 35mm drilling depth

APPLICATIONS - Porcelain Tile, Ceramic Tile, Granite, Marble

| Size | Part # | List Price |
|--------------------|----------------|------------|
| 1 x .080 x % -11 | ST-01008HDTRCB | \$111.27 |
| 11% x .080 x %-11 | ST-01108HDTRCB | \$112.27 |
| 1¼ x .080 x %-11 | ST-01208HDTRCB | \$116.31 |
| 1%4 x .080 x % -11 | ST-01308HDTRCB | \$116.31 |
| 11⁄₂ x .080 x ‰-11 | ST-01508HDTRCB | \$128.67 |
| 1¾ x .080 x % -11 | ST-01708HDTRCB | \$146.20 |
| 2 x .080 x % -11 | ST-02008HDTRCB | \$146.20 |

STONE PRODUCTS

STONE PRODUCTS PERFORMANCE CHART



NI≡W ZENESIS™ CARBON 2 SINTERED STONE



ZENESIS™ GRADE

- 10mm (.394") segment height
- Introducing the groundbreaking ZENESIS™ Carbon 2 diamond blade, designed for superior performance in cutting critically hard sintered stones such as Dekton, Neolith, and Lapitec. Experience exceptional results even at high speeds, as these blades deliver a precision razor-sharp edge on both the top and bottom surfaces, ensuring unparalleled quality, especially during miter cutting. Crafted with the highest quality steel core and reinforced with plates to eliminate flexing and deflection during extended cuts, the ZENESIS™ Carbon 2 sets a new standard in durability and stability. This cutting-edge blade utilizes Sinterized Particle Tech to masterfully cut through ultracompact surfaces created by blending glass, porcelain, and quartz materials. Elevate your stone cutting experience with the ZENESIS™ Carbon 2 where precision meets perfection in the stone industry.

APPLICATIONS - Porcelain, Sintered Stone, Petrified Wood,

Slabs Made With Geodes

CALL FOR PRICING

| Size | Part # |
|---------------------|-------------------|
| 12 x .125 x 60/50mm | S-1210LWZX4-CARB2 |
| 14 x .125 x 60/50mm | S-1410LWZX4-CARB2 |
| 16 x .125 x 60/50mm | S-1613LWZX4-CARB2 |



APPROVED

ZENESIS™ OBSIDIAN

NATURAL & ENGINEERED STONE



ZENESIS[™] BLACK 4 NATURAL & ENGINEERED STONE



ZENESIS™ NANO PORCELAIN



ZENESIS™ GRADE

- 25mm (.984") segment height
- Meet the newest ZENESIS™ silent core bridge saw blade, Obsidian. Distinctly designed to cut fast and clean on engineered stone, porcelain, marble, and even the hardest quartzite. This is made possible by using our latest and most innovative ZENESIS™ diamond patterning technology to date. This latest technology increases the number of cutting/contact points by up to 3 times and significantly improves performance. The unique metal bond matrix is engineered to work with virtually all natural and engineered stone.

APPLICATIONS - Granite, Engineered Stone, Porcelain, Marble, Quartzite

CALL FOR PRICING

| Size | Part # |
|---------------------|-----------------|
| 12 x .133 x 60/50mm | S-1213LWZX4-0BS |
| 14 x .133 x 60/50mm | S-1413LWZX4-0BS |
| 16 x .133 x 60/50mm | S-1613LWZX4-0BS |
| 18 x .140 x 60/50mm | S-1814LWZX4-0BS |
| 20 x .140 x 60/50mm | S-2014LWZX4-0BS |



- 25mm (.984") segment height
- ZENESIS[™] patterned technology delivers consistency in diamond exposure, providing maximum efficiency start to finish. With feed rates exceeding 15 ft/min this blade outperforms random diamond bridge saw blades by 30 70%. This further increases cutting speed and debris/swarf removal. Diamond clusters provide more diamond point exposure, which increases cutting speed with less amp draw and therefore is easier on machinery. ZENESIS[™] products are manufactured utilizing the highest standards of manufacturing in ISO certified facilities. This delivers consistent results blade after blade and batch after batch.
- The ZENESISTM Black 4 blade is built on high quality, slanted gullet silent cores. Strong cores keep segments cutting true even when mitering, and the slanted gullets draw in more water and push out more swarf/debris resulting in cleaner cuts.
- Designed to outperform all other bridge saw blade on straight or mitered cuts
- APPLICATIONS Granite, Engineered Stone, Quartzite

CALL FOR PRICING

| Size | Part # | Size | Part # |
|---------------------|------------------|---------------------|------------------|
| 12 x .133 x 60/50mm | S-1213LWZX4-BLK4 | 18 x .140 x 60/50mm | S-1814LWZX4-BLK4 |
| 14 x .133 x 60/50mm | S-1413LWZX4-BLK4 | 18 x .187 x 60/50mm | S-1818LWZX4-BLK4 |
| 16 x .133 x 60/50mm | S-1613LWZX4-BLK4 | 20 x .140 x 60/50mm | S-2014LWZX4-BLK4 |

ZENESIS™ GRADE

- The latest generation of porcelain tiles, require cutting edge technology to get the perfect chip free cuts. The new 14" silent core Nano is a hybrid blade specifically engineered to cut fast and unbelievably clean on these tricky materials. The heavy-duty silent core keeps the blade cutting true even in long miter cuts.
- High concentration small particulate diamond in very soft bond matrix
- Can cut large format porcelain

APPLICATIONS - Glass Coated Porcelain, Porcelain

CALL FOR PRICING

| Size | Part # |
|---------------------|-----------------|
| 14 x .135 x 60/50mm | S-1413LWZX4-NZG |
| 16 x .135 x 60/50mm | S-1613LWZX4-NZG |

ZENESIS™ QUARTZITE QUARTZITE



ZENESIS™ II NATURAL & ENGINEERED STONE



ZENESIS™ MARBLE MARBLE



ZENESIS™ GRADE

- 20mm (.787") segment height
- Quartzite is a unique natural rock made up of interlocking quartz crystals resulting in a remarkably dense and hard rock. A specialized blade is required to quickly and cleanly cut a material of this quality. The ZENESIS™ Quartzite blade provides superior cutting performance on quartzite.
- Unique segment design for fast cutting speeds; has cut Taj Mahal at over 6 ft./min. feed rate
- Patterned diamond matrix for straight chip-free cuts
- Soft bond for continuous use without dressing

APPLICATIONS - Granite, Engineered Stone, Quartzite

CALL FOR PRICING

| Size | Part # |
|---------------------|-----------------|
| 12 x .125 x 60/50mm | S-1212LWZX4-20Q |
| 14 x .125 x 60/50mm | S-1412LWZX4-20Q |
| 16 x .134 x 60/50mm | S-1613LWZX4-20Q |
| 18 x .150 x 60/50mm | S-1815LWZX4-20Q |
| 20 x .150 x 60/50mm | S-2015LWZX4-20Q |

ZENESIS™ GRADE

- 25mm (.984") segment height
- The ZENESISTM II bridge saw blade revolutionized the stone fabricating industry by raising the bar for cutting speed and blade life. Straight and efficient cutting increases productivity while reducing stress on the bridge saw.
- Feed rate 10 to 17 feet per minute

APPLICATIONS - Granite, Engineered Stone

CALL FOR PRICING

| Size | Part # |
|---------------------|-----------------|
| 12 x .125 x 60/50mm | S-1212LWZX4-25C |
| 14 x .125 x 60/50mm | S-1412LWZX4-25C |
| 16 x .125 x 60/50mm | S-1612LWZX4-25C |
| 18 x .140 x 60/50mm | S-1814LWZX4-25C |
| 20 x .140 x 60/50mm | S-2014LWZX4-25C |

ZENESIS™ GRADE

- 10mm (.394") segment height
- ZENESIS™ now offers its exclusive patterned technology in a bridge saw blade designed specifically to cut marble and other soft stone products. As expected, this latest ZENESIS™ Marble blade offers exceptionally smooth, fast and chip-free cutting on all types of marble. This blade is available in diameters of 12" to 20" and is guaranteed to set the standard of performance and meet the demands of marble fabricators everywhere.
- Designed specifically to cut marble
- Exceptionally smooth, fast, chip-free cutting
- Silent core

APPLICATIONS - Marble

CALL FOR PRICING

| Size | Part # |
|---------------------|---------------|
| 12 x .125 x 60/50mm | S-1212LWMSZX4 |
| 14 x .125 x 60/50mm | S-1412LWMSZX4 |
| 16 x .125 x 60/50mm | S-1612LWMSZX4 |
| 18 x .140 x 60/50mm | S-1814LWMSZX4 |
| 20 x .140 x 60/50mm | S-2014LWMSZX4 |

ZENESIS™ Z-PATTERN

NATURAL & ENGINEERED STONE



X400-20MM NATURAL & ENGINEERED STONE



X400-25MM NATURAL & ENGINEERED STONE



ZENESIS™ GRADE

- 18mm (.708") segment height
- The ZENESIS[™] Z-Pattern Blade is recommended for production shops utilizing CNC and robotic stone saws. These new technology saws require speed, accuracy and clean cuts. The 18mm pattern diamond segments are specifically designed to run faster and straighter under extreme production conditions. This high-performing blade has been expertly developed for wet use only on granite and engineered stone and is proven to perform reliably at feed rates 5-10 feet per minute. Can be used on quartzite at feed rates 1-4 feet per minute.

| APPLICATIONS - Granite, I | Engineered Sto | ne |
|---------------------------|----------------|----|
|---------------------------|----------------|----|

| Size | Part # |
|---------------------|----------------|
| 12 x .125 x 60/50mm | S-1212LWZX4-ZP |
| 14 x .125 x 60/50mm | S-1412LWZX4-ZP |
| 16 x .125 x 60/50mm | S-1612LWZX4-ZP |
| 18 x .140 x 60/50mm | S-1814LWZX4-ZP |
| 20 x .140 x 60/50mm | S-2014LWZX4-ZP |

SUPREME GRADE

- 20mm (.787") segment height
- Pattern diamond technology guarantee maximum performance start to finish
- Silent core for indoor use
- Proprietary recipe bond that cuts the hardest natural stone, including quartzite, and engineered stone effortlessly
- Excellent miter cutting blade
- Slanted gullets draw in more water to keep blade running cooler

APPLICATIONS - Granite, Quartzite, Engineered Stone

| Size | Part # | List Price |
|---------------------|----------------|------------|
| 12 x .125 x 60/50mm | S-1212LWPX4-20 | \$745.41 |
| 14 x .125 x 60/50mm | S-1412LWPX4-20 | \$840.67 |
| 16 x .125 x 60/50mm | S-1612LWPX4-20 | \$977.18 |
| 18 x .140 x 60/50mm | S-1814LWPX4-20 | \$1,287.52 |
| 20 x.140 x 60/50mm | S-2014LWPX4-20 | \$1,602.77 |

SUPREME GRADE

- 25mm (.984") segment height
- Pattern diamond technology guarantee maximum performance start to finish
- Silent core for indoor use
- Proprietary recipe bond that cuts the hardest natural stone and engineered stone effortlessly

APPLICATIONS - Granite, Quartzite, Engineered Stone

| Size | Part # | List Price |
|---------------------|----------------|------------|
| 12 x .125 x 60/50mm | S-1212LWPX4-25 | \$824.96 |
| 14 x .125 x 60/50mm | S-1412LWPX4-25 | \$956.84 |
| 16 x .125 x 60/50mm | S-1612LWPX4-25 | \$1,150.45 |
| 18 x .140 x 60/50mm | S-1814LWPX4-25 | \$1,498.39 |
| 20 x .140 x 60/50mm | S-2014LWPX4-25 | \$1,826.69 |

X400-Q NATURAL & ENGINEERED STONE



X300-10MM Marble



THIN VENEER



- 20mm (.787") segment height
- Quartzite is quickly becoming one of the most popular stones for counter tops. It is one of the least popular for fabricators as it can be extremely difficult to cut. It can be simultaneously incredibly hard and very brittle. This blade is specifically designed with a very soft bond matrix to cut very hard materials like any other natural stone.
- **APPLICATIONS -** Granite, Engineered Stone

| Size | Part # | List Price |
|---------------------|----------------|------------|
| 12 x .125 x 60/50mm | S-1212LWX4-20Q | \$693.06 |
| 14 x .125 x 60/50mm | S-1412LWX4-20Q | \$830.56 |
| 16 x .134 x 60/50mm | S-1613LWX4-20Q | \$1,043.86 |
| 18 x .155 x 60/50mm | S-1815LWX4-20Q | \$1,310.40 |
| 20 x .155 x 60/50mm | S-2015LWX4-20Q | \$1,537.66 |

👬 PREMIUM GRADE

- 10mm (.394") segment height have less chance of "flexing" while miter cutting
- Silent core for indoor use
- Clean Cutting
- Smaller diamond particulate gives blade perfect chip free cuts in soft materials like marble and limestone
- Highest diamond concentrate of all our bridge saw blades
- APPLICATIONS Marble, Limestone

| Size | Part # | List Price |
|---------------------|------------|------------|
| 12 x .125 x 60/50mm | S-1212LWMS | \$587.70 |
| 14 x .125 x 60/50mm | S-1412LWMS | \$694.53 |
| 16 x .125 x 60/50mm | S-1612LWMS | \$801.36 |
| 18 x .125 x 60/50mm | S-1812LWMS | \$1,104.89 |
| 20 x .140 x 60/50mm | S-2014LWMS | \$1,368.72 |

CUSTOMIZABLE GRADE

- The large diameter blades for thin veneer stone from Diamond Vantage[®] are designed to fit the thin veneer saws. The tall 20mm segments ensure consistent performance and long blade life, increasing your productivity by reducing machine downtime.
- Additional sizes/arbors available upon request
- Different bonds available for different types of stone
- APPLICATIONS Thin Veneer

| Size | Part # | List Price |
|-----------|------------|------------|
| 36 x .250 | S-3625XWX4 | \$3,604.37 |
| 40 x .250 | S-4025XWX4 | \$4,026.64 |
| 48 x .250 | S-4825XWX4 | \$4,783.37 |

NEW

ZENESIS™ Z-MAX

NATURAL & ENGINEERED STONE



ZENESIS™ QUARTZITE NATURAL & ENGINEERED STONE



ZENESIS™ Z-TURBO NATURAL & ENGINEERED STONE



ZENESIS™ GRADE

- Introducing the cutting-edge Z-Max Turbo Blade, the epitome of high-performance in smalldiameter stone blades. Its distinctive segment design ensures remarkably fast and precise cuts in both natural and engineered stones. Experience unparalleled efficiency as this blade effortlessly navigates through any stone surface. The Z-Max Turbo Blade features oversized cooling holes that prevent overheating, even when cutting through 3cm quartzite. This ensures consistent and reliable performance, making it the go-to choice for demanding stone-cutting applications.
- Flush cut adapter sold separately
- Available with quad adaptor holes in sizes 4.5", 5.3", 6", 7"

APPLICATIONS - Granite, Engineered Stone, Quartzite

CALL FOR PRICING

| Size | Part # |
|---|--------------|
| 41/2 x .095 x 1/8-20mm-5/8 w/ flush cut holes | S-4509CDZMX |
| 51/3 x .095 x 1/8-20mm-5/8 w/ flush cut holes | S-05309CDZMX |
| 6 x .095 x %-20mm-% w/ flush cut holes | S-0609CDZMX |
| 7 x .095 x U/A w/ flush cut holes | S-0709UDZMX |

ZENESIS™ GRADE

- 10mm (.394") segment height
- The new ZENESISTM Quartzite turbo blade is the first small-diameter blade we engineered specifically for the hardest quartzite. Where other turbo blades bounce, chip, or stop cutting after a few inches, this blade cuts easily through this material. Unique turbo rim design with added drop segments makes this blade immediately stand out from the competition. And if you think it does well in quartzite, you'll be amazed at how it works in any other natural stone.
- Available with quad adapter holes in sizes 5" to 7".
- Unique turbo rim design
- Flush cut adapter sold separately

APPLICATIONS - Quartzite, All Natural Stone, Granite, Engineered Stone

CALL FOR PRICING

| Size | Part # |
|--------------------------------|-------------|
| 5 x .083 x %-20mm-% | S-0508CDZQB |
| 6 x .095 x %-20mm-% | S-0609CDZQB |
| 7 x .095 x U/A- 1/8-5/8 | S-0709UDZQB |

ZENESIS™ GRADE

- 8mm (.315") segment height
- Delivering fast and clean cuts at an affordable price, the new ZENESIS™ Z-Turbo Blade gives you maximum value. The blade's narrow turbo design effectively reduces chipping. It comes with flush cut holes and a unique bond that maximizes performance on granite and engineered stone.
- Narrow turbo design reduces chipping
- Flush cut adapter sold separately

APPLICATIONS - Granite, Engineered Stone

CALL FOR PRICING

| Size | Part # |
|------------------------------|---------------|
| 4½ x .083 x ⅔-20mm-‰ | S-4508CDZETB2 |
| 5 x .083 x %-20mm-% | S-0508CDZETB2 |
| 6 x .095 x %-20mm-% | S-0609CDZETB2 |
| 7 x .095 x U/A- 7%-5% | S-0709UDZETB2 |

X400 WAVY CORE HARD MATERIALS



X400 GRANITE & ENGINEERED STONE



X200 GRANITE & ENGINEERED STONE



SUPREME GRADE

- 10mm (.394") segment height
- Turbo rim design with side protection segments to prevent undercutting
- Best blade for outdoor stones like flagstone, granite and sandstone
- Wavy core increases airflow and keeps the blade running cooler

APPLICATIONS - Granite, Engineered Stone, Quartzite

| Size | Part # | List Price |
|------------------------|---------------|------------|
| 4½ x .080 x ⅓-‰ | 4508CZVX4-1WC | \$86.74 |
| 5 x .080 x ⅓- ‰ | 0508CZVX4-1WC | \$92.16 |
| 6 X .095 X 1/8-5/8 | 0609CZVX4-1WC | \$119.94 |
| 7 X .095 X U/A | 0709UZVX4-1WC | \$144.25 |

SUPREME GRADE

- 8mm (.315") rim height
- Flush mount adapter ready
- Designed for the professional who demands the best quality
- Fast clean cuts in the hardest materials like granite and quartzite
- Flush cut adapter sold separately

APPLICATIONS - Granite, Engineered Stone, Quartzite

| Size | Part # | List Price |
|----------------------|---------------|------------|
| 4 x .100 x ‰-20mm-‰ | S-0408CDZX4-1 | \$74.80 |
| 4½ x .100 x ‰-20mm-‰ | S-4508CDZX4-1 | \$75.86 |
| 5 x .100 x ‰-20mm-‰ | S-0508CDZX4-1 | \$85.48 |
| 6 x .100 x ‰-20mm-% | S-0609CDZX4-1 | \$119.66 |
| 7 x .100 x U/A | S-0709UDZX4-1 | \$150.66 |

+++ HEAVY DUTY GRADE

- 8mm (.315") rim height
- Flush mount adapter ready
- Great for granite, engineered stone, flagstone, sandstone and brick pavers
- Flush cut adapter sold separately

APPLICATIONS - Granite, Engineered Stone

| Size | Part # | List Price |
|----------------------------|---------------|------------|
| 4 x .083 x ‰-20mm-‰ | S-0408CDZX2-1 | \$34.16 |
| 4½ x .083 x ⅓-20mm-‰ | S-4508CDZX2-1 | \$37.41 |
| 5 x .083 x ‰-20mm-‰ | S-0508CDZX2-1 | \$42.71 |
| 6 x .095 x %-20mm-% | S-0609CDZX2-1 | \$52.34 |
| 7 x .095 x U/A- %-% | S-0709UDZX2-1 | \$65.21 |

X100

GRANITE & ENGINEERED STONE



X100 LIMESTONE & MARBLE



FLUSH CUT ADAPTER FOR SMALL DIAMETER BLADES



******* VALUE GRADE

- 8mm (.315") rim height
- Fast, clean cuts on hard granite and engineered stone
- Flush cut adapter sold separately

APPLICATIONS - Granite, Engineered Stone

| Size | Part # | List Price |
|----------------------|---------------|------------|
| 4 x .083 x %-20mm-% | S-0408CDZX1-1 | \$30.08 |
| 4½ x .083 x ⅓-20mm-‰ | S-4508CDZX1-1 | \$34.64 |
| 5 x .083 x %-20mm-% | S-0508CDZX1-1 | \$37.41 |
| 6 x .095 x %-20mm-% | S-0609CDZX1-1 | \$48.24 |
| 7 x .095 x U/A-%-% | S-0709UDZX1-1 | \$59.91 |

+++ VALUE GRADE


- For cutting marble, limestone, and other soft stone
- Equipped with side abrasive coating for fast and clean cuts
- Flush cut adapter sold separately

APPLICATIONS - Limestone, Marble

| Size | Part # | List Price |
|----------------|-------------|------------|
| 4½ x .102 x ⅓ | S-4510CELCW | \$62.66 |
| 5 x .102 x 1⁄8 | S-0510CELCW | \$70.83 |
| 6 x .102 x 1⁄8 | S-0610CELCW | \$79.00 |
| 7 x .102 x 1/8 | S-0710CELCW | \$106.25 |



• This adapter is a game changer in the world of diamond blades. For any small diameter blade with flush mount hole pattern. Allows flush cutting and deeper penetration with the blade. Easier for changing tools too as blade is now just spin on and spin off. No more locking nuts!



CONTOUR BLADE SEGMENTED



CONTOUR BLADE



CONTOUR BLADE ELECTROPLATED



REMIUM GRADE

- 6.5mm (.255") segment height
- Segmented contour blade
- Contoured core for making radius cuts and cutting sink openings
- Unique T shaped segments to prevent blade binding while cutting
- Longest lasting
- Soft bond for cutting natural stone and concrete

APPLICATIONS - Granite, Engineered Stone

| Size | Part # | List Price |
|------------------|-----------|------------|
| 4 x .150 x %/-5% | S-0415CCS | \$163.50 |
| 4½ x .150 x %-% | S-4515CCS | \$168.79 |
| 5 x .150 x %/-5% | S-0515CCS | \$181.66 |

REMIUM GRADE

- 6.5mm (.255") segment height
- Turbo rim contour blade
- Contoured core for making radius cuts and cutting sink openings
- Turbo style rim for fastest cutting
- Undercutting segments to prevent binding while cutting
- Soft bond for cutting natural stone and concrete

APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|-----------------|-----------|------------|
| 4 x .150 x %⊱5% | S-0415CCZ | \$163.50 |
| 4½ x .150 x ‰-‰ | S-4515CCZ | \$168.79 |
| 5 x .150 x %-% | S-0515CCZ | \$181.66 |

👬 PREMIUM GRADE

- 6.5mm (.255") segment height
- Electroplated turbo rim contour blade
- Contoured core for making radius cuts and cutting sink openings
- Turbo style rim for fastest cutting
- Electroplated bond for cutting marble, schist, and porcelain
- Offers a distinctly smooth cut in fragile materials like marble, schist, and porcelain


APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|----------------|------------|------------|
| 5 x .098 x 1/8 | S-0510CEPC | \$116.21 |

PART #'S IN BOLD INDICATE ROUTINELY STOCKED PRODUCTS

RODDING BLADE

NATURAL & ENGINEERED STONE



MULTI-GRINDER NATURAL & ENGINEERED STONE



MULTI-GRINDER EP NATURAL STONE





👬 PREMIUM GRADE

- 10mm (.394") segment height
- Specifically designed for cutting a channel in the underside of counter tops
- 3.3" diameter blade will guarantee not to blow through the surface of the stone
- 1/8" thickness for fish tape and fiberglass rodding material
- 1/4" thickness for thicker rodding material like all-thread
- Proprietary super soft bond for the hardest materials like granite and quartzite

APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|---------------------|--------------|------------|
| 3.3 x 1/8 x 7/8-5/8 | S-3312CRX4-1 | \$125.70 |
| 3.3 x ¼ x 1/8-5/8 | S-3325CRX4-1 | \$182.68 |

👬 PREMIUM GRADE

- Cut & grind with one blade
- Comes with removable flush cut adaptor
- This unique 2-in-1 blade is the ultimate stone installer's tool
- Cuts and grinds the hardest materials like granite, engineered stone, flagstone and concrete pavers with ease

APPLICATIONS - All Natural and Engineered Stone

| Size | Part # | List Price |
|----------------|--------------|------------|
| 4 x .100 x 1⁄8 | 0410CZCGX3-2 | \$133.27 |
| 4½ x .100 x ⅓ | 4510CZCGX3-2 | \$143.68 |
| 5 x .100 x 1% | 0510CZCGX3-2 | \$157.62 |
| 6 x .100 x 1⁄8 | 0610CZCGX3-2 | \$184.23 |
| 7 x .100 x 1⁄8 | 0710CZCGX3-2 | \$243.37 |

REMIUM GRADE

- Cutting Continuous Rim Blade leaves a beautiful chip-free finish in even the most brittle calcium based stones like limestone, travertine, marble, and onyx
- Grinding Electroplated diamonds on the face of the blade can sand and grind the material fast without blowouts like you get from traditional diamond cup wheels
- Comes with removable flush cut adaptor

APPLICATIONS - Limestone, Travertine, Marble, Onyx

| Size | Part # | List Price |
|---------------------------|------------|------------|
| 4½ x .102 x 1⁄8 w/ 1⁄8-11 | S-4506CELF | \$88.27 |
| 5 x .102 x 1⁄% w/ 1⁄% -11 | S-0506CELF | \$94.15 |

ZENESIS™ CORE BITS

NATURAL & ENGINEERED STONE





CALL FOR PRICING

ZENESIS™ Z-CORE BITS NATURAL & ENGINEERED STONE





CALL FOR PRICING

RED CORE BITS ALL NATURAL STONE





ZENESIS™ GRADE

- 8mm (.315") segment height
- ZENESIS[™] Dry Core Bit is thoroughly engineered to achieve superior wet and dry coring of granite and engineered stone
- Available with %-11 threads
- All-new design for enhanced performance
- Laser-welded segments for safer coring
- Larger cooling holes on the barrel
- Abrasive side coating to reduce friction
- Can be used wet or dry
- Approximate 77mm (3.03") drilling depth

APPLICATIONS - Granite, Engineered Stone

| Size | Part # | Size | Part # |
|--------------------|--------------|------------------|--------------|
| 1¼ x .125 x %-11 | S-01212HDZX4 | 2¼ x .125 x %-11 | S-02212HDZX4 |
| 1%x .125 x %-11 | S-01312HDZX4 | 2½ x .125 x %-11 | S-02512HDZX4 |
| 11⁄₂ x .125 x ‰-11 | S-01512HDZX4 | 3 x .125 x %-11 | S-03012HDZX4 |
| 2 x .125 x %-11 | S-02012HDZX4 | | |

ZENESISTM GRADE

- 7mm (.275") segment height
- The all-new ZENESIS™ Z-Core Bit is engineered for optimal performance on granite and engineered stone. It is equipped with abrasive coating both inside and outside to reduce friction and to facilitate easy core removal. Featuring laser-welded segments for safety and long life, this product provides maximum value.
- Engineered for maximum performance on granite and engineered stone
- Can be used wet or dry
- Approximate 77mm (3.03") drilling depth

APPLICATIONS - Granite, Engineered Stone

| Size | Part # |
|--------------------|------------------|
| 1 x .125 x %-11 | S-01012HDSBSLZX4 |
| 1¼ x .125 x %-11 | S-01212HDSBSLZX4 |
| 1%/x .125 x %-11 | S-01312HDSBSLZX4 |
| 11⁄₂ x .125 x ‰-11 | S-01512HDSBSLZX4 |
| 1¾ x .125 x %-11 | S-01712HDSBSLZX4 |
| 2 x .125 x %-11 | S-02012HDSBSLZX4 |

👬 PREMIUM GRADE

- 7mm (.275") segment height
- Available with %-11 threads
- For drilling of granite and engineered stone
- Equipped with side brazing on both inside and outside to prevent the bit from binding the hole and facilitate easy core removal
- Approximate 77mm (3.03") drilling depth

APPLICATIONS - All Natural Stone

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 1 x .125 x %-11 | S-01012HDSBSL | \$150.69 |
| 11⁄a x .125 x ‰-11 | S-01112HDSBSL | \$155.77 |
| 1¼ x .125 x %-11 | S-01212HDSBSL | \$159.86 |
| 1%x .125 x %-11 | S-01312HDSBSL | \$159.86 |
| 11⁄₂ x .125 x ‰-11 | S-01512HDSBSL | \$168.90 |
| 1¾ x .125 x %-11 | S-01712HDSBSL | \$191.20 |
| 2 x .125 x %-11 | S-02012HDSBSL | \$198.26 |

BLACK CORE BITS

ALL NATURAL STONE





BRAZED CORE BITS PORCELAIN • CERAMIC • STONE



ZENESIS[™] Z-THIN WALL NATURAL & ENGINEERED STONE





ZENESIS™ GRADE

- 8mm (.315") segment height
- Available with %-11 threads
- For drilling of granite and engineered stone
- Brazed diamonds on the side of the barrel prevent binding in the hole
- Brazed diamonds on the inside of the barrel make it easy to remove the plug after coring
- Approximate 77mm (3.03") drilling depth

APPLICATIONS - All Natural Stone

| Size | Part # | List Price |
|--------------------|-----------------|------------|
| 1 x .125 x %-11 | S-01012HDSBSLX4 | \$150.69 |
| 11⁄₄ x .125 x ‰-11 | S-01212HDSBSLX4 | \$150.80 |
| 1%x .125 x %s-11 | S-01312HDSBSLX4 | \$159.86 |
| 11⁄₂ x .125 x ‰-11 | S-01512HDSBSLX4 | \$168.90 |
| 1¾ x .125 x ‰-11 | S-01712HDSBSLX4 | \$191.20 |
| 2 x .125 x %-11 | S-02012HDSBSLX4 | \$198.26 |
| 2¼ x .125 x %-11 | S-02212HDSBSLX4 | \$222.55 |
| 21⁄2 x .125 x %-11 | S-02512HDSBSLX4 | \$247.83 |
| 3 x .125 x %-11 | S-03012HDSBSLX4 | \$268.03 |

👬 PREMIUM GRADE

- Good for drilling cast iron and stainless steel sinks
- Works well wet or dry
- Approximate 35mm (1.37") drilling depth

APPLICATIONS - Porcelain Tile, Ceramic Tile, All Natural Stone, Engineered Stone, Stainless Steel Sinks

| Size | Info | Part # | List Price |
|---------------------|--|--------|------------|
| 5mm (.20") | Straight Shank Porcelain Pin Drill, w/ oil | 05SPB | \$72.35 |
| 6mm (.24") | Straight Shank Porcelain Pin Drill, w/ oil | 06SPB | \$73.37 |
| 7mm (.28") | Straight Shank Porcelain Pin Drill, w/ oil | 07SPB | \$74.84 |
| 8mm (.31") | Straight Shank Porcelain Pin Drill, w/ oil | 08SPB | \$76.43 |
| 10mm (.39") | Straight Shank Porcelain Pin Drill, w/ oil | 10SPB | \$84.60 |
| 12mm (.47") | Straight Shank Porcelain Pin Drill, w/ oil | 12SPB | \$89.70 |
| 15mm (.59") | Straight Shank Porcelain Pin Drill, w/ oil | 15SPB | \$98.77 |
| 20mm (.79") x %-11 | Porcelain Pin Drill, no oil | 20HPB | \$125.31 |
| 25mm (.98") x %-11 | Porcelain Pin Drill, no oil | 25HPB | \$127.35 |
| 30mm (1.18") x %-11 | Porcelain Pin Drill, no oil | 30HPB | \$137.55 |
| 35mm x %-11 (1.38") | Porcelain Pin Drill, no oil | 35HPB | \$153.77 |
| | | | |

ZENESIS™ GRADE

- 9.5mm (.374") segment height
- The new ZENESISTM Z-Thin Wall Core Bit provides excellent performance on all natural and engineered stones. It's thin wall delivers fast cutting and its clever design minimizes chipping. It is equipped with wrench flats for easy installation.
- Thin wall provide fast cutting
- Designed to minimize chipping
- Approximate 35mm (1.37") drilling depth

APPLICATIONS - All Natural Stone, Engineered Stone, Porcelain

| Size | Part # |
|---------------|---------------|
| ¾ x %-11 | S-00712HTWCBZ |
| 1 x %-11 | S-01012HTWCBZ |
| 11⁄8 x 5⁄8-11 | S-01112HTWCBZ |
| 1¼ x %-11 | S-01212HTWCBZ |
| 1%a x %-11 | S-01312HTWCBZ |
| 1½ x %-11 | S-01512HTWCBZ |
| 1¾ x %-11 | S-01712HTWCBZ |

THIN WALL CORE BITS

ALL NATURAL STONE





PREMIUM GRADE

- 8.5mm (.335") segment height
- Leaves cleaner holes than dry segmented bits
- Works great on hard porcelain and sintered stone
- Approximate 35mm (1.37") drilling depth

APPLICATIONS - All Natural Stone, Tile

| Size | Part # | List Price | | |
|--------------------|--------------|------------|-----|-------|
| ¾ x %-11 (19mm) | S-00712HTWCB | \$122.99 | - [| 2 x |
| 1 x %-11 (25mm) | S-01012HTWCB | \$129.65 | [| 2 3⁄8 |
| 11⁄a x ‰-11 (28mm) | S-01112HTWCB | \$133.50 | ſ | 2 % |
| 1¼ x %-11 (32mm) | S-01212HTWCB | \$138.29 | ſ | 3х |
| 1¾ x %-11 (35mm) | S-01312HTWCB | \$144.95 | [| 4 x |
| 11⁄₂ x ‰-11 (38mm) | S-01512HTWCB | \$150.67 | [| 4¾ |
| 1¾ x %-11 (44mm) | S-01712HTWCB | \$166.91 | | |

• Specifically designed for CNC routers and saws that require 1/2 gas arbor

| Size | Part # | List Price | |
|-----------------------|--------------|------------|--|
| 2 x %-11 (51mm) | S-02012HTWCB | \$192.61 | |
| 2 ¾ x %-11 (60mm) | S-02312HTWCB | \$205.92 | |
| 2 5⁄8 x 5⁄8-11 (67mm) | S-02612HTWCB | \$231.74 | |
| 3 x %-11 (75mm) | S-03012HTWCB | \$254.63 | |
| 4 x %-11 (100mm) | S-04012HTWCB | \$360.45 | |
| 4¾ x %-11 (120mm) | S-04712HTWCB | \$429.13 | |
| | | | |

THIN WALL CORE BITS ALL NATURAL STONE





NON-CORING BITS ALL NATURAL STONE



| Size | Part # | List Price |
|-----------------------|--------------|------------|
| 1 x 1/2 Gas (25mm) | S-01012GTWCB | \$129.65 |
| 11/4 x 1/2 Gas (32mm) | S-01212GTWCB | \$138.29 |
| 13% x 1/2 Gas (35mm) | S-01312GTWCB | \$144.95 |
| 11/2 x 1/2 Gas (38mm) | S-01512GTWCB | \$150.67 |
| 2 x 1/2 Gas (51mm) | S-02012GTWCB | \$192.61 |

REMIUM GRADE

REMIUM GRADE

• 8.5mm (.335") segment height

• Approximate 35mm (1.37") drilling depth

APPLICATIONS - All Natural Stone, Tile

• 7mm (.275") segment height

• Approximate 77mm (3.03") drilling depth

APPLICATIONS - All Natural Stone



| Size | Part # | List Price |
|-------------|--------|------------|
| 3/16 x %-11 | NCB18 | \$98.21 |
| ¼x %-11 | NCB25 | \$103.11 |
| ¾x ‰-11 | NCB37 | \$107.05 |
| ½x %a-11 | NCB50 | \$127.66 |

ZENESIS™ FINGER BITS

NATURAL & ENGINEERED STONE



CALL FOR PRICING

FINGER BITS

ALL NATURAL STONE



ROUTER BIT ALL NATURAL STONE & TILE





ZENESIS™ GRADE

- The all-new ZENESIS[™] 4 and 7 segment Finger Bits provide top CNC performance on all stone materials. They deliver precise, quiet and chip-free cutting at faster speeds and can be used on soft to medium-hard materials (4 segments) or medium to hard materials (7 segments). The enhanced design utilizes our most advanced diamond pattern to date, which increases durability and prevents premature wear to ensure long tool life.
- 1/2" gas thread
- Cuts granite and engineered stone (without the full stop)
- Recommended RPM ranges from 4,200 in hard material to 5,500 in softer material with a feed rate of 12"~16" per minute

APPLICATIONS - Granite, Engineered Stone

| Size | Part # |
|---------------------------|----------------|
| 20mm x 1% x ½ Gas, 4 seg | S-02040FBZX4-4 |
| 22mm x 2 x 1/2 Gas, 4 seg | S-02250FBZX4-4 |
| 20mm x 1% x ½ Gas, 7 seg | S-02040FBZX4-7 |
| 22mm x 2 x 1⁄2 Gas, 7 seg | S-02250FBZX4-7 |

👬 PREMIUM GRADE

- 6 segments
- Designed for all natural and engineered stones
- ½ gas male arbor to for CNC routers and saws

APPLICATIONS - All Natural Stone

| Size | Part # | List Price |
|-------------------------|-------------|------------|
| 22mm OD x 1% L x ½ Gas | S-02241NWFB | \$265.16 |
| 22mm OD x 2 L x 1⁄2 Gas | S-02251NWFB | \$270.57 |
| 25mm OD x 1% L x ½ Gas | S-02541NWFB | \$265.16 |
| 25mm OD x 2 L x 1⁄2 Gas | S-02551NWFB | \$294.63 |

👬 PREMIUM GRADE

• Grinder router bits have a female %" arbor that threads onto any grinder to profile marble, porcelain, block and granite. Each bit has 2 independent steel (not plastic) bearings so they can be run wet and dry. The shaping is done with high quality, large particulate diamonds that are brazed to the body of the bit. Top quality components equal top quality performance.


APPLICATIONS - All Natural Stone, Tile, Masonry

AVAILABLE SHAPES




| Size | Part # | List Price |
|----------------------|---------------|------------|
| ¾ Radius x %-11 | S-20H3040RB-B | \$687.46 |
| ¾ Radius x %-11 | S-10H3040RB-B | \$530.33 |
| 25mm x %-11 | S-25H3040RB-B | \$665.02 |
| 30mm Bullnose x %-11 | S-30H3040RB-V | \$844.60 |
| 1⁄2" Bevel x %-11 | S-15H3040RB-E | \$575.21 |


ZENESIS™ Z-FLEX PADS NATURAL & SINTERED STONE



ZENESIS™ 3-STEP PADS NATURAL & ENGINEERED STONE



ZENESIS™ WHITE RESIN PADS NATURAL & ENGINEERED STONE



ZENESISTM GRADE

• Discover ZENESIS™ Z-Flex Dry Ceramic Polishing Pads, revolutionizing stone polishing. Their unrivaled flexibility, powered by cutting-edge ceramic bond technology, redefines precision. Ideal for intricate edges like ogee, these pads elevate the polishing experience. With added grit options for exotic materials and restoration, they ensure impeccable results on natural stone, porcelain, and glass. Experience the evolution of polishing with ZENESIS™ Z-Flex Dry Pads, where flexibility meets flawless precision.

APPLICATIONS - Natural Stone, Porcelain, Quartzite, and Glass Tile

| Size | Grit | Part # |
|---|------|---------------|
| 4", Flexible Purple Velcro [®] Backing | 30 | S-4DPPHZ-30 |
| 4", Flexible Dark Blue Velcro® Backing | 50 | S-4DPPHZ-50 |
| 4", Flexible Yellow Velcro [®] Backing | 100 | S-4DPPHZ-100 |
| 4", Flexible orange Velcro® Backing | 200 | S-4DPPHZ-200 |
| 4", Flexible Red Velcro [®] Backing | 400 | S-4DPPHZ-400 |
| 4", Flexible Green Velcro® Backing | 800 | S-4DPPHZ-800 |
| 4", Flexible Light Blue Velcro® Backing | 1500 | S-4DPPHZ-1500 |
| 4", Flexible Brown Velcro [®] Backing | 3000 | S-4DPPHZ-3000 |
| 4", Flexible White Velcro® Backing | 5000 | S-4DPPHZ-5000 |
| 4", #30-5000 Grit, Pad set, Rigid Velcro® Backing | set | S-4DPPHZ-SET |

ZENESISTM GRADE

- ZENESISTM 3-Step Polishing Pads will save you time and make you money. Our pads give a spot on factory finish in half the time as traditional 7-step pads. The #1 pad sands the stone and takes out saw marks and light pitting; does the work of 50 to 200 grit. #2 pad hones the material taking out any swirl marks preparing the stone for polishing; does the work of 200 to 800 grit. #3 pad puts on an amazing high gloss polish; does the work of 800 to 3000 grit.
- Super high diamond concentration allows 1 pad to do the work of 3
- Special white resin will not stain your material
- Optional hyper aggressive position 0 can extend the life of #1 and #2

APPLICATIONS - All Natural Stone, Engineered Stone, Quartzite

| Size | Part # |
|-----------------------------|------------------|
| 4 x % POS 0 Black Backing | S-4WPPZW-3STEP-0 |
| 4 x % POS 1 Blue Backing | S-4WPPZW-3STEP-1 |
| 4 x % POS 2 Yellow Backing | S-4WPPZW-3STEP-2 |
| 4 x 5% POS 3 Orange Backing | S-4WPPZW-3STEP-3 |

ZENESIS™ GRADE


- ZENESIS[™] White Resin Polishing Pads are specially designed to deal with the challenges of engineered stone. Higher resin content in today's engineered stone present problems for traditional polishing pads. Standard pads can leave unacceptable swirl marks and scratches in your edge polish. Many colored pads can bleed and stain light colored Engineered Stones. The new ZENESIS[™] pads specially formulated white resin will not scratch or stain even when brand new.
- These pads are made with a proprietary resin formula that works great on natural stone, and you won't believe what these pads can do on quartzite!

APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|--------------------------|--------|---------------------|
| 4 x % Blue Backing | 50 | S-4WPPZW-7STEP-50 |
| 4 x % Yellow Backing | 100 | S-4WPPZW-7STEP-100 |
| 4 x % Orange Backing | 200 | S-4WPPZW-7STEP-200 |
| 4 x % Red Backing | 400 | S-4WPPZW-7STEP-400 |
| 4 x % Green Backing | 800 | S-4WPPZW-7STEP-800 |
| 4 x % Light Blue Backing | 1500 | S-4WPPZW-7STEP-1500 |
| 4 x % Brown Backing | 3000 | S-4WPPZW-7STEP-3000 |

ZENESIS™ PADS


NATURAL & ENGINEERED STONE



PREMIUM PADS NATURAL STONE



HEXAGON PADS NATURAL STONE



ZENESIS™ GRADE

- ZENESIS[™] Introduces an unmatched premium 7-Step Wet Polishing Pad. These new pads achieve the highest gloss readings after the 3000 grit level when polishing both white and black granite. Our unique design provides these pads with an exceptional lifespan.
- Removes dull spots, etches, and uneven surfaces quickly
- Shorter polishing times on the most difficult stone surfaces
- Better shine (higher gloss reading)

APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|-------|--------|--------------|
| 4 x % | 50 | S-4WPPZ-50 |
| 4 x % | 100 | S-4WPPZ-100 |
| 4 x % | 200 | S-4WPPZ-200 |
| 4 x % | 400 | S-4WPPZ-400 |
| 4 x % | 800 | S-4WPPZ-800 |
| 4 x % | 1500 | S-4WPPZ-1500 |
| 4 x % | 3000 | S-4WPPZ-3000 |

👬 PREMIUM GRADE

- Wet polishing pads, beehive type
- Designed for the fabricator who demands the best quality
- Unique honeycomb segments for the best water displacement while polishing
- Highest gloss finish
- 3mm thickness for long life
- Available in 4" and 5" diameter

APPLICATIONS - All Natural Stone

| Size | Grit | Part # | List Price | Size | Grit | Part # | List Price |
|-------|------|--------------|------------|--------|------------|--------------|------------|
| 4 x % | 50 | S-4WPPX-50 | \$38.14 | 5 x %/ | 100 | S-5WPPX-100 | \$52.44 |
| 4 x % | 100 | S-4WPPX-100 | \$38.14 | 5 x %/ | 200 | S-5WPPX-200 | \$52.44 |
| 4 x % | 200 | S-4WPPX-200 | \$38.14 | 5 x %/ | 400 | S-5WPPX-400 | \$52.44 |
| 4 x % | 400 | S-4WPPX-400 | \$38.14 | 5 x %/ | 800 | S-5WPPX-800 | \$52.44 |
| 4 x % | 800 | S-4WPPX-800 | \$38.14 | 5 x %/ | 1500 | S-5WPPX-1500 | \$52.44 |
| 4 x % | 1500 | S-4WPPX-1500 | \$38.14 | 5 x %/ | 3000 | S-5WPPX-3000 | \$52.44 |
| 4 x % | 3000 | S-4WPPX-3000 | \$38.14 | 4 x % | 50-3000 + | S-4WPPX-SET | \$353.21 |
| 5 x % | 50 | S-5WPPX-50 | \$52.44 | | Backer Pad | | |

REMIUM GRADE


- Dry polishing pads, hexagon type
- These ceramic pads leave an amazing finish dry or wet
- Available in complete set with backer pad and case

APPLICATIONS - All Natural Stone, Glass Tile

| Size | Grit | Part # | List Price |
|---------|------|-------------|------------|
| 4 x 5⁄8 | 50 | S-4DPPH50 | \$33.41 |
| 4 x 5⁄8 | 100 | S-4DPPH100 | \$33.41 |
| 4 x 5⁄8 | 200 | S-4DPPH200 | \$33.41 |
| 4 x 5⁄8 | 400 | S-4DPPH400 | \$33.41 |
| 4 x 5⁄8 | 800 | S-4DPPH800 | \$33.41 |
| 4 x % | 1500 | S-4DPPH1500 | \$33.41 |
| 4 x 5⁄8 | 3000 | S-4DPPH3000 | \$33.41 |
| 5 x %/ | 50 | S-5DPPH50 | \$57.21 |

| Size | Grit | Part # | List Price |
|-------|------------|-------------|------------|
| 5 x % | 100 | S-5DPPH100 | \$57.21 |
| 5 x % | 200 | S-5DPPH200 | \$57.21 |
| 5 x % | 400 | S-5DPPH400 | \$57.21 |
| 5 x % | 800 | S-5DPPH800 | \$57.21 |
| 5 x % | 1500 | S-5DPPH1500 | \$57.21 |
| 5 x % | 3000 | S-5DPPH3000 | \$57.21 |
| 4 x % | 50-3000 + | S-4DPPH-SET | \$315.37 |
| | backer pad | | |


WHITE RESIN PADS GENERAL PURPOSE



STANDARD PADS NATURAL STONE



ELECTROPLATED PADS CONCRETE & MARBLE



REMIUM GRADE

- These soft resin pads are best for engineered stones with high resin content
- No break in required
- Gives perfect polish on engineered stone, natural stone, and even glass
- Engineered stones must be run wet to prevent material burn

APPLICATIONS - For edge and surface polishing, Engineered Stone, Natural Stone, Glass

| Size | Grit | Part # | List Price |
|-------|------|---------------|------------|
| 4 x % | 50 | S-4WPPER-50 | \$22.46 |
| 4 x % | 100 | S-4WPPER-100 | \$22.46 |
| 4 x % | 200 | S-4WPPER-200 | \$22.46 |
| 4 x % | 400 | S-4WPPER-400 | \$22.46 |
| 4 x % | 800 | S-4WPPER-800 | \$22.46 |
| 4 x % | 1500 | S-4WPPER-1500 | \$22.46 |
| 4 x % | 3000 | S-4WPPER-3000 | \$22.46 |

******* VALUE GRADE

- Wet polishing pads, square type
- This 3mm thick pad is our most popular pad
- Available in 3", 4" and 5" diameter
- Excellent for granite, engineered stone, and concrete
- APPLICATIONS All Natural Stone

| Size | Grit | Part # | List Price | Size | Grit | Part # | List Price |
|---------|------|-------------|------------|--------|------------|-------------|------------|
| 3 x % | 50 | S-3WPP-50 | \$20.56 | 4 x % | 3000 | S-4WPP-3000 | \$27.75 |
| 3 x % | 100 | S-3WPP-100 | \$20.56 | 5 x %/ | 50 | S-5WPP-50 | \$36.08 |
| 3 x % | 200 | S-3WPP-200 | \$20.56 | 5 x %/ | 100 | S-5WPP-100 | \$36.08 |
| 3 x % | 400 | S-3WPP-400 | \$20.56 | 5 x %/ | 200 | S-5WPP-200 | \$36.08 |
| 3 x % | 800 | S-3WPP-800 | \$20.56 | 5 x %/ | 400 | S-5WPP-400 | \$36.08 |
| 3 x % | 1500 | S-3WPP-1500 | \$20.56 | 5 x %/ | 800 | S-5WPP-800 | \$36.08 |
| 3 x % | 3000 | S-3WPP-3000 | \$20.56 | 5 x % | 1500 | S-5WPP-1500 | \$36.08 |
| 4 x % | 50 | S-4WPP-50 | \$27.75 | 5 x %/ | 3000 | S-5WPP-3000 | \$36.08 |
| 4 x % | 100 | S-4WPP-100 | \$27.75 | 4 x % | 50-3000 + | S-4WPP-SET | \$252.29 |
| 4 x 5⁄8 | 200 | S-4WPP-200 | \$27.75 | | Backer Pad | | |
| 4 x % | 400 | S-4WPP-400 | \$27.75 | | | | |
| 4 x 5⁄8 | 800 | S-4WPP-800 | \$27.75 | | | | |
| 4 x % | 1500 | S-4WPP-1500 | \$27.75 | | | | |

PREMIUM GRADE


- Premium grade diamonds electroplated to Velcro[®] back pad
- These flexible diamond discs are basically diamond sandpaper. Since they are raw diamond electroplated to foil disc they can be used to shape, sand and hone any natural stone or tile. The larger 7" and 9" discs are popular for sanding interior pool finishes.
- Great for sanding marble, concrete counter tops, and swimming pool interiors
- Available in 5", 7" and 9" diameter
- Grits over 400 available upon request

APPLICATIONS - Marble, Concrete Counter tops, Swimming Pool Interiors

| Size | Grit | Part # | List Price | Size | Grit | Part # | List Pric |
|------|------|----------------|------------|------|------|----------------|-----------|
| 5 | 60 | S-05BEPSP2-60 | \$76.47 | 7 | 200 | S-07BEPSP2-200 | \$182.40 |
| 5 | 100 | S-05BEPSP2-100 | \$76.47 | 7 | 400 | S-07BEPSP2-400 | \$182.40 |
| 5 | 150 | S-05BEPSP2-150 | \$76.47 | 7 | 600 | S-07BEPSP2-600 | \$182.40 |
| 5 | 200 | S-05BEPSP2-200 | \$76.47 | 9 | 60 | S-09BEPSP2-60 | \$308.93 |
| 5 | 400 | S-05BEPSP2-400 | \$76.47 | 9 | 100 | S-09BEPSP2-100 | \$308.93 |
| 5 | 600 | S-05BEPSP2-600 | \$76.47 | 9 | 150 | S-09BEPSP2-150 | \$308.93 |
| 7 | 60 | S-07BEPSP2-60 | \$182.40 | 9 | 200 | S-09BEPSP2-200 | \$308.93 |
| 7 | 100 | S-07BEPSP2-100 | \$182.40 | 9 | 400 | S-09BEPSP2-400 | \$308.93 |
| 7 | 150 | S-07BEPSP2-150 | \$182.40 | 9 | 600 | S-09BEPSP2-600 | \$308.93 |

RESIN MATRIX PADS

NATURAL STONE



HYBRID 3-STEP PADS NATURAL STONE



BACKING PADS NATURAL STONE



REMIUM GRADE

- These 7" pads are the first resin pad made specifically for the hardscape industry
- 3mm thick resin for long life
- Premium grade materials for fast removal
- Non colored resin leaves no stains or bleeding into plaster

APPLICATIONS - Porcelain, All Natural Stone

| Size | Grit | Part # | List Price |
|--------|------|------------|------------|
| 7 x %/ | 50 | S-7WRP-50 | \$157.13 |
| 7 x % | 100 | S-7WRP-100 | \$157.13 |
| 7 x %/ | 200 | S-7WRP-200 | \$157.13 |

REMIUM GRADE

- Replacing 7-step polishing with only 3 pads
- #1 pad sand the material, removing saw and grinding marks. Perfect for tumbled travertine
- #2 pad hones the material giving it a semi-gloss look and super smooth finish
- #3 pad polishes the material giving it a full gloss shine quickly
- Great for back-splashes and sink openings
- Amazing for giving porcelain a finished edge detail

APPLICATIONS - All Natural Stone

| Size | Part # | List Price |
|--------------|-------------|------------|
| 4 x %, POS 1 | S-4DP-P1 | \$23.61 |
| 4 x %, POS 2 | S-4DP-P2 | \$23.61 |
| 4 x %, POS 3 | S-4DP-P3 | \$23.61 |
| 4 x % | S-4DP-3STEP | \$70.83 |

FLEXIBLE PADS

- For attaching Velcro® backed polishing pads
- %-11 threading
- Flex type

APPLICATIONS - All Natural Stone

Size Part # List Price 3 x %-11 S-3BP \$23.83 4 x %-11 S-4BP \$31.42 S-5 5 x %-11 7 x %-11 S-7

| Size | Part # | List Pri |
|--------|--------|----------|
| 3x‰-11 | S-3BPR | \$34.33 |

• For attaching Velcro[®] backed polishing pads

APPLICATIONS - All Natural Stone

RIGID PADS

• Rigid type

| BP | \$38.19 | |
|-----|----------|--|
| 'BP | \$117.63 | |

| Size | Part # | List Pric |
|----------|--------|-----------|
| 3 x %-11 | S-3BPR | \$34.33 |
| 4 x %-11 | S-4BPR | \$37.19 |
| 5 x %-11 | S-5BPR | \$41.00 |

RIGID

List Price

\$97.10

\$97.10

\$97.10

\$97.10

\$97.10

\$97.10

\$97.10

Part # S-6WRPS-50

S-6WRPS-100

S-6WRPS-200

S-6WRPS-400

S-6WRPS-800

S-6WRPS-1500


S-6WRPS-3000

6-STEP SYSTEM

NATURAL & ENGINEERED STONE



HYBRID FLAT SNAIL LOCK NATURAL & ENGINEERED STONE



IN-LINE PADS NATURAL & ENGINEERED STONE





REMIUM GRADE

- Designed for radius polishing on machines that require 4" snail lock backed tools
- Position 1 Coarse metal bond for shaping material with a Snail lock back
- Position 2 Medium metal bond to prepare material for polishing with a Snail lock back
- Position 3 Coarse resin bond to sand the material with a Velcro[®] back
- Position 4 Medium resin bond to hone the material with Velcro[®] back
- Position 5 Fine resin bond to polish the material with Velcro[®] back
- Position 6 Buff resin bond for darker materials with Velcro[®] back

APPLICATIONS - Radius polishing on All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|---------------------------------|-----------|------------|
| 4" x SNAIL LOCK, POS 1 (COARSE) | S-4AEGC01 | \$461.58 |
| 4" x SNAIL LOCK, POS 2 (MEDIUM) | S-4AEGM02 | \$461.58 |
| 4" x Velcro®, RESIN, 3 | S-4AEGR03 | \$63.83 |
| 4" x Velcro®, RESIN, 4 | S-4AEGR04 | \$63.83 |
| 4" x Velcro®, RESIN, 5 | S-4AEGR05 | \$63.83 |
| 4" x Velcro®, RESIN, 6 | S-4AEGR06 | \$63.83 |

- These pads are specifically designed for flat polishing with machines that require 4" snail lock tools
- Unique honeycomb design gives perfect water displacement
- The 50, 100, 200, and 400 grits are made with a hybrid copper bond that gives long life and speed
- The 800, 1500, and 3000 leave a mirror finish

APPLICATIONS - Flat polishing on All Natural Stone, Engineered Stone

| Size | Part # | List Price |
|-----------------------|--------------|------------|
| 4 x .315 x SNAIL LOCK | S-4WRCS-50 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRCS-100 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRCS-200 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRCS-400 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRRS-800 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRRS-1500 | \$129.08 |
| 4 x .315 x SNAIL LOCK | S-4WRRS-3000 | \$129.08 |

- 5" and 6" snail lock backed pads for flat polishing of engineered and natural stone on automated polishing machines
- Soft bond requires minimum pressure to achieve perfect shine
- White resin will not bleed or stain stone
- Polishes all engineered stones in a single pass, light or dark
- Unique resin pattern evenly distributes water to prevent burning
- Extra thick pad gives very long life

APPLICATIONS - All Natural Stone, Engineered Stone

| Size | Grit | Part # | List Price | Size | Gri |
|------|------|--------------|------------|------|------|
| 5 | 50 | S-5WRPS-50 | \$76.49 | 6 | 50 |
| 5 | 100 | S-5WRPS-100 | \$76.49 | 6 | 100 |
| 5 | 200 | S-5WRPS-200 | \$76.49 | 6 | 200 |
| 5 | 400 | S-5WRPS-400 | \$76.49 | 6 | 400 |
| 5 | 800 | S-5WRPS-800 | \$76.49 | 6 | 800 |
| 5 | 1500 | S-5WRPS-1500 | \$76.49 | 6 | 1500 |
| 5 | 3000 | S-5WRPS-3000 | \$76.49 | 6 | 3000 |
| | | | | | |

ZENESIS™ RESIN CUP WHEELS

NATURAL & ENGINEERED STONE





BLUE CUP WHEEL NATURAL & ENGINEERED STONE





ANTIQUING BRUSHES NATURAL STONE





ZENESIS™ GRADE

- Very highest quality diamonds, metals and resin outperforms all competition
- Unique segment and resin design filled for continuous surface
- Each cup is precision balanced to eliminate vibration and chipping
- Available in coarse, medium and fine
- Eliminates need for dangerous silicon carbide wheels
- Best cup wheel for flat grinding

APPLICATIONS - All Natural and Engineered Stone

| Size | Part # |
|------------------------------|-----------------|
| 4 x %-11, fine 120/140 grit | S-04FWRIGGZX4-2 |
| 4 x %-11, medium 80/100 grit | S-04MWRIGGZX4-2 |
| 4 x %-11, coarse 50/60 grit | S-04CWRIGGZX4-2 |



REMIUM GRADE

- Special turbo design for a fast and smooth finish
- Coarse grit for the most aggressive (fastest) grinding
- Medium grit for a combination of both speed and finish
- Each wheel is precision balanced to minimize chipping
- Fine grit for the smoothest finish

APPLICATIONS - Granite, All Natural Stone, Engineered Stone

| Size | Grit | Part # | List Price |
|----------|-------------|--------------|------------|
| 4 x %-11 | coarse grit | S-04HDZGX3-C | \$157.12 |
| 4 x %-11 | fine grit | S-04HDZGX3-F | \$157.12 |
| 4 x %-11 | medium grit | S-04HDZGX3-M | \$157.12 |
| 5 x %-11 | coarse grit | S-05HDZGX3-C | \$235.68 |
| 5 x %-11 | fine grit | S-05HDZGX3-F | \$235.68 |
| 5x%-11 | medium grit | S-05HDZGX3-M | \$235.68 |
| 6 x %-11 | coarse grit | S-06HDZGX3-C | \$279.95 |
| 6 x %-11 | fine grit | S-06HDZGX3-F | \$279.95 |
| 6 x %-11 | medium grit | S-06HDZGX3-M | \$279.95 |
| 7 x %-11 | coarse grit | S-07HDZGX3-C | \$338.78 |
| 7 x %-11 | fine grit | S-07HDZGX3-F | \$338.78 |
| 7 x %-11 | medium grit | S-07HDZGX3-M | \$338.78 |

- Diamond and Nylon wire brushes for creating leather finishes on natural stone
- Leathering brushes create a distressed 3 dimensional finish that is becoming more popular every day
- The leathering process uses several grits to erode the stone taking down the softer parts and leaving the harder parts higher
- As you progress from the coarse brushes to the finer the color and texture get deeper and richer
- Highest quality and professional grade
- Comes with %-11 and Snail Lock threads

APPLICATIONS - All Natural Stone

| Size | Grit | Part # | List Price |
|------|------|------------|------------|
| 4 | 24 | S-4ABG-24 | \$109.43 |
| 4 | 36 | S-4ABG-36 | \$109.43 |
| 4 | 46 | S-4ABG-46 | \$109.43 |
| 4 | 60 | S-4ABG-60 | \$109.43 |
| 4 | 80 | S-4ABG-80 | \$109.43 |
| 4 | 120 | S-4ABG-120 | \$109.43 |
| 4 | 180 | S-4ABG-180 | \$109.43 |
| 4 | 240 | S-4ABG-240 | \$109.43 |
| 4 | 320 | S-4ABG-320 | \$109.43 |

| Size | Grit | Part # | List Price |
|------|------|-------------|------------|
| 4 | 400 | S-4ABG-400 | \$109.43 |
| 4 | 500 | S-4ABG-500 | \$109.43 |
| 4 | 600 | S-4ABG-600 | \$109.43 |
| 4 | 800 | S-4ABG-800 | \$109.43 |
| 4 | 1000 | S-4ABG-1000 | \$109.43 |
| 4 | 1200 | S-4ABG-1200 | \$109.43 |
| 4 | 1500 | S-4ABG-1500 | \$109.43 |
| 4 | 1800 | S-4ABG-1800 | \$109.43 |
| 4 | 2000 | S-4ABG-2000 | \$109.43 |

ZENESIS™ ZERO TOLERANCE WHEEL

NATURAL & ENGINEERED STONE





- and the finish exceptionally smooth. • %"-11 thread
- Can be used wet or dry

APPLICATIONS - Granite, Engineered Stone

ZENESIS™ GRADE

• The ZENESIS™ Zero Tolerance Wheel feature resin-filled metal segments for fast grinding with reduced vibration. Since they use ZENESIS™ Patterned Technology, the tool life is long

ZERO TOLERANCE WHEEL NATURAL STONE



SHAPING TOOLS **STONE & CONCRETE**



| Size | Part # |
|---------|--------------|
| 2 x 1% | S-2158ZTWZX4 |
| 3 x 1%/ | S-3158ZTWZX4 |

REMIUM GRADE

- Designed for grinding on vertical surfaces like sink openings
- Resin filled segments for smooth finish
- Great on any natural stone, masonry and concrete
- Available in 2", 3" and 4" diameter

APPLICATIONS - All Natural Stone

SEGMENTED

| Size | Part # | List Price |
|-------------------|--------------|------------|
| 2 x 1% L x % - 11 | S-02158HZT-S | \$255.34 |
| 3 x 1%/ L x %r-11 | S-03158HZT-S | \$309.35 |
| 4 x 1% L x % - 11 | S-04158HZT-S | \$368.28 |


RESIN FILLED

| Siz | e | Part # | List Price |
|------------|--------------|--------------|------------|
| 2 x 1% L x | % -11 | S-02158HZT-R | \$304.44 |
| 3 x 1% L x | % -11 | S-03158HZT-R | \$363.37 |
| 4 x 1% L x | % -11 | S-04158HZT-R | \$422.30 |

REMIUM GRADE

- Shank size: 5.95mm (.23") diameter, 45mm (1.77") length
- Designed to be used where diamond blades and cup wheels can't
- 1/4" shank to fit any tool with 1/4" collet like die grinders and trim routers
- Extremely popular with stone sculptors

APPLICATIONS - Different shapes available for natural stones and concrete.



| Form | Dia. (mm) | H. (mm) | Part # | List Price |
|--------|-----------|---------|--------|------------|
| FORM 1 | 25 | 5 | S-ST01 | \$83.49 |
| FORM 2 | 30 | 5 | S-ST02 | \$83.49 |
| FORM 3 | 30 | 1.9 | S-ST03 | \$83.49 |
| FORM 4 | 25 | 6 | S-ST04 | \$83.49 |
| FORM 5 | 30 | 1.8 | S-ST05 | \$83.49 |

| Form | Dia. (mm) | H. (mm) | Part # | List Price |
|---------|-----------|---------|--------|------------|
| FORM 6 | 16 | 8.7 | S-ST06 | \$83.49 |
| FORM 7 | 8 | 6.6 | S-ST07 | \$83.49 |
| FORM 8 | 8 | 16 | S-ST08 | \$83.49 |
| FORM 9 | 8 | 16 | S-ST09 | \$83.49 |
| FORM 10 | 12.5 | 15 | S-ST10 | \$83.49 |

| Form | Dia. (mm) | H. (mm) | Part # | List Price |
|---------|-----------|---------|--------|------------|
| FORM 11 | 10 | 30 | S-ST11 | \$83.49 |
| FORM 12 | 12 | 20 | S-ST12 | \$83.49 |
| FORM 13 | 13 | 12.2 | S-ST13 | \$83.49 |
| FORM 14 | 12 | 17 | S-ST14 | \$83.49 |
| FORM 15 | 14 | 12 | S-ST15 | \$83.49 |

METAL CUTTING

HIGH PERFORMANCE & COST EFFICIENCY

Long Tool Life and Less Down Time

DiamondX[®] saves you money by providing extended tool life as well as dramatically reducing downtime caused by changing out worn abrasives.

SAFETY

Reduced Vibration and Less Wheel Breakage

Traditional bonded abrasives are susceptible to fracture and breakage. If this occurs, it can cause injury and becomes a serious safety concern. DiamondX[®] improved technology of brazing diamond grits to the surface of a solid steel body greatly reduces the risk of fracture and breakage.

WHEEL WEAR

Retains Tool Size and Shape

The disadvantages of traditional bonded abrasives are short tool life and continuously changing tool size and shape during usage. DiamondX[®] offers extended tool life, and its size and shape does not change throughout its tool life.

APPLICATION

Variety and Versatility

DiamondX[®] offers a wide variety of tools for cutting, grinding, weld joint removal, forming, and surface prep work. And because DiamondX[®] tools are exceptionally versatile, they can be used on ferrous and non-ferrous metals as well as ceramics and polymers.

ENVIRONMENTALLY & OPERATOR FRIENDLY

Reduced Sparks, Less Debris and Minimal Odor Traditional abrasives produce a high volume of sparks and odor as well as debris as the abrasives wear down. With DiamondX[®], sparks are greatly reduced, odor is minimal, and the only debris remaining is from the material being worked.





CHOPPER FOR CHOP SAW



CUTTER HIGH SPEED



CUTTER SMALL DIAMETER



- The all-new DiamondX[®] Chopper is a metal cutting chop saw blade. Designed for use on low-powered metal cutting chop saws, the 14" DiamondX[®] Chopper will chop through steel, stainless steel, rebar, structural steel and bolts with ease. The 14" DiamondX[®] Chopper will make more cuts than up to 70 conventional abrasive wheels*, greatly increasing the productivity by reducing the downtime associated with changing out worn abrasives.
- Like all DiamondX[®] products, the new 14" DiamondX[®] Chopper is much safer and more eco-friendly than abrasives. The tools are made of steel and diamonds, which retain their shape, cut after cut. The steel core is virtually indestructible, providing a much safer working environment when compared to conventional abrasives that can fracture & break. Sparks, odor and debris are all greatly reduced, improving working conditions for the operator.
- *1, 14" DiamondX[®] Chopper will outlast up to 70, 14" abrasive discs. Results may vary depending on the application, machine, and operator.

APPLICATIONS - Steel, Stainless Steel, Rebar, Studs, Bolts, Pipe, Sectional Tubing

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 14 x .134 x 1/20mm | DXC0120P1413E | \$353.56 |

- The all-new 14" DiamondX® Cutter is the most advanced, versatile and powerful DiamondX® blade we've ever created. We've made advancements to our brazing technology to increase the speed and longevity of the blade. The higher quality diamonds are bonded to the steel core with a level of precision that is simply unmatched in the industry. Designed for use on high speed gasoline cutoff saws and higher-powered chop saws, the 14" DiamondX® Cutter will slice through steel, stainless steel, rebar, structural steel and bolts with ease. The 14" DiamondX® Cutter will make more cuts than up to 70 conventional abrasive wheels*, greatly increasing the productivity by reducing the downtime associated with changing out worn abrasives.
- Like all DiamondX[®] products, the new 14" DiamondX[®] Cutter is much safer and more eco-friendly than abrasives. The tools are made of steel and diamonds, which retain their shape, cut after cut. The steel core is virtually indestructible, providing a much safer working environment when compared to conventional abrasives that can fracture & break. Sparks, odor and debris are all greatly reduced, improving working conditions for the operator.
- For use only on a high speed gas saw
- APPLICATIONS Steel, Stainless Steel, Bolts, Nonferrous materials, Plastics, Fiberglass, Wood, Concrete, Tile, Brick

| Size | Part # | List Price |
|--------------------|---------------|------------|
| 14 x .150 x 1/20mm | DXH0120P1415E | \$501.84 |

APPLICATIONS - Steel, Stainless Steel, Bolts, Nonferrous materials, Plastics, Fiberglass, Wood, Concrete, Tile, Brick

| Size | Part # | List Price |
|--------------------------|---------------|------------|
| 2 x .050 x 3/8-1/4 | DXE0130P02053 | \$29.90 |
| 3 x .050 x % -1⁄4 | DXE0130P03053 | \$32.37 |
| 4 x .050 x % | DXE0130P0405A | \$42.09 |
| 41⁄₂ x .050 x 7⁄8 | DXE0130P4505C | \$46.04 |
| 5 x .050 x 1/8 | DXE0130P0505C | \$57.04 |
| 6х.050х % | DXE0130P0605C | \$66.76 |
| 7 x .060 x U/A | DXE0130P0706U | \$95.49 |
| 9 x .060 x 1/8 | DXE0130P0906C | \$163.10 |

TYPE 29

DEPRESSED CENTER GRINDING DISC



APPLICATIONS -Weld removal, pipe beveling, and stock removal of all ferrous and non-ferrous metals including mild steel, stainless steel, alloy steels, ductile materials, hard-face metal alloys and ceramic

| Size | Grit Size | Part # | List Price |
|-----------|-----------|-------------|------------|
| 4 x 5% | 24 | DXA2920P04A | \$108.68 |
| 4½ x %-11 | 24 | DXA2920P45H | \$115.92 |
| 5x%s-11 | 24 | DXA2920P05H | \$156.62 |
| 6x%s-11 | 24 | DXA2920P06H | \$181.09 |
| 7 x %-11 | 24 | DXA2920P07H | \$231.51 |
| 9x%⊪-11 | 24 | DXA2920P09H | \$290.67 |

TYPE 29 FINER FINISH DEPRESSED CENTER GRINDING DISC



APPLICATIONS - Weld removal. Finer finish for wide variety of applications



| Size | Grit Size | Part # | List Price |
|-----------|-----------|-------------|------------|
| 4 x % | 50 | DXA2930P04A | \$108.68 |
| 4½ x %-11 | 50 | DXA2930P45H | \$115.92 |
| 5 x %-11 | 50 | DXA2930P05H | \$156.62 |
| 6 x %-11 | 50 | DXA2930P06H | \$181.09 |
| 7 x %-11 | 50 | DXA2930P07H | \$231.51 |
| 9 x ‰-11 | 50 | DXA2930P09H | \$290.67 |

TYPE 27 PIPELINE DISC



APPLICATIONS - All pipeline applications



| Size | Grit Size | Part # | List Price |
|------------------|-----------|-------------|------------|
| 4 x .156 x % | 50 | DXA2730P04A | \$185.63 |
| 4½ x .156 x %-11 | 50 | DXA2730P45H | \$195.98 |
| 5 x .156 x %-11 | 50 | DXA2730P05H | \$212.70 |
| 6 x .156 x %-11 | 50 | DXA2730P06H | \$296.43 |
| 7 x .156 x %-11 | 50 | DXA2730P07H | \$399.53 |
| 9 x .156 x %-11 | 50 | DXA2730P09H | \$529.83 |

TYPE 27 FOUNDRY DISC



APPLICATIONS - All ferrous and non-ferrous materials

| Size | Grit Size | Part # | List Price |
|-----------------|-----------|-------------|------------|
| 7 x .140 x %-11 | 36 | DXA2725P07H | \$529.71 |
| 9 x .140 x %-11 | 36 | DXA2725P09H | \$769.68 |

TYPE 1 CUTTING & GRINDING WHEEL



APPLICATIONS - Foundry-gate/rise removal, forgings, metal pipe, sectional tubing, metal plate, steel bar and ductile iron

| Size | Grit Size | Part # | List Price |
|------------------|-----------|---------------|------------|
| 4 x .137 x % | 36 | DXB0125P0414A | \$121.15 |
| 41⁄2 х .137 х % | 36 | DXB0125P4514C | \$131.50 |
| 5 x .137 x 1⁄8 | 36 | DXB0125P0514C | \$167.59 |
| 6х.137х % | 36 | DXB0125P0614C | \$180.46 |
| 7 x .137 x 7∕8 | 36 | DXB0125P0714C | \$219.07 |
| 9 x.137 x 7∕a | 36 | DXB0125P0914C | \$327.35 |

TYPE 1 REVERSIBLE HARD FACE GRINDING WHEEL



APPLICATIONS - Weld removal, pipe beveling, and stock removal of all ferrous and non-ferrous metals including mild steel, stainless steel, alloy steels, ductile materials, hard-face metal alloys and ceramic

| Size | Grit Size | Part # | List Price |
|------------------|-----------|---------------|------------|
| 4 x .250 x % | 36 | DXA0125P0425A | \$181.78 |
| 4½ x .250 x %-11 | 36 | DXA0125P4525H | \$199.82 |
| 5 x .250 x ‰-11 | 36 | DXA0125P0525H | \$224.25 |
| 6 x .250 x ‰-11 | 36 | DXA0125P0625H | \$273.21 |
| 7 x .250 x %-11 | 36 | DXA0125P0725H | \$324.83 |
| 9 x .250 x ‰-11 | 36 | DXA0125P0925H | \$421.55 |

TYPE 1 CUTTING WHEEL



APPLICATIONS - Foundry-gate/rise removal, forgings, sheet metal, pipe, metal plate, round & sectional tubing, steel bar, angle iron, cast iron, ductile iron, metal studs and carbon/mild steel

| Size | Grit Size | Part # | List Price |
|---------------|-----------|---------------|------------|
| 16 x .155 x 1 | 24 | DXE0120P1615E | \$390.46 |
| 18 x .155 x 1 | 24 | DXE0120P1815E | \$601.24 |
| 20 x .170 x 1 | 24 | DXE0120P2017E | \$714.44 |
| 24 x .185 x 1 | 24 | DXE0120P2418E | \$1,368.47 |
| 26 x .185 x 1 | 24 | DXE0120P2618E | \$1,738.36 |
| 28 x .200 x 1 | 24 | DXE0120P2820E | \$2,208.12 |
| 30 x .200 x 1 | 24 | DXE0120P3020E | \$2,390.52 |

To learn more about DIAMONDX[®] products, <u>down</u>load the catalog!





EQUIPMENT

)

12 2

DAMONDYANTAGE MDE350

MDE350 MASONRY

- The MDE350 Dry Masonry Saw features a powerful 3HP motor and 14" blade capacity for fast cutting of brick/block and general purpose applications. The saw can also be used wet with our optional wet kit. The powerful dust collector kit (optional) ensures clean cutting, indoors or out.
- Stand Part #: MDE350-ST

| Blade Capacity | 14" |
|--------------------|-----------|
| Weight | 75 lbs |
| Horse Power | ЗНР |
| Arbor Size | 1" |
| RPM | 3,600 |
| Max Cut Depth | 5" |
| Rip Cutting | 16" |
| Thermal Protection | Equipped |
| Motor | 115V/60Hz |

Gorflle Concrete Tools




GS100 GREEN CONCRETE Confile Concrete Tools



BEE GREEN CONCRETE EARLY ENTRY SAW GorillaConcreteTools

All Terrain Wheel Kit (sold separately)



- Centered Lifting Hook
- Linkage Controlled Front Pointer Arm
- Quick Blade Depth Adjustment
- Ergonomic Handle
- Integrated Wrench Holder

| Blade Capacity | 10" |
|---------------------|--|
| Weight | 305 lbs |
| Arbor Size | 7/8" |
| Cutting Depth | Up to 3 inches |
| Drive | High Torque Electric Drive with Variable Speed |
| Vacuum Requirements | 250 CFM with 2" Dust Port |
| Motor | Honda GX390 (11.7 HP) |
| Engine Start | Recoil |

- Patent Pending High-Efficiency Dust Box with Blade Sight Window
- Front and Rear Pointers for Cut Accuracy
- Lightweight for easy Loading & Unloading
- Ergonomic Handle
- Integrated Wrench Holder
- Great for Same Day or Next Day Cutting

| Blade Capacity | 8" |
|---------------------|---------------------------|
| Weight | 108lbs |
| Arbor Size | 7/8" |
| Cutting Depth | Up to 2" |
| Frame Construction | Powder Coated Steel |
| Vacuum Requirements | 250 CFM with 2" Dust Port |
| Motor | Honda GX200 (5.5HP) |

- Patent Pending High-Efficiency Dust Box with Blade Sight Window
- Quick blade depth adjustment
- 3-position handle
- Integrated Wrench Holder
- Great for Same Day or Next Day Cutting
- Front and Rear Blade Pointers
- Green Skid Plate to Reduce Chipping
- All Terrain Wheel Kit part # DV-GCT-8-AWK-1

| Blade Capacity | 8" |
|---------------------|--|
| Weight | 140lbs |
| Arbor Size | 7/8" |
| Cutting Depth | Up to 2" |
| Frame Construction | Powder Coated Steel |
| Vacuum Requirements | 250 CFM with 2" Dust Port |
| Motor | Honda GX200 (5.5 HP) or Kohler CH270 (7 HP) |



Hakken

SMD10

- Spindle thread size 1 1/4"-7 (industry standard)
- Motor comes with slip clutch that can be easily adjusted from outside the motor
- 4 adjustable leveling screws for drilling uneven surfaces
- Water valve swivels 360 degrees
- Engineered for both vertical and horizontal drilling
- Standard pole: SB-494-1000

SPECIFICATIONS

Power Rated Current Max Output Max Bit Capacity Spindle Thread Column Thickness Stand Height Carriage Travel Anchor Base Clutch Type Speed Weight

120V 18.5A 2.4kw (3.2HP) 10" 1¹/4"-7 1-¹⁵/16" 39-³/8" 24-³/8" 7.2" x 8.8"(WxL) Slip 490/1150 RPM 53 lbs. (21.7 kg) excluding power cable

ADDITIONAL ACCESSORIES

STANDARD WITH LARGE VACUUM BASE

≡ZENESIS

AN INCO

Including vacuum/anchor combination pad with wheels for mobility *vacuum pump not included

ANGLED STAND

Gear type angle adjustable base of maximum of 120 degrees tilt

STANDARD STAND

Lightweight standard pole base

CORE DRILLS

- Spindle thread size 1 ¼"-7 (industry standard)
- Motor comes with slip clutch that can be easily adjusted from outside the motor
- 4 adjustable leveling screws for drilling uneven surfaces
- Water valve swivels 360 degreesEngineered for both vertical and
- horizontal drilling
- Standard pole: SB-594-1535

SPECIFICATIONS

Power Rated Current Max Output Max Bit Capacity Spindle Thread Column Thickness Stand Height Carriage Travel Anchor Base Clutch Type Speed Weight

120V 24A 3.6kw (4.9HP) 16" 1¹/₄"-7 2-¹⁵/₁₆" 60-²/₅" 45-²/₅" 7" x 10.4" (WxL) Slip 300/700/950 RPM 75 lbs (34kg) excluding power cable



SWIVEL STAND

Extra sub column attached, which can be rotated 360° for easier extraction of long cores

ADDITIONAL ACCESSORIES





NEW

EIBENSTOCK DRE5 CORE DRILL

- Overload temperature control and GFCI over current cut-off with optical indicator
- Cut-off carbon brushes protects the motor
- 3-speed oil bath gearbox optimal lubrication
- Short compact design
- 100% Aluminum housing
- Integrated level bubble on motor and handle
 Side handle with connection for centering device or water collection
- Wet Use Only

| Power | 15AMP/110V |
|--------------------|---------------------------|
| Load Speed | 600 / 1,300 / 2,800 RPM |
| No-Load Speed | 1,000 / 2,200 / 4,300 RPM |
| Spindle Connection | %"x11 UNC & 1¼x7 UNC |
| Collar Diameter | 60mm |
| Carrying Case | Included |
| Weight | 16lbs |

EIBENSTOCK DRE4 CORE DRILL

- Wet drilling in reinforced concrete, natural stone, and asphalt
- Dry drilling in limestone, brick, block and other abrasive materials
- Ideal for plumbing, mechanical and electrical construction, as well as civil engineering and landscape construction
- Garden hose connector
- 3 speed 19.5 AMP hand-held core drill
- Wet or dry diamond core drill
- Water swivel and extraction port built into the spindle
- Easily switchable from hand-held to stand-mounted drilling
- Drill stand adjustable up to 45°
- Includes drill bit connections 5/8"-11 UNC and 1-1/4"-7 UNC

EIBENSTOCK DRE4-S CORE DRILL STAND

- Can be used with drill motors of various brands
- (Universal tool holder, Collar connection)
- Easy adjustment of drilling depth
- Easy to level
- Aluminum column provides high torsional strength
- Smooth running, hard-wearing, adjustable guides/bearings
- Change feed lever without any tool easy selection of operating side
- Hole center indicator allows exact positioning
- Space-saving base
- Lightweight, robust drill stand
- Available vacuum pump (Model DRE4-V) to handle all types of applications (optional, sold separately)
- Stand adjustable up to 45° for angle drilling
- Includes mounting brackets and screws

| Power | 19.5AMP/110V |
|--|---------------------------------------|
| Max Drilling Diameter | 6" |
| Load Speed 1. Gear 3¼" - 6¾" 2. Gear 1¾" - 3¼" 3. Gear ½" - 1¾" | 0-510 RPM 0-1150 RPM 0-2500 RPM |
| Spindle Connection | 5%"x11 UNC & 1¼x7 UNC |
| Collar Diameter | 60mm |
| Carrying Case | Included |
| Weight | 15lbs |

| | Max Drilling Diameter | 6" |
|---|-----------------------|---------------|
| | Height | 30" |
| | Motor Mount | 60mm |
| | Drilling Angle | 90-45 degrees |
| ç | Weight (Stand Only) | 21 lbs |
| 2 | Base Diameter (L x W) | 15-½" × 9" |
| | Anchor or Vacuum Base | Combination |





antage FS200-14K FLAT SAW

- Diamond Vantage® Walk Behind Saws are built from the ground up to provide years of reliable cutting. These saws will cut concrete and asphalt with little to no vibration because of their heavy-gauge steel frames, rugged shafts and bearing assemblies.
- Precision machined arbor shafts
- Multiple-belt power transfer system
- Superior rigidity for smooth, clean, straight cuts

VANTAG

- Heavy-Duty 7-gauge steel construction
- Large screw-type depth control locks for consistent cutting depth

| Blade Capacity | 14" |
|----------------|-------------------------|
| Weight | 254lbs |
| Horse Power | 14HP |
| Dimensions | 49" x 27" x 40" (LxWxH) |
| Max Cut Depth | 6-3/4" |
| Motor | Kohler |

Pante 198

FOLLOW US ON SOCIAL MEDIA

@DIAMONDVANTAGE



WATCH US ON YOUTUBE



FOLLOW US ON INSTAGRAM



JOIN OUR LINKEDIN COMMUNITY



CONNECT WITH US ON FACEBOOK BROWSE OUR WEBSITE



DiamondVantage The key to sharp clean cuts... By combining layering techniques with an extraordi...



CHECK OUT WHAT WE'VE BEEN UP TO

TERMS & CONDITIONS

TERMS & CONDITIONS

- 3%/15 days, Net 30 days
- Past due amounts are subject to one percent (1%) per month late charge, where permitted by law.

Diamond Tool Warranty

- Laser Welded Blade/Bit Warranty: If the laser welded bond between the segment and the core or barrel fails within the first .050" of segment wear of the product*, the blade or bit will be replaced free of charge.
- Brazed Blade/Bit Warranty: If the brazed welded bond between the segment and the core or barrel fails within the first .050" of segment wear, the blade or bit will be repaired or replaced free of charge.
- Continuous Rim Blade Warranty: If the bond between the diamond rim and core fails within the first .050" of segment wear of the blade, the blade will be replaced free of charge.
- These warranties do not cover abuse to or misapplication of the blade or bit. Our obligation under this warranty is limited to replacement or repair at our Irvine, California facility.

Equipment Warranty: One Year Limited Warranty.

Every Diamond Vantage[®] product sold is guaranteed to be free of defects in material and workmanship. Product warranty is limited to repair and replacement of any part, which under normal use is defective in material or workmanship. Warranties for machinery and equipment are provided by their respective manufacturers. Defective part(s) or product at issue should be returned to our address or to a place designated by us with transportation prepaid.

This warranty does not include cost to transport the product at issue. This warranty does NOT apply to any product that has been misused, neglected or involved in an accident. PLEASE NOTE ANY REPAIR, MODIFICATION OR ALTERATION OF A PRODUCT BY ANYONE OTHER THAN THE MANUFACTURER VOIDS ALL WARRANTIES DESCRIBED HEREIN. THIS WARRANTY COVERS ONLY THE PURCHASED PRODUCT.

*For diamond blades, the above Diamond Tool Warranty is only applicable to blades up to 14" in diameter. For all blades over 14", this warranty is only applicable during the first 50% of segment wear.

SALES POLICY

- Prices: Subject to change without notice. Prices in effect at time of shipment are applicable. All prices are in U.S. dollars. Prices quoted are without federal, state or local taxes of any type.
- Sales Tax: Sales tax will be charged where applicable unless a current tax exemption certificate is provided.

FREIGHT POLICY

Diamond Tools

- Orders over \$500.00 net are shipped ground FOB to ONE destination within the contiguous US. Customers to pay freight on all orders less than \$500.00.
- Customers who place one order to ship to multiple destinations, will be responsible for freight charges occurred for each additional destination that exceeds the maximum ONE destination that is included in the \$500.00 net pre paid free ground freight minimum.
- Requests for 3rd, 2nd, or next day shipments will be billed to the customer.
- Freight Charge: \$1500 prepaid to Alaska or Hawaii

Equipment

• Equipment, parts, and accessories are shipped ground/truck with freight prepaid and added to the invoice.


TRIAL POLICY

- Purchase orders are requested and full payment is expected on all trial blades. Trial blades will be invoiced on the basis of normal ordering, if the trial blades are successful payment in full is expected.
- Trial blades that are unsatisfactory will be issued full or partial credit depending on the usage. Customer and our Returns Department will jointly determine the efficiency of the trial performance.

RETURNED GOODS POLICY

- All Returns are subject to a minimum 15% restocking fee.
- Discontinued items and items one (1) year or older from the original invoice date cannot be returned.
- The Customer Service Representative will issue a Return Goods Authorization (RGA) number for the return. Freight on returned merchandise must be paid by customer and merchandise must be in resalable condition.
- Customized and special order product cannot be returned.
- Only authorized shipments meeting the follow conditions will be accepted.
 - 1. RGA#
 - 2. Reasons for return
 - 3. Description of goods
 - 4. Copy of original invoices
- Special order items must be canceled within 30 days of ordering. Customer will be responsible for payment of special order after 30 days from order date.

This troubleshooting guide may help identify, diagnose, resolve and prevent diamond blade problems. The following are samples of some of the problems you may encounter in the field along with potential causes and prevention guides to help diagnose and prevent future problems.



horizontally.

| SEGMEN | |
|---------------------|---|
| SEGIVIEN | TLOSS |
| CAUSE | The material was not held firmly, which caused the blade to twist or jam in the cut, causing segment loss. |
| Prevention Cause | Material must be held firmly. Overheating due to inadequate supply of water or complete loss of water. This is usually accompanied by discolorations which appear on the steel center in the area of the segment loss. |
| PREVENTION | Provide adequate water flow to both sides of the blade, look for line blockages on concrete saw that could cause complete loss of water as a result from equipment running over water feed hoses. |
| CAUSE | On the concrete saw the steel center worn thin as a result of undercutting by abrasive slurry generated during cutting. (Core wears to a knife edge, which weakens the weld/braze and causes segment loss). |
| PREVENTION | Use sufficient water to flush slurry out of cut. If generated, slurry are highly abrasive and wear-retardant cores / undercut protection should be used. |
| CAUSE | Defective blade collars which cause the blade to flutter in the cut or fail to adequately support the blade in perfect alignment. |
| PREVENTION | Clean foreign material from blade collar surfaces, or replace collars under manufacturer's recommended diameter. |
| CAUSE | Blade is too hard for material being cut causing excessive dullness and the segment separates due to impact or fatigue. (This can also be the cause of frictional heat, which can melt the brazing solder.) |
| PREVENTION | Use proper blade specification for the material being cut. |
| CAUSE | Blade is cutting out of round resulting in a pounding impact. |
| | Replace worn bearings, re-align blade shaft, or replace worn blade-mounting arbor. |
| CAUSE | Improper blade tension which produces high pressure on the segments and subsequent failure of the brazed joint (weld). |
| PREVENTION | Make sure running speed of the equipment is specified when ordering blades. The spindle speed should be checked with a tachometer to ensure that each diameter blade is running at the manufacturer's recommended cutting speed and blade-tensioned speed. |

DO NOT USE A BLADE WITH A LOST SEGMENT!

| BLADE W | |
|---------------------|--|
| CAUSE | Blade bond is too hard for material being cut. (Improper blade specification.) |
| PREVENTION | Consult blade recommendation chart or manufacturer for the proper blade specification for the material being cut. |
| CAUSE | Blade has become dull, probably as a result of being used on too hard a material. |
| PREVENTION | Dress or sharpen with soft concrete block, piece of sandstone, or in asphalt to expose diamonds. If continual dressing is required, this would indicate that the blade specification is too hard for the material being cut. |
| CAUSE PREVENTION | Failure to initially break in new blade on specific material being cut. Allow blade to sharpen itself on the material to be cut when first placing it on the saw. This is the proper way to break in a blade. |
| Cause Prevention | Insufficient power to permit blade to cut properly. Tighten belts in accordance with machine maintenance instruction. Use correct voltage at motor and use adequate horsepower for cutting application. |

| SHORT L | |
|------------|---|
| CAUSE | Use of a soft-bonded blade for cutting abrasive material, or a cured concrete blade for cutting asphalt or green concrete. There are speciblades designed for each particular material to give the most economical cutting. Also avoid the use of general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a range of materials and, since it is unlike the operator will be cutting proportionately the proper amount of both hard and soft materials at all times, this is not the economical method of cutting. |
| PREVENTION | 5 |
| CAUSE | Inadequate water to the blade. |
| PREVENTION | Make sure water hoses are clean and free from any blockages. Approximately two gallons of water per minute are required to proper cool a saw blade. |
| CAUSE | Bad spindle bearings, worn mounting arbor, or misaligned shaft. |
| PREVENTION | Replace defective parts. |
| CAUSE | Loss of power, resulting from loose drive belts or improper voltage. |
| PREVENTION | See instruction manual for proper belt tightening, replace worn belts, and make sure proper line voltage is being supplied to the motor. |

CRACKS IN SEGMENT

R RERE

CAUSEBlade is too hard for material being cut.PREVENTIONUse blade with softer bond.

DO NOT USE A BLADE WITH A CRACKED SEGMENT!





| Date | |
|--------------------|--|
| Customer | |
| Company and/or REP | |

PRODUCT TEST REPORT

| PRODUCT DETAIL | |
|---|--|
| Product code (or sales order #) | |
| Diameter | |
| Segment Spec | |
| | |
| TEST PLACE Area | |
| □ Highway □ Road □ Building □ Etc | |
| MATERIAL CUTTING | |
| Types of Material | |
| 🗌 Cured Concrete 🗌 Reinforced Concrete 🔲 Green Concrete 🗌 Abrasive Concrete 🔲 Asphalt | |
| Overlay Etc | |
| Types of Aggregate | |
| 🗌 Flint 🗌 River Gravel 🔲 Hard Granite (Quartz) 🗌 Natural Stone 🗌 Limestone 🔲 Asphalt | |
| Hardness of Concrete or Agregate | |
| 🗌 Hard 🔲 Medium 🔲 Soft 🔲 Etc | |
| Reinforcement Diameter of rebar | |
| Layers of Reinforcement: 🗌 1-layer 🔲 2-layers 🗌 3-layers 🗌 Etc | |
| | |
| MACHINE | |
| Power of Machine (Model, HP) | |
| 🗌 Diesel 🔲 Gasoline 🗌 Electric 🗌 High Frequency Electric 🗌 Hydraulic 🗌 Etc | |
| Types of Machine | |
| 🗌 Walk Behind 🔲 Wall Saw 🗌 Core Drill 🗌 Handheld 🗌 Etc | |
| TEST CONDITION & RESULT | |
| Machine RPM Comments | |
| Cutting Depth | |
| Cutting Speed | |
| Life (Liner ft) | |




MANUFACTURING IN THE USA

Diamond Vantage[®] excels in the industry by maintaining full control over the manufacturing process of our comprehensive range of construction diamond tooling products. By overseeing production from start to finish, we ensure superior quality, precision, and consistency in every blade and tool we produce.

Our commitment to manufacturing some of our blades in the USA further enhances our ability to uphold stringent quality standards and respond swiftly to market needs. This localized production not only supports local economies but also allows us to innovate more effectively and tailor our products to meet specific customer requirements.

Diamond Vantage's dedication to in-house manufacturing positions us at the forefront of the industry, delivering reliable, innovative, high-performance diamond tools trusted by all professionals.





866-322-4078